



DATE	DUE	

UNIVERSITY OF MASSACHUSETTS LIBRARY

5 73 344 50.0 1-384 1913-20

17	DE E	14 图 2	THE LAND	自引阿宁		1 host	MA	Tol	200	The C	CAD	M.	(Par	151	7
9	40	19	12361	0423	6700	1231	500	1238	500	124	27	70		10	PL
C	PCXC	216		7360	FAL	SIFX	Cont	SEL	CAT	9 0	o I	79 6	go A	42	17

The state of the s

7				
		DATE	DUE	
D				
d				
9				
E				
3				
3				
\$				
5 N_				
3				
TT Z				
\$ /_			_	
1				
9				
5	GAYLORD			FEINTEDINUS A

	•	







Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

was a second and a second a second and a second a second and a second a second and a second and a second and a second and	
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 41, 13th, 11A.; 14th, 10 A. Minimum reduced to freezing, 28.25, 3d, 6 P. Reduced† maximum reading, 30.73, 13th, 11 A.; 14th, 10 A. Reduced† minimum reading, 28.55, 3d, 6 P. Mean semi-daily reduced, 28.55, 3d, 6 P. Monthly range, 28.55, 2d, 6 P.	Total movement,
*Air Temperature. In Degrees Fahr.	Summary.
Highest, 59.5, 3d, 2:30 P. Lowest, 11.0, 9th, 7:30 A. Mean hourly, 33.6 Mean of means of max and min., 34.2	South Southwest
	Bright Sunshine.
Humidity. Mean dew point,	15th. 16th, 17th, 16th, 21st, 23th, 27th, 31st. Snow, 4th, 7th, 23d, 29th. Hail, 6th, 15th, 18th. Thunder and Lightning, 18th, 31st.
Precipitation. In inches.	Days of Sleighing, none.
Number of days on which .or inch or more	Gales, 35 or more miles per hour: 60 m, 3d, S.W.; 54m, 4th, S.W.; 37m., 8th, W.N.W.; 49 m., 12th, W., 58 m., 18th, W.S.W.; 36 m., 12tt, W.; 39 m., 31st, S.S.W.
*Temperature in ground shelter. Reduced to freezing and sea-level.	

		Sea Level. Temperature. Ground Shelter.										
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. of Hours Bright Sunshine	
1 2 3 3 4 4 5 5 6 6 7 7 8 8 9 10 11 11 22 13 14 15 15 16 17 18 19 20 22 23 22 44 25 5 26 6 27 28	30.36 30.28 30.44 30.43 30.02 29.97 29.95 29.69 30.15	29.85 29.78 28.55 29.95 30.19 30.05 29.64 30.22 29.79 29.48 30.41 30.63 30.33 30.27 29.95 29.55 29.71 29.74 29.61 30.28 29.79 29.79 29.79 29.79 29.86 29.59	30.070 30.128 28.920 29.468 30.448 30.375 30.192 29.902 30.663 30.611 29.902 30.707 30.711 30.479 30.299 30.052 29.776 30.237 30.181 30.094 30.373 30.120 29.965 29.911 29.850	45.5 43.5 59.5 39.0 51.0 35.5 36.5 43.0 55.0 41.0 45.5 50.0 41.5 48.0 54.5 43.0 54.5 43.0 54.5 43.0 54.5	3 P 3:30 P 2:30 P 5:30 A 3 P 12 P 3:30 P 2 P 11:30 A 4 P 4 P 3 P 3:30 P 2 P 10:30 P 2 P 10:30 P 2 P 10:30 P 2 P 10:30 P	30.0 23.5 31.5 32.0 31.5 32.0 16.0 18.0 33.0 19.5 13.0 14.0 25.5 35.0 36.0 24.0 23.0 24.0 23.0 24.0 27.0 27.0 27.0 27.0 27.0 20.0	12 P 8:30 A 12 P 12 P 9 A 0 A 12 P 7:30 A 0 A 12 P 7:30 A 0 A 12 P 0 A 12 P 5 A 12 P	37-7 33-5 45-5 32-7 40-3 41-5 25-7 18-7 18-7 27-3 38-0 24-5 33-3 42-5 42-5 45-0 38-7 28-7 33-5 36-0 38-7 28-7 33-5 36-0 38-7 38-7 38-7 38-7 38-7 38-7 38-7 38-7	38.0 31.9 38.5 35.1 32.0 37.1 39.5 29.0 38.3 39.0 17.8 29.0 38.3 35.2 34.1 27.5 30.9 37.7 33.0 38.5 35.2 37.1 27.5 30.9 37.7 33.0 38.5	31.7 28.3 36.5 29.3 36.5 24.7 35.3 36.5 24.7 35.7 14.5 31.3 37.0 42.5 43.0 28.7 32.7 29.7 29.7 29.7 32.5 33.3 37.3 32.5	8.2 8.3 3.3 6.5 7.3 6.5 7.8 8.5 6.7 7.8 8.5 6.7 7.8 8.5 6.7 7.8 8.5 6.7 7.8 8.5 6.7 7.8 8.7 7.8 8.7 7.8 8.7 7.8 8.7 7.8 7.8	
29 30 31	30.20	30.11 30.11 29.48	30.326 30.161 29.819	30.0 43.0 56.0	3 P 3 P	25.5 25.5 30.5	7:30 A 0 A 2 A	34·3 43·3	23.0 33.2 43.8	30.5 44.0	8.6 6.7	



	ŀ	Iumidity	у.		1	Wind.				Prec!pita	ation.	
	ew	por.	ty.	ng n				, jg		Total in Inches.		
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
I	28.0	.194	80.5	W.N.W.	121	1.5	17	3 P			_	
2	26.0	.164	86 5	N.N.E.	14	0.0			11 P	12 P	T	
3	32.5 18.0	.234	81.5 52.5	S. S.W.	290 642	18.0	60	3 P	O A	1:30 P	.55 T	~
4	21.5	.199	68.5	W.N.W.	196	1.5	54 17	3 P 4 A	II A	I P 12 P	.01	T
4 5 6	31.0	.233	76.5	E.S.E.	20	0.0	- '	-	O A	IA	.01	
	34.5	.228	88.5	N.E.	99	0.5	10	II A	9:30 A	12 P	.59	I
7 8	12.0	.153	60.5	S.S.W.	138	7.0	37	6 P	OA	2 P	1.02	_
9	1.0	.088	55.0	W.S.W.	188	1.5	17	4 A	1		1	
10	23.0	.157	80.5	S.	205	0.5	10	8 A				
11	37.0	.233	95.5	S. S.W.	141	0.0	-		3 A	12 P	.2C	
12	31.5 g.o	.242	79. 5 72.0	N.W.	37 ²	12.0	49 28	5 P I A	OA	3 P	.14	
13	10.5	.113	67. 5	W.	47	0.5	10	12 P	-			
15	29.0	.191	84.0	S.S.E.	238	2.0	20	4 P	8 P	12 P	.01	
16	36.0	.229	92.0	S.W.	111	1.0	14	o A	O A	2 A	T	
17	42.0	.275	98.0	S.S.E.	81	0.0			3 A	8 P	.52	
18	39.5	.300	83.5	S.W.	168	17.0	5 8	10 P	3 P	II P	.11	
19	24.0	.171	75.5	W.N.W.	313	5.0	32	O A				
20	30.5	.216	84.5	S.S.W.	76	1.5	17	8 P				
2 I 2 2	25.0 20.0	.188	73.5 84.0	W. S.W.	394	6.5	36	5 A	I A	6 A	.14	
23	31.5	.137	92.0	S.S.E.	75 47	1.5	17	8 P	HIA	9 P	.28	I
24	29.5	.207	79.0	S.W.	116	0.0	-/	i —		9.	.20	•
25	24.5	.159	84 5	E.	68	1.0	14	I P				
26	28.5	.224	73.5	S.S.W.	138	2.0	20	HP				
27	27.5	.203	78.0	N.W.	247	2.5	22	6 P	8 A	IIA	.02	
28	15.0	.131	68.5	W.N.W.	212	2.0	20	1 P		_		
29	14.5 28.0	.118	75.5	E. S.S.W.	61	0.0	-	_	2 P	11 B	.18	2
30 31	43.0	.179 .310	85.0	S.W.	91 263	0.0	70	10 P	0:30 P	11 P	20	
۱,	43.0	.510	93.5	3. W.	203	7.5	39	10 F	9:30 P	111 8	.20	

^{**}Rain or meltedsnow at base of tower. *Included:n following day.

The weather during January was most unseasonable in its temperature, and exceptional in its barometric pressure. Throughout the month the weather conditions resembled the normal conditions of March much more closely than those of January. The absence of snow on the ground, excepting for short periods, tended to increase the resemblance to early spring rather than midwinter weather.

A comparison of the records of the various weather elements with those of former years shows the following interesting features: The mean barometer was higher than the normal, and the range of pressure was the largest ever noted for a single month at this station. The minimum barometer, on the third, was the lowest recorded here since this station was established. The minimum for Feb., 1895, of 28.56 inches was, however, but one one-hundredth of an inch higher than this month's record.

The mean temperature for the month broke all records for January, at Amherst, back to 1836—as far back as our records extend. The average temperature was more than 10° higher than the normal and, taken in connection with the unusually high temperature of the preceding month, makes a record for an "open winter" up to this date that has not been approached during the last 75 years. The mean temperature of the past two months was more than 8 degrees above the average value for that period.

The mean dew point was more than eight degrees above the normal, and the relative humidity slightly greater than usual.

The total precipitation was more than one-half an inch greater than the normal, and practically all of it occurred as rain.

The total wind movement was considerably more than usual, and the daily movement on the 4th, following the low barometer of the 3d, was one of our largest daily records here. The prevailing direction of the wind was rather unusual for this season of the year.

J. E. OSTRANDER, Meteorologist.

H. W. ANGIER, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT

STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of baroneter above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTILLI	JOHIMAKI.
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.11, 2d, 11A.; 10th, 11 A. Minimum reduced to freezing, 29.25, 23d, 1 A. Reduced† maximum reading, 30.44, 10th, 11 A.; Reduced† minimum reading, 29.50, 23d, 1 A. Mean semi-daily reduced, 30.008 Monthly range,	Total movement,
Highest, 55.0, 21st, 3 P.	C
Lowest,	Weather,
Mean daily range,	Number of clear days,
Humidity.	Number of cloudy days, 4
Mean dew point,	
Precipitation. In inches.	27th.
Total precipitation, 2-94 Number of days on which .or inch or more	Thunder and Lightning, 22d. Days of Sleighing, 15. Gales, 35 or more miles per hour: 52 m, 1st, W.N.W.; 39m, 8th, W.S.W.; 36m., 9th, W.; 50m. 12th, W.N. W., 36 m., 23d, W.S.W.

S	ea Level			Ten	nperatur	e. Groui	nd Shelte	er.		rs
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. of Hours
1 30.24 2 30.43 3 30.32 4 29.90 5 29.93 6 29.92 7 29.97 8 29.87 9 30.15 10 30.34 11 30.33 12 30.17 13 30.30 14 30.26 15 30.01 16 29.95 17 30.28 30.27 30.28 30.19 22 30.19 23 30.49 24 30.04 25 30.20 30.31 27 30.05 28 30.09	29.58 30.24 29.67 29.68 29.82 29.78 29.81 30.15 29.05 30.17 29.90 29.95 30.02 30.01 29.95 30.03 30.02 30.03 30.03 30.03 30.03 30.03 29.57 29.59 30.03	29.899 30.376 29.948 29.879 29.882 29.934 29.799 30.073 30.421 29.822 29.963 30.359 30.160 29.983 29.896 30.204 30.043 30.130 29.813 29.739 30.024 30.130 29.813 29.739 30.221 29.741 29.859	32.5 28.0 29.0 31.0 20.0 21.0 29.5 25.0 22.0 21.5 37.0 43.5 30.0 36.0 39.5 39.5 39.5 39.5 39.5 39.5 39.5 39.5	10 A 4 P 9 P 2 P 3 P 1 P 3 P 2:30 P 3 P 10 P 0 A 4 P 4 P 3:30 P 2 P 3 P 3:30 P 2 P 3 P 3:30 P 3 P 4 P 4 P 4 P 4 P 3:30 P 4 P	16.5 14.0 20.0 12.0 7.0 5.0 10.0 11.5 -2.5 -1.0 8 0 13.0 11.0 8 0 13.0 11.0 8 0 12.0 15.5 -2.5 -1.0 8 0 13.0 16.5 -1.0 8 0 13.0 16.5 17.0 18.0 18.0 19.0 19.0 19.0 19.0 19.0 19.0 19.0 19	12 P 5 A 3 A 12 P 12 P 1 A 5 A 3 A 7:30 A 7:30 A 3:30 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	24 5 21.0 24 5 21.5 11.0 12.0 19.7 18.3 8 7 14.7 10.3 22.5 28.3 33.0 24.5 20.5 22.0 35.7 26.7 27.0 18.5 28.5 28.5 28.5	26 4 20.3 25.5 24.1 15.2 11.5 20.7 18.1 7.1 14.7 20.8 29.0 34.0 25.1 19.7 22.4 38.4 41.5 33.4 28.1 18.5 16.0 20.2 28.6 37.5	21.7 18.5 25.5 20.3 14.5 9.0 9.7 17.5 12.3 2.0 16.5 17.5 24.0 30.7 19.3 15.0 18.5 35.0 14.5 24.0 30.7 19.3 15.0 16.5 24.0 30.7 19.3 23.0 17.5 24.0 30.7 19.3 23.0 19.3 23.0 19.3 23.0 19.3 23.0 19.3 23.0 19.	8 9. 2. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.

	F	lumidity	· ·		,	Wind.			i	Precipita	ition.	
	M.	por.	<i>y</i> .	gg .	n n n n n n n n n n n n n n n n n n n						Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4	17.0 15.0 21.5 12.0	.131 .109 .146	76.0 82.0 83.0 65.0	W. W. S.W. N.W.	445 276 131 182	13.5 2.5 0.5 4.5	5 ² 22 10 30	1 P 1 P 10 A 9 A	10 A 8 A	5 P 8 P	T .69	T
5 6 7 8 9	10.0 0.5 4.5 10.0 5.0	.091 .075 .076 .112 .086	78.5 61 5 74 5 65.0 67.0 83.0	W.N.W. W. W.S.W. W.S.W.	246 194 239 267 365 85	4·5 5·5 2·5 7·5 6 5	30 33 22 39 36	9 A 12 M 8 A 10 P 11 A	6 Р	12 P	Т	Т
11 12 13	14.0 2.0 -1.0 11.0	.100 .081 .068 .113	87.5 63.0 66.5 70.0	S.W. W.N.W. W.S.W. S.	23 409 185 196	4·5 12·5 3.0 1.0	30 50 25	7 P 2 P 2 P 2 P	5 A	8 Р	.28	2
15 16 17 18	19.0 28.5 14.5 6.0 11.5	.152 .179 .115 .098	73.5 90.0 76 0 61 5 66.0	S. N.W. N.N.E. N.N.W. N.W.	84 51 188 304 72	0.5 0.0 1.5 4.5 0.0	17 30	5 P 5 A 2 P	I P O A	12 P 2 A	T	T T
20 21 22 23 24	31.0 30.5 30.0 18.0 5.0	.232 .227 .189 .140 .095	79 5 74.5 90.0 72.5 61.0	S.S.E. S.W. N.W. W. W.N.W.	44 62 79 368 235	0.0 0.0 0.0 6.5	36	— I Р 6 Р	6 P 0 A 8 A	12 P 10 P 3 P	.c3 .63 T	Т
25 26 27 28	7.5 12.5 26.5 32.0	.165	73 ° 76.0 87 ° 83.0	W.N.W. S. S.W. N.W.	194 103 70 97	0.0	14	8 A 6 P - 4 A	7 P 0 A 0 A	12 P 12 P 4 A	.13 .90 .28	2 I
											1	

^{**}Rain or melteds now at base of tower. *Included in following day.

The weather during February was generally good winter weather, in marked contrast with the abnormal conditions of the preceding two months. Departures from normals were in most cases not especially marked and of little influence on the weather as a whole. During about half the month the sleighing was fair in this section.

A study of the records of the several weather elements for the month shows the following as the more important features. The mean barometer was slightly lower than the normal and the range unusually small for this time of the year. This was due to both a low maximum and high minimum. Notwithstanding the comparatively quiescent pressure the total wind movement was slightly greater than usual. All the gales were from nearly a westerly direction.

The mean temperature was slightly lower than the normal and the range was the usual amount. The thermometer registered below zero on three dates, all during the first half of the month. The first half of the month was considerably colder than the last half; the records showing that during the first fourteen days the mean daily temperature was above the mean for the month on but three days while the last fourteen days had but five days when the daily mean was below the monthly mean.

The mean dew point and relative humidity were both considerably below the normals for these elements.

The total precipitation was about ten per cent. less than the normal and about two-thirds occurred as rain.

The amount of cloudiness was much below the average for February.

J. E. OSTRANDER, Meteorologist.

H. W. ANGIER, Observer.

*Temperature in ground shelter. Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 56, 18th, 8A.; Minimum reduced to freezing, 28.96, 27th, 5 P. Reduced† maximum reading, 30.88, 18th, 8 A.; Reduced† minimum reading, 29.26, 27th, 5 P. Mean semi-daily reduced, 30.112 Monthly range, 1.92	Total movement,
*Air Temperature. In Degrees Fahr.	Prevailing Direction, West Southwest.
Mean hourly, 37.9 Mean of means of max and min. 38.3 Mean sensible (wet bulb), 31.3 Monthly range, 73.0 Highest mean daily, 59.4, 25th Lowest mean daily, 9.4, 7th Mean maximum, 47.9 Mean minimum, 28.5 Mean daily range, 19.4	South Southeast .13 " South .10 " West Southwest .10 " Northwest .10 "
Humidity.	Bright Sunshine. Number of hours recorded, 182 hrs=49%.
Wean dew point,	Rain. 1st, 9th, 1oth, 11th, 13th, 14th,15th,16th, 20th,21st,23d,24th, 25th, 26th, 27th, 30th,31st. Snow, 2d, 4th, 6th, 11th. Thunder and Lig 4tning, 1st, 25th, 26th,
Precipitation. In inches.	27th, 31st. Days of Sleighing, 3. Gales, 35 or more miles per hour: 64 m, 20th,
Number of days on which or inch or more	W.N.W.; 44m, 6th, W.N.W.; 49m, 7th, W.; 43m. 21st, S.S.W.; 43m., 22d, W.; 36m. 24th, S.; 48m. 27th, W.; 39m. 28th, W.; 68m.31st, S.W.

	Baromet Se	er Red ea Level	l.		Ten	peratur	e. Groun	nd Shelte	er.		rs shine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. of Hours Bright Sunshine
1 2 3 3 4 4 5 5 6 6 7 7 8 8 9 100 1 1 1 1 2 1 3 1 4 4 1 5 5 1 6 1 7 7 1 8 8 1 5 2 5 2 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2	30.38 30.44 30.24 30.15 30.44 30.45 30.45 30.25 29.75 30.01 30.75 30.80 30.80 30.80 30.80 30.80	29 79 29.72 30.04 29.91 29.85 29.46 29.87 30.12 30.25 29.73 29.45 20.56 30.01 30.55 30.31 29.95 30.07 29.95	29.946 29.934 30.200 30.094 29.963 30.191 30.370 30.172 29.962 30.369 29.895 29.576 20.776 30.527 30.431 30.078 29.988 30.405 30.405 30.405 30.405 30.405	34.0 37.0 37.0 35.0 44.0 36.0 13.5 29.5 59.0 49.5 45.5 57.0 57.0 47.0 57.0 64.0 52.0 64.0 69.5	8 P 2 P 4 P 2 P 3:30 P 3 P 1 P 3:30 P 3:30 P 4:30 P 2:30 P 12:30 P 2:30 P 2:30 P	30.0 20.0 15.5 31.0 26.0 12.0 6.0 12.0 33.5 33.5 33.5 33.5 33.5 27.0 48.0 28.5 22.0 34.0 33.5 47.0 28.5 22.0	5 A 12 P 6 A 12 P 12 P 12 P 12 P 12 P 12 P 13 A 6:30 A 7 A 0 A 12 P 0:30 A 3 A 6:30 A	32 0 28.5 26.3 33 0 35.0 24.0 97 15.3 41.5 39.3 40.5 25.5 37.7 29.7 49.0 42.7 56.0 35.0 31.7 53.3	33.7 29.0 27.3 32.6 33.3 23.5 9.4 41.0 36.9 38.9 46.5 53.2 39.9 28.6 31.8 47.4 43.5 55.5 37.9 35.0	32.0 23.3 22.5 30.5 29.7 21.5 6 7 13 0 37 5 35.3 35.0 33 3 47.3 53 3 27.5 41.7 42.7 55.3 28.7 7	0.0 8.3 8.0 0.0 9.5 2.0 10.2 9.5 8.7 7.0 0.0 0.0 0.2 2.3 11.0 0.0 1.2 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5
200	30 11 7 29 93 8 30 39 9 30.55 0 30 37	29 78 29.93 29 26 29 67 30 37 29.98	30.257 30.484 30.189	74.0 50.0 60.5 3h.0 48.0 56.0 58.0	3:30 P O A 2 P 4 P 4 P 3 P 2:30 P	50.0 36 5 30 0 27 0 22 0 32.0 40.5	6 A 12 P 6 A 6:30 A 3 A 12 P	62.0 43.3 45.3 33.0 35.0 44.0 49.3	59.4 39.4 42.9 31.2 34.1 44.0 48.1	56 5 37·3 33·7 26·7 29·3 42·0 46·3	8.5 0.0 0 0 11 5 11 0 5 0

	I	lumidit	у.		,	Wind.				Precipit	ation.	
	ew	por.	ty.	ng n.	ţ.	tm are Ft	1		1g.		Tota Incl	din ies.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3	30 0 17 0 16.0	.188 .141 .145	90.0 70.0 66.5	N.N.E. N.W. W.	40 253 360	0.0 20.5 5.5	- 64 33	2 P 1 A	10 A 3 P	9 P 4 P	.17 T	Т
4	27.5 26.5	.180 .175	85.0 82.0	W.N.W. N.N.E.	76 41	0.0	_	_	6 P	пР	.c6	I
5 6 7 8	17 0 -1.0 7.0	.066	77.0 63.0 72.5	N.W. W. S.	122 414 154	9.5 12.0 1.0	44 49 14	1:30 P 8 A 10 P	8 A	4 P	.41	4
9	35.0 20.0	.249 .234	50.5 70.5	S. W.S.W.	283	4.5	30	4 P	6 P	10 P	T	
11	33.0	.211	91.5	N.E. W.S.W.	74	0.0	_	4 A —	0 A	11 A	.06 . 3 8	T
13	29.0 34 0	.213	91.5	S.S.E.	60	0.1	14	2 P	11 A	1 P	Т	
14	47.0 53.0	·339 ·412	96.0 98.5	S.S.E. S.S.W.	260	30	14 24	4 A 3 P	1 A 12 M	3 P 12 P	.89	
16, 17	31.0 15.0 21.5	.219 .144 .175	80.0 62.5 69.5	N.W. W. .S.S.W.	136 354 264	4·5 4·5 5·0	30 30 32	10 P 1 P 12 M	0 A	7 P	,11	
19	36.0 42.0	.315	67 5 94 5	S.S.W. S.S.W.	347	4.0	28	2 P	6 A	7 P	.62	
21	54.5 18.0	·455	94.5 5 2.5	S.S.W. S.S.W. W.	197	9.0	43	5 P 8 A	3 P	8 P	.02	
23	26.0	-194	73.0	S.S.E.	190	2 5	2.2	6 P	пР	12 P	o 6	
24 25	49 ° 56.0	.432 .487	80.5 90.0	S.S.E. S.S.W.	374 365	6.5 5.0	36 32	10 A 3 P	о A 6 Р	5 A 12 P	.28	
26	35.5	.233	89.5 82.0	N.N.W.	92	20	20	LLA	O A	12 P	1.04	
27 28 29	30.5 20.5 22.0	.208 .163 .186	70.5 65.5	W. W. W.S.W.	218 416 123	7.5 2.5	48 39 22	8 P 6 A 7 P	O A	6 Р	114	
30	49.5 44.0	.296 ·345	84.5 86.0	S. S.W.	242 225	2 0	20 68	3 P	4 P 0 A	12 P 8 P	.04 .64	

^{**}Rain or melted snow at base of tower. *Included in following day.

With the close of the winter season a comparison of the temperature record with that of former winters can safely be made. the season as a whole from the 1st of December to the close of this month it can safely be said that it was the mildest winter within the memory of the "oldest inhabitant." Using the temperature records of this town, which extend back to 1837, no previous year shows such a high mean temperature for the four months. The winter of 1879-80, however, was almost as mild. The months of December, January and March were all a few degrees colder than the corresponding months of the past season. February, however, of that year was more than seven degrees warmer than the same month this year. The maximum and minimum temperatures of that winter were both several degrees lower than those records of the season just closed. February stands out as the only month of the winter when the temperature conditions were nearly normal.

March started out with a thunderstorm on the 1st, and snow on the 4th and 6th. The latter snowstorm furnished sleighing for only a few days as the temperature rose to 59 degrees on the 9th. Before the middle of the month the frost was practically all out of the ground and the rains about that time settled the roads so that they were fairly passable. The equinoctial storms were comparatively light and the transition to spring was practically completed by them.

The last week of the month was unusually stormy with a number of heavy rains and severe thunder and lightning on several days and on the 31st there was a severe hailstorm with thunder and lightning and the heaviest wind of the month. The total precipitation was two and one-half inches above normal.

The month closed with the season fully two weeks in advance of the usual conditions at the end of March.

J. E. OSTRANDER, Meteorologist.

H. W. ANGIER, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind,
Maximum reduced to freezing, 30-25, 10th, 7A. Minimum reduced to freezing, 29,19, 1st, 0 A. Reduced† maximum reading, 30-56, 10th, 7 A.; Reduced† minimum reading, 29,50, 1st, 0 A. Mean semi-daily reduced, 30.020 Monthly range, 1.06	Total movement,
*Air Temperature. In Degrees Fahr.	hour, 1st, 9 P., W.N.W. Prevailing Direction, West Northwest.
Highest, 84.5, 25th, 2:30 P. Lowest, 22.5, 8th, 6 A. Mean hourly, 47.6 Mean of means of max and min. 48.0 Mean sensible (wet bulb), 42.9 Monthly range, 62.0 Highest mean daily, 65.9, 25th Lowest mean daily, 34.2, 9th Mean maximum, 58.3	Summary. West 13 per cent. South Southwest 13 " " North Northwest 10 " " Northwest 10 " " Northeast Other directions
Mean minimum, 37.6 Mean daily range, 20.7 Greatest daily range, 38.0, 22d Least daily range, 6.5, 13th	Weather. Mean cloudiness observed, 55 per cent Total cloudiness recorded by the Sun Ther- mometer, 191 hrs.=48 per cent.
Mean minimum, 37.6 Mean daily range, 20.7 Greatest daily range, 38.0, 22d	Weather. Mean cloudiness observed, 55 per cent Total cloudiness recorded by the Sun Ther-
Mean minimum, 37.6 Mean daily range, 20.7 Greatest daily range, 38.0, 22d Least daily range, 6.5, 13th	Weather. Mean cloudiness observed, 55 per cent Total cloudiness recorded by the Sun Ther- mometer, 191 hrs.=48 per cent. Number of clear days, 8 Number of fair days, 12 Number of cloudy days,
Mean minimum, 37.6 Mean daily range, 20.7 Greatest daily range, 38.0, 22d Least daily range, 6.5, 13th Humidity. Mean dew point, 38.5 Mean force of vapor, 338 Mean relative humidity, 74.4 Precipitation. In inches.	Weather. Mean cloudiness observed, 55 per cent Total cloudiness recorded by the Sun Ther- mometer, 191 hrs.=48 per cent. Number of clear days, 8 Number of fair days, 12 Number of cloudy days, 10 Bright Sunshine. Number of hours recorded, 211 hrs=52%. Rain, 3d, 4th, 5th, 6th, 7th, 9th, 11th, 12th, 13th, 16th, 19th, 23d, 25th, 28th, 29th. Snow, 6th, 7th, 9th. Frosts, 7th, 10th, 22d.
Mean minimum,	Weather. Mean cloudiness observed, 55 per cent Total cloudiness recorded by the Sun Thermometer, 191 hrs.=48 per cent. Number of clear days, 8 Number of fair days,

Baron	neter Red Sea Leve	1.		Ter	nperatur	e. Groui	nd Shelte	er.		rs shine.
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. of Hours Bright Sunshine.
1 29.7 2 30.1 3 30.2 4 30.1 5 30.6 6 29.6 7 30.1 8 30.2 9 30.4 10 30.5 11 30.3 12 30.1 13 29.6 14 29.6 15 30.6 17 30.6 18 30. 17 30.6 20 30.2 21 30.2 22 30.2 23 30.2 24 30.2 25 30.2 26 30.2 27 30.2 28 30.2 29 30.3 20 30.3 20 30.3 21 30.3 22 30.3 23 30.2 24 30.3 25 30.2 26 30.3 27 30.3 28 30.3 29 30.3 20 30.3 20 30.3 20 30.3 20 30.3 21 30.3 22 30.3 23 30.3 24 30.3 25 30.3 26 30.3 27 30.3 28 30.3 30.3 30.3 30.3 30.3 30.3 30.3 30.3	4 29.70 3 30.08 4 29.89 9 29.81 8 29.88 2 30.04 9 30.10 6 30.39 9 30.10 0 29.94 4 29.75 4 29.75 1 29.62 1 29.62 1 30.39 1 30.39 1 30.33 2 30.04 3 30.34 3 30.3	30.332 30.163 30.090 30.177 30.089 29.913 29.723	46.0 50.0 55.5 52.5 42.0 47.5 44.5 52.5 52.5 52.5 52.5 52.5 52.5 52.5 52.0 62.5 41.0 62.5 41.0 75.0 82.0 75.0	2:30 P 12 M 5 P 3 P 2:30 P 1 P 4 P 5 P 4 P 3 P 1:30 P 2 P 3 P 3:30 P 3 P 1: A 2 P 2 P 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 2 P 2 P 3 P 1: A 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P	34-5 36.0 34-5 38.0 34-5 27.0 28.0 22-5 26.0 23.0 46.0 43.0 43.0 43.0 39.0 39.0 30.0 35.0 50.0 48.5 48.5 45.0 46.0	7 A 1 A 2 A 7 A 12 P 5:30 A 6 A 6 A 6 A 8 A 3 A 0 A 11 P 12 P 8 A 4:30 A 6 A 7 A 6 A 6 A 5:30 A	40.3 43.0 45.0 43.5 35.3 35.0 35.3 35.0 35.3 50.0 54.0 48.7 47.0 48.7 47.0 63.3 58.7 54.3 54.5 54.5 54.5	37.8 41.5 43.9 42.9 34.6 35.6 35.8 34.2 38.7 38.7 48.8 51.0 47.8 49.5 48.3 49.5 63.3 60.2 63.3 61.5 60.3 55.1	31.3 33.7 38.7 39.7 37.3 32.0 29.0 35.7 39.3 51.5 47.0 48.5 45.5 42.5 30.0 51.5 57.6 60.0 55.3 56.0 51.7 41.7	4.0 11.0 6.0 3.3 7.3 4.0 0.0 0.0 2.8 0.2 2.3 8.2 0.0 12.0 10.0 7.0 6.7 7.1 11.8 9.0 6.7 11.8

1 22.5 .212 58.0 W. 458 16.5 58 8 P .01 .22.0 .248 50.0 N.N.E. 115 0.0 0 A 7 A A .01 T .25 .25 .212 58.0 W. .25 .45 .32 .244 78.0 W. .70 1.0 14 9 P 8 A 3 P .03 T .260 .208 68.5 N.W. .251 4.5 .30 12 M .2 P 4 P T T .25 .25 .210 67.0 W.N.W. .68 5.5 33 11 P .25 .25 .210 67.0 W.N.W. .68 5.5 .33 11 P .38 .44 .05 .329 .32 .33 .32 .32 .33 .33 .34 .34 .35 .33 .32 .33 .34 .34 .35 .33 .34 .34 .35 .33 .34 .34 .35 .33 .35 .34 .35 .33 .35 .34 .35 .33 .35		H	Iumidity	<i>y</i> .		1	Wind.				Precipita	ation.	
1		e w	por.	ty.	ng n.	nt .	m are Ft	i.		ğ		Tota Inc	al in nes.
2 22.0	Day.	Mean Do Point.	Mean Force va	Mean Relative Humidu	Prevailir Direction	Total Moveme in Miles	Maximu Pressure Per Squ	Miles pe Hour.	Time.	Beginnir	Ending.	Kain.**	Snow.
27 53 0 .507 79.5 E.S.E. 156 1.5 17 5 P 28 49.5 .430 83.0 E. 135 0.0 — — 3 A 12 M 29 50.0 .417 86.0 N.E. 161 4.5 30 3 P 8 A 8 P .16 30 34.5 .334 60.0 N.N.W. 383 7.5 39 10 A	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 22 23 24 25 26 7 28 29	22.0 34.5 37.5 32.5 26.0 25.5 22.5 30.5 30.5 40.5 40.5 43.5 23.5 27.0 43.0 49.5 57.5 51.0 53.0 50.0	.248 .275 .266 .248 .244 .208 .210 .181 .239 .329 .329 .320 .312 .191 .292 .419 .509 .505 .605 .523 .507 .437	50.0 72.5 84.5 76.0 67.5 67.5 96.5 85.5 62.0 87.0 69.5 70.0 71.5 70.5 70.5 70.5 70.5 80.5	W.S.W. E.S.E. N.N.E. N.W. W.N.W. N.W. N.W. N.W. S.S.E. S.S.W. N.E. N.E. N.E. N.W. W.S.W. W.S.W. W.S.W. S.E. S.E. E. E. N.E.	542 600 115 147 70 251 168 297 49 150 32 152 153 187 131 271 244 415 179 103 86 44 59 165 156 156 156 156 156 156	8.0 0.0 0.0 2.5 1.0 4.5 5.5 0.0 0.5 0.0 2.0 1.0 3.5 5.5 3.0 0.0 0.0 1.0 1.0 0.0 0.0 0.0 0	40 — 22 14 30 33 32 — 10 — 20 14 26 32 33 33 24 — — — — — — — — — — — — — — — — — — —	11 A	O A O A S A S A S A S A S A S A S A S A	7 A 8 A 3 P 4 P 3 A 11 P 9 A 3 A 3:30 P	.c5 .43 .03 T .01 1.r2 .66 .38 .03 .06	T

^{**}Rain or meltedsnow at base of tower. *Included in following day.

The weather during April proved disappointing to those who had expected an early season. Much of the seasonal progress shown at the beginning of the month was lost before the month closed. While no particular weather element seemed especially abnormal, the advance of spring was arrested and conditions were nearly normal at the end of the month.

The first half of the month was much more rainy than the last half, although precipitation was well distributed throughout the month.

The record of the several weather elements shows the following as the more important features: The mean barometer was higher than the normal and the range a little less than the usual amount. The maximum and minimum pressures were both higher than the average value of these records. The minimum record was made as the month opened, and was followed by a wind record of a thousand miles on the first two days of the month. The total wind movement was slightly greater than the normal and the daily prevailing direction more variable than usual.

The mean temperature was about two degrees above the normal, and the maximum and minimum records both high. Only a few frosts were noted, and no damage was done by them. From the 21st to the 29th, inclusive, was the warmest period of the month.

The mean dew point was practically normal, while the relative humidity was considerably higher than usual.

The total precipitation was about ten per cent more than the normal, and two-thirds of the total fell from the 11th to the 13th, inclusive. While many showers occurred no thunder storms were noted.

The percentage of cloudiness observed was slightly more than the normal.

J. E. OSTRANDER, Meteorologist.

H. W. ANGIER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

V	
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 10, 4th, 12P. Minimum reduced to freezing, 29.23, 29th, 2P. Reduced† maximum reading, 30.39, 4th, 12 P. Reduced† minimum reading, 29.52, 29th, 2 P. Mean semi-daily reduced, 29.995 Monthly range,	Total movement,
Highest, 89.0, 3d, 4 P.	
Lowest,	Summary. North Northwest
Mean daily range, 22.3	Weather.
Greatest daily range, 43.5, 2d Least daily range, 4.5, 28th	Mean cloudiness observed, 53 per cent. Total cloudiness recorded by the Sun Thermometer, 232 hrs.=51 per cent.
	Number of clear days, 6
Humidity.	Number of fair days,
Mean dew point,	
	Bright Sunshine.
Precipitation. In inches.	Number of hours recorded 221 hrs=49%. Rain, 6th, 9th, 13th, 15th, 16th, 18th, 21st, 22d, 23d, 24th, 25th, 27th, 28th, 29th. Frosts, 11th, 12th, 15th.
Number of days on which or inch or more	Thunder and Lightning, 6th, 15th. Gales, 35 or more miles per hour: None.
[*] Γemperature in ground shelter. Reduced to freezing and sea-level.	•

	Barome S	ter Red ea Leve	1.		Te	mperatui	re. Groun	nd Shelt	er.		rs shine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. of Hours Bright Sunshine
3 4 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 12 22 23 24 22 25 26 27 28 8 3 3	30.07 29.99 30.13 30.39 30.39 30.21 30.22 30.02 30.02 30.02 30.02 30.07 30.17 30.17 30.13 30.27 30.17	29.92 29.84 29.93 30.13 30.11 29.84 29.83 29.88 29.88 29.87 30.07 29.87 30.07 29.87 30.01 29.87 30.01 29.87 30.01 29.87 30.01 29.87 30.01 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.88 29.88 29.88 29.88 29.88 29.88 29.88 29.88 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.88 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.87 29.88	30.006 29.952 30.031 30.386 30.245 29.959 30.246 30.076 30.052 29.954 29.966 30.125 29.997 30.125 29.992 30.121 30.180 29.919 29.829 29.899 30.92 30.92 30.919 29.823 29.899 30.72 30.142 29.855 29.587 29.587 29.587 29.587	73.5 87.5 87.5 87.5 76.5 87.0 62.5 49.0 62.5 49.0 65.5 65.0 65.0 65.0 65.0 65.0 65.0 65	4:30 P 3 P 4 P 4 P 2:30 P 4 P 2:30 P 3 P 5 P 3 P 5 P 2 P 6 P 3 P 5 P 1 P 5 P 1 P 5 P 2 P 6 P 3 P 5 P 5 P 6 P 7 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8	33.0 44.0 53.0 54.0 56.0 52.0 49.5 31.0 42.0 30.5 45.5 34.0 43.5 37.0 43.5 37.0 54.0 43.5 49.0 45.5 49.0 49.0 40.0 40.0 40.0 40.0 40.0 40.0	6 A 4:30 A 6 A 5:30 A 12 P 6 A 3 A 12 P 6 A 5:30 A 12 P 6 A 5:30 A 12 P 6 A 5:30 A 12 P 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A	53·3 65·7 71·0 66·3 69·5 60·3 53·5 40·5 43·5 47·5 47·5 47·5 47·5 51·7 52·0 51·7 50·5 50·5 50·5 50·5 50·5 50·5 50·5 50·5 50·5 50·5 50·5 60·5	55.6 68.1 73.2 62.8 63.7 67.5 61.9 53.0 41.3 43.9 49.7 46.5 51.8 53.0 53.6 57.4 57.7 60.5 55.7	51·3 59·5 60·3 57·5 60·0 53·5 49·5 44·0 44·5 46·5 46·5 49·3 49·3 48·7 52·3 49·3 48·7 52·3	10.5 11.2 11.5 7.5 7.5 7.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10
31	29.94	29.75	29.826	76.5	4:30 P	44.0	6 А	60 3	61.5	56.0	10.5

	I	lumidit	у.		1	Vind.				Precipit	ation.	
	Dew .	por.	e ity.	ng on.	ent .	um e are Ft	per		ng.			al in hes.
Day.	Mean D Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction,	Total Movement in Miles.	Maximum Pressure Per Square I	Miles por Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 4 5 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18	46.0 56.0 54.0 54.5 54.5 57.5 48.0 44.0 39.5 27.5 29.5 38.0 42.0 47.0 37.0 43.0 44.0	.475 .654 .749 .505 .505 .509 .433 .358 .231 .304 .407 .402 .483 .361 .310 .347 .369	67.0 70.5 56.5 84.5 78.5 67.0 67.0 57.0 66.0 57.0 66.0 90.5 83.0 68.0	N.N.W. W.N.W. S.W. S. N.N.E. N.N.W. N.W. N.W. N.W. S.S.E. S.S.E. W.	102 79 61 93 136 43 226 111 280 253 247 76 179 99 54 64 289	1.5 2.5 1.0 0.0 0.0 3.5 2.0 2.0 4.5 4.0 3.5 0.5 3.0 2.0 0.0	17 22 14 —————————————————————————————————	11 A 2 P 11 A — 6 P 8 A 6 P 3 P 5 P 7 A 1 P 5 P 4 P —	7 P 7 A 12 M 10 P 0 A 12 M	11 P 9 A 7 P 12 P 11 A 4 P	.12 .c2 .o4 .o4 .36	
19 20 21 22 23 24 25 26 27 28	39.5 42.0 48.0 52.0 56.5 54.5 49.0 41.5 48.0	.400 .447 .397 .399 .468 .450 .512 .432 .370 .366	59.5 86.5 97.0 97.0 94.0 68.0 62.0	W.N.W. S.W. S.S.E. E.S.E. N.N.E. N.W. N.N.W. N.N.W.	289 150 43 24 14 49 166 81 31 73	5.0 3.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	32 24 — — 26 — 10	4 P	3 P 0 A 0 A 0 A 0 A	12 P 12 P 12 P 12 P 2 A	.10 .42 I.45 .85 .02	
29 30 31	48.0 47.0 51.0	.463 .501 .564	74.0 64.0 66.5	N.W. W.N.W. N.N.W.	216 198 91	5.5 0.5 0.5	33	1 P 8 A 1 P	1	12:30P	10.	

^{**}Rain or meltedsnow at base of tower. *Included in following day.

The weather during May was normal in most of its features, although variations were quite pronounced at different periods of the month. The first week was the warmest part of the month, while from the 8th to the 23d the temperature was considerably below the mean for the month. Killing frosts were noted on the mornings of the 11th and 12th, and a rather heavy frost on the morning of the 15th. The amount of damage done was considerable, but varied greatly in sections close to one another. The last decade of the month was marked by two very heavy rain storms, which made nearly the whole of the precipitation record.

The mean barometer was considerably higher than the normal for May; the maximum and minimum records, as well as the range of pressure, showed practically no departure from normal values.

The total wind movement was about 80 per cent of the average amount for May, and no gales were noted. The amount of wind from the Northwest quadrant was about one-half the total.

The mean temperature was about one and one-half degrees below the normal, and the range slightly greater than usual. The maximum record was about two degrees higher than the usual value, and occurred so early in the month that it was more noticeable than it otherwise would have been. The minimum record was more than a week later than the maximum, and was preceded by the coldest day of the month. The low relative humidity which prevailed during the lowest temperatures of the month tended to minimize the damage from freezing.

The mean dew point was rather low, and the relative humidity for the month considerably higher than the normal.

The total precipitation was about one-third more than the normal, and but little of it occurred prior to the heavy rains noted above. Only two light thunder storms were noted.

The amount of sunshine was practically normal. The month closed with the growing season somewhat behind the normal conditions for the last of May.

J. E. OSTRANDER, Meteorologist.

H. W. ANGIER, Observer.

* Temperature in ground shelter. Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30-14, 12th, 9 A. Minimum reduced to freezing, 29.34, 2d, 3 A. Reduced! maximum reading, 30-43, 10th, 9 A. Reduced! minimum reading, 29.63, 2d, 3 A. Mean semi-daily reduced, 29.596 Monthly range,	Total movement,
Highest,	
Mean hourly,	Summary. North Northwest
Least daily range, 12.5, 20th	Weather.
Humidity. Mean dew point,	Mean cloudiness observed, 35 per cent Total cloudiness recorded by the Sun Ther- mometer,
Number of days on which on inch or more	Bright Sanshine. Number of hours recorded, 312 hrs=68%. Rain, 2d, 4th, 7th, 16th, 19th, 20th, 21st. Thunder and Lightning, 7th. Gales, 35 or more miles per hour: None.

1 29,98 29,68 29,849 81.5 3 P 44.5 5 A 63.0 65.3 58.5 1 29,08 29,849 30.01 29,79 29,889 78.0 3 P 43.5 5:30 A 60.7 63.2 56.3 1 63.021 29,86 30.086 77.0 1:30 P 53.5 12 P 64.0 65.5 57.0 1 63.021 30.05 30.129 65.0 3 P 48.0 5 A 65.0 64.7 59.5 1 1 30.24 29.03 30.043 30.24 30.343 72.5 1 P 41.5 5 A 51.5 52.3 46.0 10 30.44 29.03 30.086 77.0 1:30 P 53.0 5 A 65.5 55.8 49.3 6 6 6 6 6 6 6 6 6		Barome S	ter Red ea Leve	۱.		Ter	nperatui	re. Groui	nd Shelt	er.		Hours Sunshine
2 30.01 29.63 29.879 76.0 5:30 P 52.0 12 P 64.0 65.5 570 1 30.01 29.79 29.889 78.0 3 P 43.5 5:30 A 60.7 63 2 56.3 1 60.0	Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. of Hou Bright Sun
28 29.95 29.77 29.887 87.0 4-30 P 61.0 12 P 74.0 75.0 59.2 I 29 30.03 29.95 30.007 86.0 3 P 48.5 5 A 67.3 70.0 58.5 I	1 2 3 3 4 4 5 5 6 6 7 7 8 8 9 10 11 12 13 14 15 16 6 17 7 18 8 19 20 21 22 23 24 25 26 27 7 28 29	30.01 30.01 30.02 30.22 30.21 30.05 30.21 30.33 30.24 30.09 30.08 29.99 30.05 30.24 30.05 30.01 30.15 30.18 30.04 29.95 30.01	29.63 29.79 29.86 30.04 29.86 29.72 30.05 30.21 30.24 29.93 29.80 29.94 29.75 29.76 30.05 30.05 30.05 30.05 30.05 30.05 30.05 30.05 29.76 29.76 29.72 29.80 29.96 29.96 29.97	29 849 29.879 29.889 29.932 30.173 30.086 29 826 30.129 30.083 30.013 29.945 30.035 29.845 30.035 29.800 29.9773 20.924 30.0207 29.974 29.974 30.022 29.943 30.090 30.124 29.887 30.007	76.0 78.0 80.0 77.0 85.0 65.5 72.5 79.0 81.0 83.5 78.5 78.5 84.0 81.5 84.0 81.5 84.0 87.5 84.0 81.5 84.0 87.5 84.0 87.5 84.0 87.5 84.0 87.6 87.6 87.6 87.6 87.6 87.6 87.6 87.6	5:30 P 3 P 4 P 1:30 P 1 P 4 P 2:30 P 2:30 P 3:30 P 4:30 P	52.0 43.5 56.5 48.0 53.5 48.0 53.5 48.0 55.5 46.0 55.5 62.5 58.0 55.5 65.0 55.0 565.0 61.0 48.5	12 P 5:30 A 12 P 5 A 5 A 12 P 5 A 5 A 4:30 A 5:30 A 5:30 A 5 A 4 A 12 P 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A	63 ° 64.0 66.7 68.3 65.0 69.3 56.5 51.5 54.7 61.5 63.2 63.2 63.2 63.3 70.7 61.3 70.7 61.3 74.5 71.0 66.5 65.3 77.0 66.5	65.3 65.5 63.6 66.6 64.7 64.9 67.0 55.8 63.8 63.0 70.2 77.2 72.3 62.9 72.5 70.3 63.3 76.0 63.3 76.0	58.5 57.0 56.3 60.3 59.5 58.5 61.0 49.3 46.0 53.3 55.7 55.7 61.5 62.7 55.5 61.5 62.7 61.5 62.3 62.3 62.3 62.3 62.3 62.5 71.7 58.5	11.3 11.3 11.2 7.8 12.3 9.7 6.1 9.9 10.4 12.7 13.0 12.6 12.6 12.5 10.0 13.0 7.5 0.3 9.2 5.0 12.0 12.0 12.5 11.0 12.0 12.0 12.5 13.0 12.5 13.0 12.5 13.0 12.5 13.0 12.5 13.0 12.5 13.0 12.5 13.0 12.5 13.0 12.5 13.0 13.0 13.0 13.0 13.0 13.0 13.0 13.0

	F	lumidity	<i>y</i> .		1	Vind.				Precipita	ition.	
	w e	por.	ty.	n.	t .	in are Ft	H		ıg.		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3	53 ° 52.0 5° 5	.626 .600 .580	66.0 64.0 64.5 75.0	W. W. W.S.W. E.S.E.	191 224 199 98	4 ° 3·5 4·5 0.0	28 26 30	6 P 8 A 11 A	I A	3 A	.c3	
4 5 6 7 8	57.5 55.5 55.0 58.5 43.0	.628 .586 .634	75.5 76.5 64.0	N.N.W. S. N.N.W. N.	70 227 170 181	0.0 3.0 2.5 0.0	24	2 P 7 P	2 P	4 A	.24	
9 10 11 12	38.0 49-5 48.0 51.0	.408 .495 .631	57.0 71.0 52.5 66.0	N.N.W. N.N.W. W. E.	171 69 141 94	1.5 00 1.0 4.0	17 14 28	9 A — 4 P 2 P				
13 14 15 16	52.0 57.0 54.5 64.5	.558 .694 .652 .877	71.0 67.5 66.0 70. 5	S.S.E. W.N.W. W.S.W. W.	98 130 208	0.0 0.5 .05	17 10 10	3 P 	11 P		Т	
17 18 19 20	56 5 50.0 51.0 60.5 62.5	.785 .575 .505 .587	59.5 62.0 75.0 89.5 76.0	N.W. N.W. W.S.W. S. N.E.	167 105 85 48	2.5 0.5 0.0 0.0	10 — —	9 P 9 A —	2:30 P 9 A 0 A	12 P 12 P 8 A	.47 .06	
21 22 23 24 25	55.0 56.0 60.5	.756 .722 .719 .738 .678	60.0 63.0 72.0	N.W. N.N.W. S. E.S.E.	94 46 100	0.0			O A	OA	.02	
26 27 28 29	59.0 70.5 50.5 49.5	.564 .889 •757	90.5 83.5 50.0 48.5	S. W. S.W. N.N.W. N.	78 136 182 56	0.0 0.0 3.5 0.0		_ 7 A				
30	57.5	.920	67.0	S.S.E.	114	1.0	14	7 P				

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during the month resembled that of June, last year, in many respects. An unusually small precipitation, low relative humidity and large amount of sunshine, were all much the same as a year ago. The last third of the month was practically without rain. The last half of the month was considerably warmer than the first half.

A comparison of the records for the month of the several weather elements with the normal values shows the following as the more important features: The mean barometer was high for the time of year and the range more than the average value. Fluctuations in pressure were generally small and unimportant. While the total wind movement was slightly greater than the normal no gales were noted and no especially large daily wind movement recorded. Much of the wind was from the northwest quadrant.

The mean temperature was slightly greater than the normal while the maximum record was about the average value for this feature. The maximum was about two degrees below the normal giving a slightly greater range than usual. On the 10th the minimum record of 37 degrees was very close to the frost line but no frost was noted at the station.

The mean dew point and relative humidity were both rather low, owing to the dry conditions prevailing.

The total precipitation was practically one-fourth the normal and more than one-half of it occurred on a single date. Only one thunder shower was noted. Vegetation was much in need of rain at the close of the month. The amount of sunshine was much greater than the normal and but two cloudy days were noted.

J. E. OSTRANDER, Meteorologist.

E. K. DEXTER, Observer.

†Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Mean semi-daily reduced 29.941	Total movement,
*Air Temperature. In Degrees Fahr.	Prevailing Direction, Southwest.
Highest,	South <td< td=""></td<>
Mean minimum,	Weather.
Greatest daily range, 45.0, 12th	Mean cloudiness observed, 39 per cent. Total cloudiness recorded by the Sun Thermometer, 138 hrs.=30 per cent. Number of clear days,
Humidity.	Number of fair days,
Mean dew point,	Bright Sunshine. Number of hours recorded, 324 hrs=70%.
Precipitation. In inches.	Rain, 2d, 8th, 10th, 12th, 13th, 18th, 20th, 21st, 23d, 24th, 28th, 29th. Thunder and Lightning, 8th, 13th, 18th,
	21st, 23d, 28th, 29th, 30th. Gales, 35 or more miles per hour: 73m, 23d, S.S.W.
	5.6

В		ter Red ea Leve			Te	mperatu	re. Grou	nd Shelt	er.		s of
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 30	29.88 30.02 30.18 30.18 30.01 29.73 29.86 30.04 29.87 29.97 29.99 30.06 29.99 30.06 29.91 29.76 29.84 30.03 30.12 30.03 30.12 30.00 30.12 30.00 30.12 30.13	29.71 29.79 30.02 29.98 29.73 29.54 29.86 29.86 29.86 29.66 29.66 29.66 29.69 29.70 29.74 29.82 29.82 29.82 29.83 29.92 29.82 29.82 29.82 29.82 29.82 29.82 29.82 29.82 29.82 29.83	29 789 29 910 30.133 30.075 29.865 29.865 29.975 29.978 29.979 29.972 30.023 30.077 29.882 30.023 30.077 29.975 29.823 29.755 29.823 29.934 30.055 29.867 29.95 30.154 30.013 30.076 30.013	100.0 88.5 91.0 95.0 95.0 91.5 70.0 82.0 81.0 86.0 75.5 84.0 85.5 87.0 82.5 77.5 77.0 82.5 87.5 87.5 90.5 93.5	3 P 2:30 P 4:30 P 2 P 1 P 3:30 P 2:30 P 2:30 P 3:30 P 2 P 4 P 4:30 P 3:30 P 5 P 2 P 4:30 P 3:30 P 4 P 4:30 P 3:30 P 4 P 4:30 P 4 P 4:30 P 4:30 P 4 P 4:30 P 4:30 P 4 P 4:30 P 5:30 P 5:3	64.5 70.0 65.5 64.5 64.5 64.5 64.5 64.5 64.5 64.5 64.5 64.5 65.5 64.5 65.5 64.5 65.5 64.5 65.5 66.5	5 A 5 A 5 A 4:30 A 12 P 5:30 A 5:30 A	82 3 79.50 78.3 80.3 78.0 62.3 63.0 63.7 67.5 68.3 70.0 67.7 72.0 67.7 67.5 68.3 71.0 67.7 71.0 67.7 72.0 67.7 72.0 67.7 72.0 67.5 71.0 67.5	81.8 76.4 75.0 79.8 78.0 61.8 63.7 70.6 66.3 67.0 68.7 69.5 67.4 72.0 67.8 67.8 67.8 74.3 71.4 67.8 67.8 72.0 73.8 73.8 73.8	73.2 69.2 68.7 71.7 56.5 54.3 62.0 58.3 63.3 63.3 61.3 65.7 56.5 62.5 63.3 61.3 65.7 57.5 63.9	12.2 6.2 12.7 9.5 11.0 8.2 11.7 11.2 12.0 10.3 13.5 11.5 11.7 8 5 11.7 8 11.3 11.5 11.7 10.0 10.3 11.5 11.7 10.0 10.3 11.5 11.7 10.7 10.7 10.7 10.7 10.7 10.7 10.7

	ŀ	Humidit	7.	Wind.					Precipitation.			
ÿ.	Mean Dew Point.	Mean Force vapor.	Mean Kelative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Tota Incl	nd in hes.
Day.		Fo	MXH		E.E.	P. P.	- H	Ti	Be	Ε̈́	Ra	S
1 2 3 4 5 6 7 8	69.5 65.5 65.5 66.0 69.0 63.5	1.051 .895 .839 .887 .968 .820	69 5 72.5 76.5 74.0 74.0 73.0 65.0	S. S. S. S. N.W. W.N.W.	198 80 59 149 133 182 243	0.0 0.0 0.0 0.0 0.0 2.0 2.0		- - - - 4 P 2 A	5 P		Т	
9	51.0 59.0	.567 .655	66.5 78.5	N.W. S.S.E.	88	0.0 4.0	28	I 2 M	3:30 P		Т	
10	58.0 50.5 59.0	.686 .695	72 0 53 5 72.0	S. N.W. S.	324 162 169	3.0 3.0	24 14 24	2 P 9 A 3 P	5 A 8 P	6:30 A	.03	
12 13 14	59.0 61.0 52.0	.819	67.5 60.5	S.S.W. W.N.W.	266 292	5.5	33 30	2 P 5 A	O A	12 P	.30	
15 16	55.0 57.0	.722 .776 .693	59 5 60.5	N.W. N.N.W. N.N.W.	112 123 69	0.5 0.5 0.0	10	3 P				
17 18 19	58.5 61.5 63 0	.623	71.5 90.0 75.5	S. N.	70	0.0	_	_	6 а	9 P	.14	
20 21	60 5 57.0	.668 .674	80.5 71.0	W. N.E. W.S.W.	46 80 69	3.5 1.0 0.0	26 14	4 P 11 A	3 P	8:30 P	.06	
22	55.5 60.5	.723 .822	бз.5 65.5	S.S.W.	24 I	27.0	73		11:30 P		T	
24 25 26	64.5 51.0	.752 .642	81.5 590	S.S.W. N.N.W. S.W.	161	0.0 1.5 0.0	17	4 P	IIA	IIP	.03	
27 28	49.5 59.0 67.0	.637 .715 .766	57 5 72.5 86.0	S. S.S.E.	113 134 106	0.0	_		IР	3 P	.86	
29 30	72.0 67.0	.939 .879	84.5 75.0	S.S.E. N.E. N.N.E.	54 87	0.0 0.0 0.0	_	_	I A	2 A	.02	
31	57.0	.805	58.5	14.14,15.	7 9	0.5						

^{**}Rain or meltedsnow at base of tower.

^{*}Included in following day.

The weather during the month was unusually dry and clear. Prior to the heavy shower of the 28th, all the rainstorms were so light that they were of little benefit to vegetation. Following the unusually small rainfall of June, especially the entire absence of rain the latter part of that month, with less than one half an inch the first half of July, the ground near the surface was thoroughly dried out. While the shower of the 28th did much good, a great deal more rain is needed soon to mature growing crops.

High temperatures and much sunshine were also important features of the month.

Comparing the month's records with the normals for this station the following features are noted: The mean barometer was rather low, while the range was about the usual amount. Changes in pressure were generally slow and of small amount. The total wind movement was about 25 per cent more than the July normal and a comparatively large amount was from the south directions.

The mean temperature was about a degree and one-half higher than the normal, and the maximum of 100 degrees, on the 1st, has been exceeded but a few times here. The first and last weeks were the warmest parts of the month, while the coolest period was from the 7th to the 22d.

The total precipitation was about one-third the normal amount, and more than one-half the total occurred during a heavy thunder shower on the 28th. Distant thunder or lightning was noted on many more dates than usual.

The mean dew point and relative humidity were both considerably lower than the normals for these features.

The number of hours of bright sunshine recorded was one of the largest records ever taken at this station: the number of cloudy days noted was correspondingly small.

J. E. OSTRANDER, Meteorologist

E. K. DEXTER, Observer.

Meteorological Observations

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Reduced minimum reading, 29.69, 29th,11 P.	Total movement,
Highest, 97.0, 17th, 3 P.	
Lowest, 41.0, 26th, 6 A.	Summary.
Mean hourly, 69.5 Mean of means of max and min. 69.7 Mean sensible (wet bulb), 62.3 Monthly range, 56.0 Highest mean daily, 78.4, 48th Lowest mean daily, 61.8, 25th Mean maximum, 83.5 Mean minimum, 56.4	West Northwest 13 " " South Southwest 19 " " West Southwest 10 " " Other directions 29 " "
Mean daily range, 27.1	Weather,
	Mean cloudiness observed, 41 per cent. Total cloudiness recorded by the Sun Ther-
Hamidity.	mometer,
Mean dew point,	
	Number of hours recorded, 282 hrs=664. Rain, 2d, 4th, 6th, 7th, 10th, 13th, 14th, 17th,
Precipitation. In inches.	22d, 23d, 27th, 29th, 30th. Thunder and Lightning, 4th, 27th, 29th,
Total precipitation,	Gales, 35 or more miles per hour: None.
*Temperature in ground shelter.	

[†]Reduced to freezing and sea-level.

	ter Red ea Leve			Te	mperatu	re. Grou	nd Shelt	er.		s of
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 30.19 2 29.90 3 29.97 4 29.97 5 30.15 6 30.15 7 30.10 8 30.14 10 29.98 11 30.21 12 30.28 13 30.19 14 30.16 15 30.14 15 30.14 29.97 18 30.07 19 30.32 20 30.41 21 30.41 22 30.20 23 29.93 24 29.95 25 30.07 27 30.02 28 30.09 29 20.96 30 30 31 30 30 31 31 30 20	29 98 29 89 29 80 29 80 29 80 29 80 29 80 29 90 29 90 30 08 29 89 29 90 30 07 30 07 30 07 30 07 30 07 30 07 30 07 30 29 89 29 95 29 98 29 98	30 061 29,946 29,856 30,117 30,075 30,075 30,137 29,977 29,892 30,104 30,135 30,093 29,984 29,983 30,231 30,231 30,231 30,231 29,981 29,981 29,981 29,981 29,981 30,056 29,972 30,030 29,785 30,131	74.0 89.0 89.5 80.0 84.0 86.0 86.0 86.0 77.5 79.0 91.0 85.0 91.0 83.0 77.5 84.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83	6:30 P 2 P 3 P 4 P 3:30 P 4:30 P 2:30 P 3:30 P 3:30 P 3:30 P 4:30 P 4 P 4:30 P 4:70 P 4:70 P 5:70 P 7:70 P	60.0 64.0 55.5 59.0 49.5 58.0 63.0 65.5 63.0 50.5 57.0 68.5 57.0 68.5 57.0 68.5 57.0 68.5 57.0 68.5 57.0 68.5 57.0 68.5 57.0 50.5 50.5 50.5 50.5 50.5 50.5 50	2:30 A 12 P 5:30 A 5 A 5:30 A 4:30 A 4:30 A 6	67 o 76.5 72.5 60 7 72.5 60 7 73.5 7 75.5 7 75.5 7 66.3 70.3 75.5 7 71.5 64.3 70.3 70.3 70.3 70.3 70.3 70.3 70.3 70	68.1 75.0 72.7 68.3 67.2 67.2 71.5 75.4 70.3 64.2 62.8 65.1 64.6 69.8 74.9 71.7 65.8 65.3 71.4 67.1 61.8 72.6 69.8 69.7 68.7	64.7 64.5 63.3 63.3 63.0 65.3 70.5 68.7 53.5 54.3 56.3 72.5 56.3 72.5 56.3 72.5 56.3 64.5 66.0 56.3 66.0 66.3 66.0 66.3 66.3 66.3 66.3 6	2.0 10.9 12.1 5.7 12.0 5.7 10.0 11.8 4.0 7.0 11.3 7.3 7.5 11.0 8.5 9.0 11.0 12.0 12.1 10.3 11.6 11.0 5.9 11.6 11.0

	F	lumidity	7.		1	Vind.				Precipita	tion.	
	Dew	apor.	ve lity.	ling lon.	ent	nim re uaie Ft	per		ing.	bi.	Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4	63.5 60.5 60.0 59.0	.690 .760 .701 .632	84 0 70 0 74.5 81.5	S. W.N.W. W.N.W. N.N.E.	105 78 27 85	0.5 0.0 0.0 0.0	01	1:30P — — —	1 A	2 A	T	
4 5 6 7 8	54.5 59.5 64.0 62.0 68.0	.653 .683 .750 .731 .872	66 0 77.0 80.5 72.0 81.5	N.N.E. S. N. S. S.S.W.	62 179 66 108 195	0.0	18 —	4 P	2 P 0 A	12 P 2 A	.03	
9 10 11 12	66.5 45.0 48.5 58.5	.830 .582 .645	79 0 51.5 64.0 82.0	W. N.N.W. S.W. S.S.W.	108 108 227 62	4.0 3.0 0.0	28 24 —	5 P 10 A — 4 P	7:30 A	8 P 6:30 P	.01	
14 15 16	56 o 59.5 63.0 68.5	.594 .688 .8c ₃	77.5 74.0 74.0 82.0	S.E. S.S.E. S.	38 72 60 50	0.0	_ _ _ 14	- - 3 P	6 A		T	
18 19 20	68.0 53.5 49.5	.916 .700 .627	81.0 59.0 57.5 64.5	E. N.N.E. S. S.S.W.	60 143 60 147	0.5 0.0 1.5	17	6 P 		:		
22 23 24 25	56 5 61.5 55.5 46.5	.634 .713 .643	73-5 77-5 69 0 63.5	S.S.W. W.N.W. W.S.W. N.	254 247 81 94	4.5 0.5 0.0	30 10 —	4 P 12 M —	7 P 6 A	12 P 5 A	.24	
26 27 28 29	53.0 64.0 56.5 67.0	·555 ·717 ·693 ·718	77 5 84 5 67.0	S.S.W. W.S.W. W. S.S.W.	157 146 58	3 0 1.0 0.0 2.0	24 14 —	12 M 2 A — 4 P	1 A 4:30 A	3:30 P	.01	
30 31	61.5 5 9.0	.645 .655	85.0 76.5	W.S.W. W.N.W.	143	0.0	_	<u> </u>	O A	4 A	.17	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during August was especially marked by the small precipitation and large amount of sunshine. The droughty conditions, which were noted in July, continued up to nearly the end of August before any heavy rain occurred. On the 29th, heavy showers, with unusually severe thunder and lightning, did much to relieve the drought and replenish the water supplies in this vicinity.

An analysis of the records of the several weather elements for the month and comparison with the normals for this station shows the following as the more important features: The mean barometer was practically normal while the maximum and minimum were both above the normals for these records. The total wind movement was slightly greater than usual and a large amount was from the southwest quadrant. No gales were recorded during the month.

The mean temperature was about two degrees higher than the normal and the maximum temperature was an unusually high record for August. The minimum temperature was a degree lower than usual giving a large range for the month.

The mean dew point and relative humidity were both lower than the normal and the amount of sultry weather for the time of year was small.

The total precipitation was practically two inches less than the normal and nearly two-thirds of the total fell during the storm of the 29th. During this storm, thunder and lightning was nearly incessant for more than an hour.

The amount of sunshine was much greater than usual and but few cloudy days were noted.

J. E. OSTRANDER, Meteorologist

†Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 28, 16th Minimum reduced to freezing, 29,46, 13tl Reduced† maximum reading, 30.58, 16th Reduced† minimum reading, 29.75, 13th Mean semi-daily reduced,	Greatest daily movement,
Highest, 87.5, 2d, 2d, 2d, 2d, 2d, 2d, 2d, 2d, 2d, 2d	
Mean hourly, Mean of means of max and min., Mean sensible (wet bulb), Monthly range, Highest mean daily, Lowest mean daily, Mean maximum,	- 59-7 South
Mean minimum,	· 48.3 Weather,
Mean daily range,	23.4 Mean cloudiness observed, 47 per cent.
Humidity.	Number of cloudy days,
Mean dew point,	· ·493
Precipitation. In inches.	19th, 20th, 21st, 22d. Thunder and Lightning, none.
Total precipitation,	. 2.56 Frosts, 10th, 11th, 15th, 16th, 28th. Gales, 35 or more miles per hour: 35m, 9th, N.: 30m, 22d, S.
*Temperature in ground shelter.	

Barome	ter Red ea Leve			Ter	nperatui	e. Groui	nd Shelte	er.		s of
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 30.27 2 30.31 3 30.16 5 30.17 6 30.27 7 30.28 8 30.04 9 30.42 10 30.48 11 30.27 12 30.05 13 30.08 14 30.43 15 30.56 16 30.58 17 30.43 18 29.99 19 29 99 20 30.02 21 29 90 22 30.00 23 30.26 24 30.35 25 30.30 26 30.14 27 30.21 28 30.32 29 30.21 28 30.32 30.31	30.20 30.21 30.04 30.12 30.17 30.04 29.84 30.01 30.27 30.08 30.43 30.43 30.43 30.43 30.43 29.99 29.82 29.83 29.91 30.12 29.88	29.940 30.183 30.388 30.135 29.917 29.890 30.301 30.534 30.510 30.201 29.884 30.002 30.012	85 0 87 5 86.0 71.0 60.5 79.0 67.5 66.0 68.0 68.0 68.0 69.5 70.0 64.0 73.0 67.5 71.0 73.0 67.5 71.0 78.5 67.5 70.0 70.0 70.0 70.0 70.0 70.0 70.0 7	4 P 2:30 P 3:30 P 0 A 5 P 4 P 3 P 5 P 5 P 3:30 P 4 P 3:30 P 2:30 P 0 A 3:30 P 2:30 P 0 A 3:30 P 2:30 P 3:30	60.0 66.0 63.5 57.5 54.5 57.0 57.0 48.0 38.5 54.0 38.0 31.5 57.0 46.0 57.0 48.0 39.5 57.0 48.0 39.5 57.0 48.0 39.5 57.0 57.0 48.0 57.0 57.0 57.0 57.0 57.0 57.0 57.0 57	6 A A 8 A A 5:30 A 4 P 12 P 3:30 A 12 P 6 A A 6:30 A 7 A 6 A	72.5 76.7 69.7 69.7 64.3 57.5 62.3 70.7 54.5 52.7 66.0 52.7 66.0 57.5 57.3 65.0 65.0 65.3 65.3 65.3 65.3 65.3	69.8 72.8 73.5 57.8 63.6 57.6 63.6 52.3 56.0 50.0 50.0 50.0 50.0 50.0 50.0 50.0	65.3 68.5 66.5 59.3 56.5 59.3 64.7 47.0 46.3 45.3 51.3 44.7 41.5 56.5 50.5 55.7 64.3 45.9 7	6.5 7.4 9.1 9.0 9.0 9.0 9.0 10.0 11.0 11.0 10.7 10.0 10.1 10.0 10.1 10.0 10.1 10.0 10.1 10.0 10.

	F	lumidit	у.		7	Vind.				Precipita	tion.	
	wa	por.	ry.	ng. u	ut .	nn are Ft	н		έż		Tota Incl	ıl in ies.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Flumidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 4 5 5 6 7 8 9 10 11 11 12 13 14 15 16 17 18 9 20 21 22 23 24 5 26 27 28	64 0 67.5 64.0 57.5 55.5 57.5 59.5 02.0 42.0 42.5 50.5 44.5 37.5 41.0 58.5 52.5 54.0 45.0 45.0 45.0 45.0 45.0 45.0 45	.677 .732 .752 .545 .546 .586 .701 .414 .360 .360 .445 .351 .298 .361 .527 .583 .433 .462 .611 .683 .410 .385 .434 .491	89.5 94.0 80.5 86.5 86.5 89.5 89.5 80.5 77.0 75.0 79.5 70.0 74.5 81.5 81.0 91.0 85.0 92.0 72.5 85.0 92.0 85.0 92.0 85.0 93.0	S. S. S. N.N.E. N.N.E. W. N.	63 81 143 95 100 100 100 100 100 100 100 100 100 10	0.5 0.0 0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0	10 — 10 — 26 35 14 — 20 28 — 10 36 10 — 10 10 10 10 10 10 10 10 10 10 10 10 10	4 P	3 A 8 A 0 A 3 P 5:30 P 0 A 3 A 0 A 0 A 0 A 0 A	4 A 12 P 8:30 A 12 P 4 A 12 P	.01 .52 .67 .04 T	
28 29 30	36.5 46.5 44.5	·348 ·444 ·429	63.5 73.0 70.5	S.W. S.W. N.E.	110 139 52	0.5 0.5 0.0	10	4 P 2 P				

The weather during September was generally seasonable, although some of the weather elements showed considerable departures from their normals. The precipitation was much below the normal amount, although slightly greater than that of the preceding month. Every month since May has shown a marked deficiency in rainfall, and the accumulated deficiency since June 1st is nearly ten inches. The generally high barometer during the month was an important if not particularly noticeable feature.

A comparison of the records of the several elements with the normals shows the following interesting features: The mean barometer was the highest for that feature since 1894; the maximum and minimum pressures were both considerably greater than usual, while the range was nearly a normal value. The total wind movement was slightly below the average, and comparatively few days showed a large daily movement. More than the usual amount was from the South. Only two light gales were noted.

The mean temperature was slightly lower than the normal, while the maximum and minimum records were both close to the normal values for those records. The first frost was noted on the 10th, and killing frosts on the 15th and 16th. The coldest day was about the middle of the month,

The mean dew point was about three degrees lower than the normal, and the relative humidity was considerably greater than usual.

The total precipitation was about sixty per cent of the usual amount, and about one-half the total occurred during the equinoctial period. Water supplies are at a low stage in this vicinity.

The month was slightly more cloudy than usual.

J. E. OSTRANDER, Meteorologist

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 28.85, 20th, 9P. Reduced† maximum reading, 30.52, 23d, 8 A. Reduced† minimum reading, 29.14, 20th, 9 P. Mean semi-daily reduced	Total movement,
Highest, 79.0, 10th, 4 P. Lowest, 24.5, 31st, 12 P	Summary.
Mean hourly,	North <td< td=""></td<>
Lowest mean daily,	Weather.
Mean minimum,	Mean cloudiness observed, 63 per cent. Total cloudiness recorded by the Sun Ther-
Humidity.	
Mean dew point,	Number of hours recorded, 91 hrs=27%.
Precipitation. In inches.	Snow, 31st. Hail, 14th.
Total precipitation, 5.16	
Number of days on which or inch or more	Thunder and Lightning, none. Gales, 35 or more miles per hour: 68m, 14th,
Total snow in inches Trace	N.N.E.; 44m, 20th, S.S.W.; 35m, 21st, W.S.W.
*Temperature in ground shelter. †Reduced to freezing and sea-level.	

	Baromet	ter Red ea Leve	١.		Te	mperatu	re. Grou	nd Shelt	er.		s of hine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 6 17 18 19 20 21 2 2 2 3 2 4 2 5 5 2 6 6 2 7 7 8 8	30.09 29.73 29.68 29.91 30.11 30.22 30.23 30.15 29.99 30.07 30.09 29.89 30.02 30.02 30.41 30.52 29.76 30.02 29.76 30.92 29.86 29.98	29.73 29.25 29.38 29.68 29.91 30.11 30.12 30.10 30.09 29.94 29.91 29.96 29.76 29.76 29.76 29.14 29.23 30.03 30.02 30.03 29.91 29.92 29.74 29.92 29.74 29.82 29.82	29.950 29.378 29.562 29.826 30.047 30.197 30.135 30.135 30.051 29.958 30.006 29.885 29.923 30.079 29.983 29.943 29.9233 29.943 29.233 29.945 30.347 30.405 3	53·5 59·5 671·5 78·5 68·5 74·5 79·0 69·5 62·0 62·5 68·0 71·0 65·5 66·0 66·5 62·5 62·5	12 P 3 P 1 P 3:30 P 3 P 3 P 4 P 12:30 P 4 P 12:30 P 2 P 1 P 3:30 P 0 A 6 P 12:30 P 3:30 P 3:30 P 3:30 P 3:30 P 3:30 P	49.0 53.5 53.5 53.5 55.0 46.5 61.5 62.0 55.0 55.0 43.5 52.7 47.5 49.5 42.0 59.0 51.0 63.5	6 A A 6:30 A 4:30 A 6:30 A 6 A 6:30 A 6 A 6:30 A 6:	51-3 56-5 56-5 66-7 57-5 64-3 68-5 71-3 65-7 58-5 44-3 59-3 55-7 48-3 43-5 55-7 55-5 61-5 55-7 55-5	50.9 56.4 56.4 64.0 58.4 63.6 66.5 68.0 64.6 55.3 44.4 51.9 58.4 41.7 44.3 49.7 44.3 55.3	48.5 54.7 50.5 54.0 55.3 55.7 61.0 62.5 63.5 60.7 50.5 40.7 33.0 40.7 33.0 40.7 33.5 40.7 53.5 40.7 53.5 53.5	0.00 0.00 6.55 9.11 7.99 0.50 0.00 3.77 3.66 2.22 0.00 0.24 4.77 4.55 9.77 9.23 8.33 0.00 0.00 0.00 0.00 1.47
29 30 31	30.00 30.10 30.37	29 79 29 73 30.10	29 915 29.925 30.274	66.0 50.5 42.0	3:30 P 12:30 P 12:30 P	39.5 38.5 24.5	6:30 A 12 P 12 P	5 ² ·7 44·5 33·3	50.4 44.5 33.8	39·3 27·3	8.5 4.3 2.9

	I	Humidit	у.		,	Wind.				Precipita	ition.	
	w e	por.	, ty	ng. n.	t .	ım are Ft	h		Ęį.		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
7 1 2 3 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	46.5 54.0 46.5 54.0 53.5 59.0 62.0 62.0 59.0 49.5 40.5 40.5 50.5	364 457 429 523 526 489 583 613 623 623 638 577 383 275 293 385 458 448 383 525 313 221	88.5 89.5 75.0 66.5 72.0 87.0 88.5 87.0 88.5 93.5 86.5 70.0 70.0 70.0 60.0 60.0 63.0 71.0 88.5	S.E. N.N.W. N.N.W. N. N. S.S.E. E. S. S.S.E. N.N.E. N.D. N.D. N.D. N.D. N.D. N.D. N.D. N.D. N.D. N.D.	95 1200 1444 383 2000 411 23 31 107 125 655 655 413 339 1344 87 7 1300 285 490 888 600 27	0.0 3.0 4.5 1.0 0.0 0.0 0.0 0.0 0.0 23.0 4.5 2.0 23.0 4.5 5.0 0.0 0.0 0.0 0.0 0.0 0.0 0	24 30 14 ———————————————————————————————————	11 P 10 A 2 A — — — — — — — — — — — — — — — — —	3 A O A O A O A O A O A O A O A	12 P 9 P 12 P 2 P 2 P 9 A 6 P 9 P	.35 .23 T .01 .01 .74 .13 .10 T .09	<u></u>
25 26	60.0 52.5	·559 ·437	93.5	S. N.N.E.	160 167	2 0	20	I A	0 A	12 P	1.67	
27	45.0	.363	83.0	W.S.W.	88	0.0	_	_	0 A	4 A	.65 T	
28 29	47·5 40·5	.321	83.5 80.5	W. N.W.	72 54	0.0	_	_	12 M	12:30 P	.06	
30 31	31.0	.299	59.5 63.5	N.W. N.N.W.	194	3.0 3.5	24 26	9 A 1 P	3 P		Т	Т
	**R tin	or melte	d snow a	t base of tow	/er.	*Inc	luded	ın follov	ving day			

During October the most noticeable feature of the weather was the large amount of cloudiness and the frequency of precipitation. Precipitation occurred on twenty dates and a measureable amount on fifteen days. For the first time since May the monthly precipitation was more than the normal. Several rainstorms of moderate amount occurred prior to the 21st. The storm of the 24th-26th, however, was by far the heaviest of the month. One half the total precipitation occurred at this time and the drought which had prevailed for several months was effectually broken. Notwithstanding the large amount of cloudiness the month was much warmer than usual.

An analysis of the records of the several weather elements shows the following as the more important features: The mean barometer was considerably lower than the normal and the range larger than usual. The maximum pressure for the month followed the minimum in less than two and one-half days. The total wind movement was large for the time of year and an unusually large amount was from the North.

The mean temperature was about five degrees above the normal while the maximum was practically normal. The minimum temperature was slightly higher than the normal for this element and was reached at midnight of the last day of the month. Until the last day the minimum for the month was 29 degrees, an exceptionally high figure.

The mean dew point was about five degrees higher than usual and the relative humidity about five points above the normal.

The total precipitation was about forty per cent more than the normal and was well distributed. A light snow flurry occurred on the last day of the month.

Only three gales were registered during the month; the one on the 14th was unusually heavy for this locality.

J. E. OSTRANDER, Meteorologist

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 41,28th,11 A. Minimum reduced to freezing, 28.78, 9th, 5 P. Reduced† maximum reading, 30.72, 28th, 11 A. Reduced† minimum reading, 29.07, 9th, 5 P. Mean semi-daily reduced, 30.129 Monthly range, 1.65	Total movement,
Highest, 68.0, 20th, 12 M.	Summary.
Mean hourly,	North
Mean maximum, 50.7	Weather.
Mean minimum, 32.9 Mean daily range, 17.8 Greatest daily range, 40.5, 6th Least daily range, 3.5, 16th	Number of fair days, 4
Humidity.	Number of cloudy days, 16
Mean dew point, 32.1	Bright Sunshine.
Mean force of vapor,	Number of hours recorded, 113 hrs = 39%. Rain, 3d, 4th, 8th, 9th, 13th, 14th, 19th, 2oth, 24th, 28th, 29th. Snow, 16th, 28th, 29th.
Precipitation. In inches.	Hail, Frosts.
Total precipitation,	Thunder and Lightning, Gales, 35 or more miles per hour: 38m, 1st, W; 43m, 4th, N.W.; 53m, 9ht, S.E.; 41m, 10th,
*Temperature in ground shelter. †Reduced to freezing and sea-level.	

	ter Red ea Leve	1.	Temperature. Ground Shelter.									
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.			
1 30.37 2 30.36 3 30.40 4 30.09 5 30.28 6 30.30 7 30.23 8 30.12 9 29.76 10 29.77 11 30.02 12 30.19 14 30.22 15 30 31 16 30.21 17 30.07 18 30.01 19 30.08 20 30.09 21 30.30 22 30.29 23 30.20 24 30.22 25 30.20 26 30.31 27 30.03 28 30.72 29 30.54	30.06 30.12 30.08 29.93 30.10 29.76 29.07 29.32 29.77 30.03 29.99 30.21 30.00 29.98 29.91 29.87 29.82 30.04 29.81 29.84 30.00 29.95 30.31 30.42 30.42 30.42 30.43 30.44 30.43 30.44 30.44 30.44 30.44 30.44	30.187 30.3081 30.2093 30.255 30.263 30.184 29.961 29.961 29.365 29.93 30.094 30.093 30.095 30.092 20.985 20.995 20.995 20.932 20.953 30.153 30.153 30.1647 30.469 30.469 30.469	47.5 51.0 54.0 65.0 65.0 65.0 64.5 49.0 38.5 46.5 43.5 33.5 55.0 65.0 65.0 65.0 65.0 65.0 65.0 65	3:30 P 3 P 2:30 P 12 M 2 P 3 P 12 P 0 A 3 P 2:30 P 12 M 2:30 P 12 M 2:30 P 12 M 12 M 2:30 P 12 M 3:30 P 12 M 3:30 P 3:30 P 3:30 P 2:4 P 3:30 P 3:5 P 3:5 P 3:7 P 3:7 P 3:7 P 3:8 P 3:	23.0 34.0 32.0 30.0 24.5 34.5 34.5 32.0 24.5 32.0 24.5 32.0 25.5 30.5 30.5 30.5 33.0 23.0 23.0 23.0 23.0 23.0 23.0 23.0	5:30 A 12 P 0 A 12 P 12 P 7 A 7 A 5 A 12 P 12 P 7:30 A 12 P 7:30 A 7 A 7:30 A 7:30 A 12 P 7:30 A 12 P 7:30 A 12 P 7:30 A 12 P 7:30 A 3 A 12 P 7:30 A 3 A 12 P 7:30 A	35·3 42·5 43·6 46·3 39·5 44·7 40·0 31·5 39·5 34·5 31·7 49·7 49·7 49·7 58·7 49·7 39·5 55·5 54·0 36·7 39·5 55·5 54·0 36·7 36·7 36·7 36·7 36·7 36·7 36·7 36·7	37-7 43-6 42-5 45-8 38-0 42-0 45-5 45-5 40-3 32-5 37-4 42-5 33-8 44-2 58-5 58-3 47-2 58-5 58-3 49-5 37-8 49-5 33-9 34-9 34-9 34-9 34-9 34-9 34-9 34-9	28 o 30.7 32.0 37 3 46.7 51.3 40.0 51.5 46.7 32.3 30.7 32.7			

	Н	lumidity	/·		7	Vind.				Precipita	ition.	
	*	oor.	· .	- ad	ıt	m rre Ft	ь.	_	έ¢		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Mules.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	27.0 30 0 32.5 33.5 26.0 30.0 45.5 53.5 20.0 25.0 34.5 29.0 28.5 33.0 43.5 47.0 35.5 49.0 42.0 26.5 22.5	.233 .263 .258 .285 .198 .247 .255 .344 .478 .221 .180 .205 .302 .257 .177 .175 .195 .260 .361 .451 .288 .410	69.5 64.5 73.0 70.0 49.5 73.5 85.5 85.5 63.0 67.0 75.0 65.5 95.0 72.5 74.5 74.5 72.5 60.0	W.N.W. N.N.W. S.W. N.W. S.E. S.S.W. W.N.W. S.S.W. N.N.W. N.W. N.N.W. N.W.	231 209 334 209 37 65 40 336 497 236 215 185 85 85 87 1 289 9 165 263 82 247 249	7.0 1.0 9.0 1.5 0.0 0.5 0.5 0.5 1.0 1.0 0.5 0.0 0.0 0.0 1.0 5.5 0.0 0.0	38 14 14 43 17	11 A 11 A 3 P 1 A 2 A 3 P 5 P 1 P 9 P — — 12 P 9 P — 1 P 10 A 7 P	8 A 1 A 5 A O A 2 A O A III A	10 A 12 P 9 P 11 P 12 P 5 A	T .05	.5
26 27 28 29 30	29.0 18.5 26.5 30.5 30.5	.243 .152 .154 .199 .202	69.0 69.0 94.0 85-5 85.5	N.E. N.E. N.E. N.	119 70 152 147	_	10 - 22 14	3 A 6 P 9 A	2 P	12 P 12 M	.12 .69	I.0 I.0

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during the month was considerably warmer than usual at this time of year and a comparatively small range of temperature. A comparatively high barometer, with a considerable number of gales was also a feature of more than passing interest. The precipitation was much less than the November average.

An examination of the records of the several weather elements and comparison with the means for the month shows the following features of interest: The mean barometer was nearly one-tenth of an inch higher than the normal for November and the range was unusually large. On the 9th a rapid fall was noted, culminating in the lowest record for the month. During the last week of the month an unusually high barometer prevailed.

The total wind movement was large and two gales of more than 50 miles per hour were registered on the pressure chart. Much of the wind was from the Northwest quadrant.

The mean temperature was about four degrees higher than the normal and the maximum and minimum for the month were both high—the minimum being more than eleven degrees higher than the normal for this element for November. The range was unusually small. The range on the 6th was nearly as large as the total range for the month.

The mean dew point was high and the relative humidity less than the normal value.

The total precipitation was about two-thirds of the normal and was fairly well distributed throughout the month.

The ground was frozen but little during the month. As a result the last snow and rainfall added considerably to the moisture in the ground.

The amount of sunshine recorded was slightly; less than the normal-

J. E. OSTRANDER, Meteorologist

BULLETIN No. 300,

DECEMBER, 1913

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTILI	SUMMARI.
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.16, 1st, o A. Minimum reduced to freezing, 28.82, 8th, 3 A. Reduced! maximum reading, 30.47, 1st, o A. Reduced! minimum reading, 29.13, 8th, 3 A. Mean semi-daily reduced,	13.4
	l revailing Direction, North Northwest.
Highest, 53.0, 7th, 6P.; 14th, 2P. Lowest,	Northwest 19 per cent
Mean sensible (wet bulb), 27.4	North Northeast
Monthly range, 48.0 Highest mean daily, 43.7, 5th	
Lowest mean daily, 12.4, 28th	South Southwest
Mean maximum, 40.7	West Northwest
Mean minimum,	North Northwest
Mean daily range,	Other directions
Least daily range, 7.5, 25th	Weather,
Humidity.	Mean cloudiness observed, 45 per cent Total cloudiness recorded by the Sun Ther- mometer, 162 hrs,=57 per cent.
Mean dew point,	Number of clear days, 7 Number of fair days,
	Bright Sunshine.
Precipitation. In inches.	Number of hours recorded, 121 hrs=43%. Rain, 1st, 7th, 8th, 23d, 24th, 25th, 26th.
Total precipitation,	
Number of days on which or inch or more	Days of Sleighing, 5.
	Gales, 35 or more miles per hour: 36m, 8th, W.N.W.; 36m, 14th, W.; 37m, 26th, N.N.E.
Temperature in ground shelter.	
Reduced to freezing and sea-level.	

1 30.47 30.35 30.399 42.0 4:30 P 34.0 7:30 A 38.0 37.3 = 36.5 0.0 2 30.39 30.17 30.335 43.0 3 P 29.0 7 A 36.0 36.3 = 34.0 0.0 3 30.17 29.92 29.969 49.0 11:30 A 33.0 12 P 41.0 40.5 37.0 7.0 4 29.92 29.54 29.704 43.0 3 P 31.0 7 A 37.0 39.0 34 7 0.2 5 29.66 29.53 29.668 50.5 11:30 P 37.0 7 A 437 437 7.7 7.7 6 30.15 29.66 30.067 48.0 2 A 30.0 12 P 39.0 39.5 + 30.7 7.7 7.7 7 30.10 29.18 29.589 53.0 6 P 29.0 1 A 41.0 40.4 41.0 0.0 8 29.94 29.13 29.55 36.0 5:30 P 19.5 4:30 A 29.7 27.0 22.3 <td< th=""><th></th><th>Baromet Se</th><th>er Red a Leve</th><th>1.</th><th></th><th>Ter</th><th>nperatu</th><th>re. Grou</th><th>nd Shelt</th><th>er.</th><th></th><th>rs of Shi ne</th></td<>		Baromet Se	er Red a Leve	1.		Ter	npera t u	re. Grou	nd Shelt	er.		rs of Shi ne
2 30.39 30.17 30.335 43.0 3 P 29.0 7 A 36.0 36.3 34.0 0.0 3 30.17 29.92 29.969 49.0 11:30 A 33.0 12 P 41.0 40.5 37.0 7.0 4 29.92 29.54 29.704 43.0 5 P 37.0 7 A 37.0 39.0 347 0.2 5 29.66 29.53 29.608 50.5 1:30 P 37.0 7 A 43.7 43.7 37.7 7.7 6 30.15 29.66 30.667 48.0 2 A 30.0 12 P 39.0 39.5 30.7 7.9 7 30.10 29.18 29.589 53.0 6 P 29.0 1 A 41.0 40.4 41.0 0.0 8 29.94 29.13 29.545 46.0 0 A 27.0 8 A 36.5 29.3 24.0 0.0 9 30.25 29.94 30.232 39.0 3.0 1 P 16.0 12 P 24.5 26.5 1.5 11 30.12 29.73 29.955 33.0 1 P 16.0 12 P 24.5 26.5 26.5 1.5 12 30.13 29.96 30.036 41.5 33.0 P 14.5 6 A 28.0 25.9 21.3 6.0 13 30.11 30.02 30.073 48.5 2 P 22.0 7:30 A 35.3 34.4 26.7 6.7 16 30.17 29.96 30.028 34.0 12 P 24.5 1 A 29.3 30.0 30.3 17 29.99 29.98 30.191 40.0 0 A 25.5 12 P 32.7 30.7 24.7 7.7 16 30.17 29.95 30.097 31.0 23.0 P 24.5 1 A 29.3 30.0 30.3 30.0 30.3 18 29.95 29.71 29.797 43.5 1:30 A 23.5 12 P 33.5 34.6 31.0 30.0 19 30.15 29.95 30.097 31.0 23.0 P 16.5 8 A 23.7 23.0 18.3 7.3 20 30.06 29.91 29.989 41.0 3:30 P 17.0 7:30 A 35.3 34.4 20.7 43.2 23 30.44 30.01 30.483 42.0 2 P 28.5 12 P 35.3 33.6 2.7 4.3 29.90 29.90 29.979 43.5 13.0 23.0 P 16.5 8 A 23.7 23.0 18.3 7.3 29.30 30.43 30.01 30.488 42.0 2 P 28.5 12 P 35.3 33.6 27.7 4.3 30.04 29.88 29.667 43.0 2 P 29.0 11 P 36.0 35.4 30.3 22.2 30.36 30.68 29.74 29.953 34.5 4 P 27.0 8 A 30.7 31.0 28.7 9.2 28 30.36 30.68 30.189 20.5 33.0 P 16.5 8 A 23.0 20.5 15.0 7.9 28 30.36 30.28 30.189 20.5 33.0 P 36.0 8 A 23.7 23.0 18.3 7.3 30.02 30.04 30.17 29.95 33.5 12 M 20.5 12 P 27.0 29.5 27.7 0.0 28 30.36 30.26 30.313 38.5 12 M 20.5 12 P 27.0 29.5 27.7 0.0 29 30.29 30.04 30.172 33.0 9 5.0 8 A 23.0 20.5 15.0 7.9 28 30.36 30.29 30.04 30.172 33.0 9 5.0 8 30.0 P 23.3 22.0 22.7 22.7 22.5	Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hoursof Bright Sunshine
	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 25 26 26 27 28 28 28 29 29 29 29 29 29 29 29 29 29 29 29 29	30.39 30.17 29.92 29.66 30.15 30.10 29.94 30.25 30.17 30.13 30.11 30.04 30.23 30.17 29.99 29.95 30.16 30.44 30.08 29.74 30.08 29.74 30.36 30.36 30.29	30.17 29.92 29.54 29.53 29.66 29.18 29.74 29.76 29.73 29.96 30.02 29.78 29.95 29.71 29.95 29.71 29.90 30.01	30.335 29.969 29.764 29.608 30.067 29.589 29.545 30.232 29.923 29.955 30.036 30.073 29.889 29.881 29.797 20.989 29.997 30.488 30	43.0 49.0 43.0 548.0 53.0 46.0 33.0 41.5 53.0 49.5 43.5 31.0 43.5 42.0 34.5 34.5 34.5 33.5 29.5 33.0	3 P 11:30 A 3 P 1:30 P 2 A 6 P 0 A 3 P 5:30 P 2 P 0 A 12 P 0 A 12 P 0 A 12 P 3:30 A 3:30 P 2:30 A 3:30 P 2:4 P 4 P 1:4 A 4 P 1:5 A 3:5 A 3:7 A 3:8 A	29.0 33.0 31.0 37.0 29.0 27.0 20.5 16.0 26.5 24.5 34.0 23.5 17.0 28.5 28.5 28.5 29.0 27.0 27.0 26.5 26.5 27.0 27.0 27.0 27.0 27.0 27.0 27.0 27.0	7 A 12 P 7 A 7 A 12 P 1 A 8 A 6 A 4:30 A 4:30 A 6 A 7:30 A 6 A 12 P 8 A 7:30 A 7:30 A 12 P 8 A 12 P 8 A 8:30 A	36.0 41.0 37.0 43.0 41.0 36.5 29.7 24.5 28.0 35.3 32.7 29.3 41.7 33.5 29.3 35.3 35.3 35.3 36.0 36.5 29.0 29.0	36.3 40.5 39.0 43.7 39.5 40.4 29.3 27.5 26.8 25.9 34.4 39.7 30.0 40.7 34.6 29.3 35.4 33.5 40.3 35.4 33.5 35.4 36.6 37.5	34.0 37.0 37.7 37.7 30.7 41.0 24.0 22.5 23.7 21.3 30.3 34.3 30.3 34.3 35.7 24.7 30.3 31.5 28.7 27.7 15.0 8.5 11.3	0.0 0.0 7.0 0.2 7.7 7 9 0.0 0.0 0.0 7.5 1.5 2.7 6.2 7.7 0.0 3.3 0.0 0.0 2.2 4.3 0.0 0.0 7.5 5.5 7.5 5.5

	l	Iumidit	у.		,	Vind.				Precipit	ation.	
	we	por.	Ly.	n. ng	nt .	m are Ft	<u>.</u>		ž	/	Tota	
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4 5 6 7 8	35.0 32.0 34.5 29.0 32.5 23.5 39.5	.223 .204 .234 .229 .263 .197 .274	93.5 91.5 86.5 71.5 71.0 67.5 96.0	N.N.E. N.N.E. N. N.W. N.W. N.N.E. S.S.W.	12 21 216 128 229 187 89	0.0 0.0 4.0 0.5 1.5 0.0 3.0	28 10 17 —	II A II P 2 P — 2 P	5 A	12 P	.02	
9	17.0 15.0 21.0 20.0	.147 .137 .163	66.0 67.0 73.5	N.W. N.N.W. S.S.W. N.W.	350 181 186 203	6 5 1.0 0.0 3.5	36 14 - 26	5 A 1 A	8 P 8 A	5 P	.12	12 12 13
11 12 13 14 15	17.5 24.5 29.0 20.0 28.5	.137 .125 .101 .223 .147	84.0 83.5 86.0 76 0 74.5 92.5	S.S.W. N.E. W.N.W. W.N.W.	140 69 177 286 45	0.0 3.0 6.5 3.0	24 36 24 —	4 P I P I 2 M I A	O A	10 A	.04	ģ.
17 18 19 20 21	30.5 28 0 12.0 20.5 28.0 22.0	.217 .181 .112 .159 .174	78.0 87.0 71.5 77.0 90.0 73.5	S. N.W. N.W. S.S.E. S. N.N.E.	158 122 247 101 52 99	1.0 4.5 2.5 2.0 2.0	14 30 22 20 —	3 P 9 P 5 A 6 P	7 P			Т
23 24 25 26 27 28	27.5 29.0 27.0 25.0 6.5 5.5	.185 .187 .165 .161 .098	85.0 85.5 92.0 86 0 62.5 84.0	N.E. N. N.N.E. N. N.N.E. N.N.W.	140 167 31 347 268 36	3.0 0.5 7.0 3.5 0.0	17 24 10 37 26	6 P 7 A 11 P 7 A 8 A	4:30 P O A 6:30 P O A	12 P 4 A 12 P 5 P	.82 .50 .33 .40	1 2 2
29 30 31	7.0 21.5 19.0	.081	82.0 92.5 89.0	W.N.W. N.N.W. S.W.	49 53	0.0	<u>17</u>	- 8 P			,	

Annual Summary for 1913.

Pressure. In inches.

110	osaro. In menes.
Minimum reduced to freezing, Maximum reduced to freezing and sea-leve Minimum reduced to freezing and sea-level Mean reduced to freezing and sea-level,	
*Air Temperature. In degrees Fah Highest,	m. per hour, July 23rd, 5 p., S.S.W. Maximum velocity for 5 minutes, 48 m. per hour, Jan. 3rd, 3 p., S.W.; Mar. 27th, 9 p., W.
Mean sensible (wet bulb), Annual range, Highest mean daily, Lowest mean daily, Mean maximum,	. 44.2 104.5 July 1 eb. 10 Snow total in inches . 44.2 Vumber of days on which or or more rain or melted snow fell,
Mean minimum,	
Mean daily range,	Mean cloudiness observed, 50 per cent. uly 10 Total cloudiness recorded by Sun Thermom-
Humidity.	Number of clear days, 105 Number of fair days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days,
Humidity. Mean dew point,	Number of clear days, 105 Number of fair days, 144 Number of fair days, 114 Number of cloudy days, 116 Stright Sunshine- Number of hours recorded, 2423 hrs. = 54 per cent Dates of Frosts. Last, May 15th First, Sept. 10th Dates of Snow. Last, April 9th First, Oct. 31st Total days of sleighing, 23
Humidity. Mean dew point,	Number of clear days, 105 Number of fair days, 114 Number of fair days, 114 Number of cloudy days, 116 Stright Sunshine- Number of hours recorded,2423 hrs.=54 per cent Dates of Frosts. Last, May 15th First, Sept. 10th Dates of Snow. Last, April 9th First, Oct. 31st Total days of sleighing, 23 Gales of 50 or More Miles Per Hour, Jan. 3d, 60m., S.W.; 4th, 54m., S.W.; 18th, 58m., W.S.W.; Feb. 1st, 52m., W.N.W.; 12th, 50m., W.N.W.; Mar. 20th, 64m, W.N.W.; 31st, 68m., S.W.; Apr. 1st, 58m, W.N.W.; July 23d,

*Temperature in ground shelter.

E. K. DEXTER,

Observer.

J. E. OSTRANDER,

Meteorologist.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 22,29th, 3 A. Minimum reduced to freezing, 28,78,25th, 1 A. Reduced† maximum reading, 30.53, 29th, 3A. Reduced† minimum reading, 29.08, 25th, 1 A. Mean semi-daily reduced, 29.957 Monthly range, 1.45	Greatest daily movement,
*Air Temperature. In Degrees Fahr.	hour, 12th, 2P., W.N.W. Prevailing Direction, North Northwest.
Highest,	Summary.
Highest mean daily, 41.4, 30th Lowest mean daily,7.3, 13th Mean maximum, 31.0	North Northeast
Mean minimum,	Weather.
Greatest daily range, 43.0, 23d Least daily range, 4.0, 20th	Mean cloudiness observed 63 per cent.
Humidity. Mean dew point,	Number of clear days,
Mean force of vapor,	Detable Spushing
Precipitation. In inches.	Rain, 4th, 8th, 9th, 10th, 24th, 25th, 29th, 31st. Snow, 3d, 4th, 7th, 8th, 10th, 12th, 15th, 16th, 17th, 20th, 21st, 26th, 31st.
Total precipitation,	Days of Sleighing, 14. Gales, 35 or more miles per hour: 46m, 10th,
Temperature in ground shelter.	

	Barome	ter Red ea Leve	1.		Тез	nperatui	e. Groui	nd Shelte	er.		Tours of Sunshine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshir
1 2 3 3 4 4 5 5 6 6 7 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 5 26	29.92 30.17 30.13 29.67 29.67 30.23 30.38 29.96 30.30	30.11 30.27 29.86 29.77 29.84 29.63 29.23 29.23 29.23 29.23 29.76 29.82 30.27 29.82 29.92 29.64 29.92 29.64 29.92 29.64 29.92 29.64 29.92 29.64 29.92	30.233 30.305 30.085 29.777 29.941 30.021 29.702 29.477 29.957 29.624 30.089 30.383 30.007 29.743 29.476 30.097 30.211 30.027 29.871 30.027 29.871 30.027	26.0 25.0 32.0 35.5 38.5 32.0 36.5 34.0 22.0 29.5 1.0 10.5 18.5 24.5 35.5 24.5 30.0 29.5 29.5 28.0 41.0	O A 12 P 8 P 12 P 5:30 A 3 P 6:30 P 0 A 3 P 8:30 A 4 P 8 P 2:30 P 2:30 P 0 P 2:30 P 12 P 7 P 1 A 4 P	9.0 3.0 24.0 28.5 19.0 10.5 19.0 21.0 21.0 13.5 11.0 -1.0 5.5 22.0 6.0 4.5 25.5 12.0 1.5 1.5 1.5 1.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6	12 P 8 A 9:30 A 8:30 A 12 P 8 A 12 P 8 A 12 P 8 A 12 P 12 P 7:30 A 7:30 A 7:30 A 7:30 A	17-5 14.0 28.0 32.0 28.7 21.3 27.7 31.7 32.0 31.0 17.7 15.3 -5.3 -1.7 8.7 17.3 27.5 20.0 13.7 9.5 37.7 25.0 11.7	17.0 15.1 28.3 32.4 30.6 19.5 29.0 31.7 32.3 30.8 17.0 14.7 -7.3 -3.5 8.3 17.8 27.3 16.3 17.8 27.3 12.6 11.3 38.7 23.9 9.8	12.3 13.3 27.5 30.7 25.5 14.3 27.3 30.0 11.7 11.7 -6.5 9.7 13.7 24.0 11.3 16.3 26.3 26.3 26.3 26.3 26.3 26.3 26.3 2	6.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
27 28 29 30	30.46 30.53	30.07 30.03 30.20 30.01	30.231 30.255 30.380 30.078	35.5 52 0 39.0 48 5	12 P 4 P 12 P 11 A	33.5 31.0 34.5	0 A 12 P 2 A 12 P	23.3 42.7 35.3 41.5	38.9 35.3 41.4	34·5 35·3 37·0	0.0 6.3 0.0
31		29.54	29 863	34.5	5 P	28.0	8:30 A	31.3	31.9	30.0	0.0

1	H	Inmidity	r.		,	Wind.				Precipita	ation.	
	w	por.	y.	ğ0 ∹	l t	m tre Ft			à		Tot Inc	alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8	10.0 10.0 25.5 28.5 19.0 9.5	.081 .093 .157 .180 .155	88.0 85.5 89.0 87.5 71.5 76.5	N. N. N.N.E. N.N.E. E.N.E. S.W.	216 146 218 366 340 95	3.0 1.5 4.0 4.5 5.0 0.0	24 17 28 30 32	9 A 1 P 5 P 1 A 2 P	I P O A	12 P 10 P	T .03	T T
7 8 9	23.0 25.5 30.0	.167 .178 .181	77.5 77.0 95.0	S.S.W. N.N.E.	127 130 56	0.0	_	=	4 A 9 A 4 P	5 A 9 P 12 P	.02	1 2
10	25.5 4.5	.180 .084	76 0 67.0	W. N.N.W.	256 288	2.5	46 22	3 P 6 A	0 A	5 A	10.	T
12 13 14	3.5 -17.5 -12.0	.089	62.5 60.0 76 0	S.W. N.W. N,	382 488 167	20.0 5 5 0.5	63 33	3 P 8 A 2 A	3 A	бР	Т	Т
15 16 17 18	5.5 12 0 21.0 5.0	.077 .091 .137 .081	79.5 91.5 85.0 69.5	N. N.W. N.N.E. N. S.S.E.	17 8 217 302 77	0.0 0.0 6.5 2.5	36 22	8 P	10 A 7 P 0 A	8 P 12 P 9 A	.07 .09 .06	
20 21 22 23	23.5 16.5 4 0 -1.0	.148 .117 .067 .085	88.5 82.5 83.0 67.5	N.E. N.N.E. N.W. S.S.W.	43 146 197 27	0.0 2.5 3.5 0.0	22 26	— I I Р I А	0 A 0 A	12 P 8 P	.32	2 1 2 1
24 25 26 27 28	36.5 13.5 7.0 20.0	.238 .125 .069 .123	91.5 71.5 91.5 94.5 82.5	S.S.W. N.N.W. N.W. N.W. W.	230 321 44 21 89	2.0 5.0 0.0 0.0	20 32 —	1 Р 9 А — —	8 A 0 A 10 A	12 P 5 A 3 P	.75 .05 .16	2
29 30 31	30.5 34.0 33.0 28.0	.212	93.0 80 0 92.0	S.S.E. W. N.	61 196 171	0.0 3.0 0.0		— 6 Р	2 P 4 A	11 P	.06 1.80	4

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during January was generally seasonable and showed a number of rapid changes in temperature, which often characterizes this time of year. The changes in atmospheric pressure were also large and comparatively rapid. The amount of cloudiness was unusually large, especially when taken in connection with the precipitation up to the last day of the month. The heavy storm of rain, sleet and snow on the last day of the month furnished practically one-half of the total precipitation record.

Comparing the records of the several weather elements with the normals here shows the following as the principal features. The mean barometer was much less than the normal and the maximum and minimum pressures were both well below the average records for these features. The rapid fall in pressure on the 24th and more rapid rise of more than one inch on the 25th made a very unusual record on the pressure chart. While the wind movement on those dates was large, it at no time became even a moderate gale. The total wind movement was about ten per cent more than the normal, and about one-fourth of the days showed a comparatively large daily movement.

The mean temperature was slightly less than the normal, and the maximum nearly the average value for that feature. The minimum was more than five degrees below its normal value, giving an unusually large range for the month. On the 13th the thermometer was below zero for practically the whole day; the mean hourly temperature being -7.3 degrees. On the following day it also averaged below zero, although considerably above during part of the day.

The mean dewpoint was rather low and the relative humidity considerably above the normal.

The total precipitation was about ten per cent more than the normal, and much the greater part occurred as rain. The snowfall was comparatively small. The sky was cloudy or overcast about two-thirds of the time.

J. E. OSTRANDER, Meteorologist

Meteorological Observations

MASSACHUSETTS

AGRICULTURAL EXPERIMENT

STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W.

Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.34.13th, 8 A. Minimum reduced to freezing, 28.86,14th, 3 P. Reduced† maximum reading, 30.68, 13th, 8 A. Reduced† minimum reading, 29.18, 14th, 3 P. Mean semi-daily reduced, 30.132 Monthly range, 1.50	Total movement,
Highest,	Summary.
Mean hourly, 17.7 Mean of means of max and min. 17.9 Mean sensible (wet bulb), 14.1 Monthly range, 64.0 Highest mean daily, 36.6, 4th Lowest mean daily, -6.7, 12th Mean maximum, 28.2 Mean minimum, 7.7	North 25 per cent West Northwest 18 " " North Northwest 14 " " North Northeast 11 " " South Southwest 11 " " West 11 " " Other directions 10 " "
Mean daily range, 20.5	Weather.
Greatest daily range, 45.0, 25th Least daily range, 6.0, 19th	Mean cloudiness observed, 42 per cent. Total cloudiness recorded by the Sun Thermometer,
Humidity.	Number of clear days, 8
	Number of cloudy days, 8
Mean force of vapor,	
Mean relative humidity,	Bright Sunshine.
Precipitation. In inches.	Number of hours recorded, 178 hrs=604. Rain, 3d, 4th, 7th. Snow, 3d, 6th, 7th, 13th, 14th, 16th, 17th, 19th, 22d.
Total precipitation, 3.36	
Number of days on which or inch or more rain fell,	Gales, 35 or more miles per hour: 44m, 7th, W.; 41m, 8th, W.; 50m, 14th, N.N.W.; 35m,
Total snow in inches 24.5	124UII, N.
* Femperature in ground shelter. †Reduced to freezing and sea-level.	

Barome	eter Rec Sea Leve		Temperature. Ground Shelter.							
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hoursof
1 30.13 2 30.50 3 30.46 4 30.13 5 30.33 6 30.46 7 29 83 8 30.08 9 30.33 10 30.20 11 30.35 12 30.62 13 30.62 13 30.62 14 30.32 15 30.07 17 30.04 18 30.22 19 30.20 20 30.10 21 30.20 22 30.19 23 30.45 25 30.52 26 30.30 27 30.11 28 30.11	29.56 30.13 30.13 29.92 30.07 29.83 29.65 30.18 30.35 30.32 29.18 29.68 29.83 30.02 29.83 30.06 29.80 30.06	29.881 30.429 30.289 30.000 30.203 31.256 29.501 29.959 30.305 30.221 30.289 30.514 30.571 29.045 30.007 30.139 29.944 30.133 30.190 29.986 30.248 30.391 30.435 30.195 30.099	40.0 38.0 45.5 43.5 31.5 27.0 20.0 21.5 17.0 20.0 26.5 26.5 31.0 31.0 15.5 32.5 40.5 46.5 46.5 46.5	1:30 P 3:30 P 2 P 3 P 12 P 7:30 P 0 A 4 P 10:30 P 4:30 P 3:30 P 4:30 P 3:30 P 3:30 P 4:4 P 3:30 P 4 P 3:30 P	32.0 27.0 18.0 29.0 29.0 17.0 17.0 13.0 -10.0 10.5 -1.5 -1.5 20.5 12.0 7.5 -1.5 3.0 -12.5 -0.5 20.5 12.5	O A 8 A 7:30 A 12 P 12	36.0 32.5 31.7 36.3 30.3 23.0 22.0 14.5 18.5 22.5 -5.3 3.5 20.0 4.3 9.3 9.3 9.3 14.7 11.0 6.3 10.0 20.0 35.0 29.3	35.7 29.3 31.3 36.6 28.5 23.5 29.4 22.3 14.2 18.3 3.7 -6.7 3.5 18.0 -2.1 11.1 11.0 22.7,5 13.2 17.5 13.2 17.5 13.2 17.5 13.3 33.3 33.3	30 7 24.7 28.5 32.7 23.5 28.5 18.3 9.5 15.0 -8.7 1.0 16.3 17.5 6.0 -1.3 4.3 13.5 22.3 13.5 27.0 25.7	55 8 16 6 33 9 9 8 8 7 9 9 9 1 1 8 8 10 10 9 10 8 8

	ŀ	lumidity	у.		1	Wind.			1	Precipita	tion.	
	*	oor.	y.	pr	<u> </u>	m re Ft	1		id			al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8 9 10 11 12	21.5 18.5 25.0 28.5 15.0 18.5 25.0 -1.0 5.0 -12.0 -18.0	.203 .143 .180 .201 .145 .127 .170 .077 .101 .045 .031	59.0 71.5 83.0 62.5 86.0 82.5 76.0 56.5 57.0 59.0 81.0	W.N.W. N.N.W. E. W.N.W. N.N.E. N. W. W.N.W. N.N.W. N.N.W.	316 247 70 146 136 157 140 462 324 287 331 141	5.5 2.5 0.0 2.0 0.5 1.0 9.5 8.5 2.0 1.5 3.5 4.0 0.0	33 22 20 10 14 44 41 20 17 26 28	1 P 2 A 2 P 9 A 9 A 10 P 5 A 3 A 1 P 7 P 3 P	12 M O A 4 P O A	12 P 6 A 12 P 3 P	.08 .02 .20 .31	T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
14 15 16	11.5 -1.0 -5.0 6.0	.099 .052 .049 .076	83.5 80.0 80.5	N. N.N.W. W.N.W. W.	365 311 133 209	5.0 2.0 3.0	32 20 24	3 P 1 A 11 P 1 P	12 M 7 P	8 P	.24 T	1 T
18 19 20 21 22	3.5 20.5 90 -3.5 13.5 -6.5	.081 .123 .087 .070 .107 .066	76.5 93.5 77.5 54.5 79.0 52.5	N. N. N.N.E. S.S.W. N.N.E.	43 102 233 174 271	0.0 1.5 2.0 4.0	17 20 28 30	7 P 4 A 9 P	1 A 2 P	9 P	.50 T	5½ T
23 24 25 26 27 28	-8.0 -3.5 7.5 21.5	.043 .065 .102 .173	70.0 64.0 73.5 69.0 69.5	N.N.W. W.N.W. S.S.W. S.S.W.	390 57 65 86 91	6.0 0.0 0.0 0.0 0.5	35	4 A — — — 5 P				

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during February was marked by much more than the usual amount of extreme cold—the temperature going below zero on eleven days—and large fluctuations in the barometer's records. The interval between the maximum and minimum barometer for the month was only about thirty hours, and the fall of more than one inch in twelve hours on the 14th showed a change in pressure seldom equalled for rapidity here. Accompanying this change in pressure was one of the most severe snow-storms of recent years. The first week of the month was much more nearly normal than any other part.

The records of the several weather elements show the following as the more important features: The mean barometer was nearly a tenth of an inch higher than the normal and the fluctuations in pressure were generally large. The maximum, minimum and range of pressure were practically normal. The total wind movement was about a thousand miles more than usual—more than one-third of the days showing a large daily movement. Nearly three-fourths of the wind was from the northerly points of the compass.

The mean temperature was nearly seven degrees below the normal, making it one of the coldest months since this station was established. Owing to the low minimum of the month the range was considerably larger than usual. On the 12th and 16th the mean hourly temperature was below zero.

The total precipitation was slightly more than the normal; more than two inches resulting from the severe snow-storm of the 13th-14th. Nearly all of the precipitation was in the form of snow.

The mean dew point was extremely low and the relative humidity was much lower than usual. The amount of sunshine was considerably more than the normal. Sleighing began on the 14th and continued throughout the remainder of the month.

J. E. OSTRANDER, Meteorologist

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.26.25th, 9 A. Minimum reduced to freezing, 28.17, 1st, 8 P. Reduced† maximum reading, 30.57, 25th, 9 A. Reduced† minimum reading, 28.47, 1st, 8 P. Mean semi-daily reduced, 29.997 Monthly range, 2.10	1
*Air Temperature. In Degrees Fahr.	Prevailing Direction, Northwest.
Highest,	Summary. North Northwest 16 per cent
Mean sensible (wet bulb), 29.6 Monthly range, 60.5 Highest mean daily, 53.9, 27th Lowest mean daily, 18.8, 20th Mean maximum, 41.9 Mean daily range, 16.4	West Northwest
Greatest daily range, 26.5, 16th, 25th	Weather.
Least daily range, 4.0, 6th	Mean cloudiness observed, 53 per cent. Total cloudiness recorded by the Sun Thermometer, 201 hrs.=54 per cent.
Humidity.	Number of clear days, 4
Mean dew point	Number of fair days,
Mean relative humidity, 76.4	Bright Sunshine.
Precipitation. In inches.	Number of hours recorded, 170 hrs=46%. Rain, 1st, 2d, 3d, 4th, 6th, 7th, 8th, 17th, 18th, 26th, 27th, 28th, 29th, 3oth.
Total precipitation,	Hail, 18th, 28th.
Total snow in inches 6.25	Gales, 35 or more miles per hour: 77m, 1st, E.; 37m, 3d, N.N.W.; 52m, 19th, W.N.W.
*Temperature in ground shelter. †Reduced to freezing and sea-level.	

Bar	Sea Leve	1.		Tei	nperatu	re. Groun	nd Shelt	er.		Hours of Sunshine,
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hoursof Bright Sunshir
2 29 3 29 4 5 30 6 30 7 29 9 29 10 30 11 30 11 30 11 30 11 30 11 30 12 30 13 30 14 30 15 30 16 30 17 30 21 3	29 25 90 29.57 29 90 .06 29 73 .74 29.60 .78 29 66	28.969 29.110 29.419 30.042 29.883 29.672 29.712 29.829 30.058 30.134 30.163 30.106 30.087 30.129 29.990 29.648 29.922 30.173 30.330 30.561 30.330 30.551 30.330 30.125 30.397 30.093	45.5 40.5 38.0 44.5 37.5	7 P 4 P 1 P 1 P 1 P 1 P 1 P 1 M 4:30 P 9 A 2:30 P 2 P 4 P 4:30 P 3:30 P	28.5 32.5 32.0 28.5 28.0 30.0 28.5 21.0 18.0 16.5 32.0 28.5 31.0 30.5 20.0 13.0 20.5 22.5 37.5 22.0 32.0 32.0 32.0 32.0 32.0 32.0 30.0 30	4:30 A 7 A 1 A 7 A 7:30 A 12 P 7:30 A 6 A 7 A 6:30 A 12 P 2 A 13 A 14 A 15 A 16 A 16 A 16 A 16 A 16 A 16 A 16 A 16	37.0 36.5 39.5 33.3 32.0 32.0 32.5 25.3 25.3 25.3 25.7 42.5 41.7 42.0 33.0 26.7 20.3 21.0 26.7 27.7 32.7 32.7 32.7 32.7 32.7 32.7 32	36.2 35.7 38.4 33.5 32.5 32.5 32.5 24.7 23.9 24.7 23.9 24.7 39.6 40.4 32.5 26.0 18.8 20.8 32.5 32.5 32.7 39.6 40.4 32.5 32.5 32.7 39.6 40.4 40.8 32.5 32.5 32.7 39.6 40.4 40.8 32.5 32.5 32.7 39.6 40.8 40.8 40.8 40.8 40.8 40.8 40.8 40.8	37·3 33·3 35·0 29 0 27·7 30·3 30·5 22·7 20·5 22·0 19·5 28·5 33 0 30·7 35·0 33·0 22·0 14·5 18·0 22·7 26·3 30·7 46·3 52·3 35·7 32·3 35·7 32·3 35·7	0.0 0.2 3 3 3 9.9 8.7 7 0.0 3 9.9 1.6 6 5.0 10.0 2 8.8 6.5 6.5 5.5 5.5 5.5 5.5 7 7.8 8.7 7.7 8.8 7.4 0.0 0.0 0.0 0.1 1.4

==	ŀ	Iumidity	, .		Precipitation.							
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Tot:	al in hes.
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28	35.5 29.5 29.5 29.5 21.5 26.5 28.0 25.0 17.0 12.5 14.0 9.5 21.5 28.0 34.5 32.5 16.0 6.5 7.6.5 21.5 22.5 25.5 26.5 25.0	.239 .205 .234 .184 .171 .183 .177 .137 .125 .136 .126 .125 .173 .211 .235 .221 .197 .131 .136 .150 .150 .160 .160 .160	89.5 81.5 70.5 68.5 78.0 77.0 72.5 63.0 75.5 63.0 75.5 82.5 81.5 82.5 81.5 81.5 81.5 91.0 90.5	N.N.E. N.N.W. N.N.W. N.N.W. N.N.E. S.W. W.N.W. N.W. N.W. N.W. N.W. N.W. N	279 264 331 1700 181 185 120 172 206 66 62 232 192 199 79 115 438 308 130 44 131 60 133 249 167	30.0 2.5 7.0 2.0 0.5 0.5 0.5 1.0 0.5 1.0 0.0 1.5 4.0 1.0 0.0 1.5 0.0 0.5 0.0 0.5	77 22 37 20 10 22 10 26 24 14 10 14 17 52 8 14 10 10 10 10 10 11 10 10 11 11	6 P 5 A 12 M 1 A 7 A 7 P 7 P 7 P 4 A 8 P 7 A 4 P 1 A 7 A 1 P 1 A 7 P 1 A 1 P 1	1 A 8 A 3 A 2 P 9 A 0 A 0 A 8 A	11 P 4 P 5 A 12 P 12 P 3 A 10 A 6 P	2.59 T .02 T .19 .11 T T T	2
28 29 30 31	34.0 29.5 30 0 29.5	.175 .152 .187 .243	93 5 85 5 92 5 69.0	N.N.E. N.E. N.	248 149 209	2.0	20 24	$\begin{array}{c c} & 3 & A \\ \hline & 3 & A \end{array}$	0 A 0 A	12 P 11 P	.02	đ T

^{**}Rain or melted snow at base of tower. *Included in following day.

The first day of the month was marked by an unusually rapid fall of the barometer, accompanied by an extremely heavy rainstorm and excessive wind velocity. The barometer fell from 29.50 at 0 A. M. to 28.17 at 8 P. M., and the record passed entirely off the chart and unsealed the mercury column and put the self-recording barometer out of commission. At 6 P. M. the pressure chart showed a velocity of wind of 77 miles per hour, and the anemometer showed 45 miles per hour for a considerable time. The Draper barometer was broken as a result of the storm, and the maximum and minimum pressures for the first 18 days of the month were taken from barograph records taken by Professor Todd, and reduced by comparing them with our standard barometer readings in the tower. The minimum barometer reading on the 1st reduced to freezing and sea level was 28.47 the lowest record since the station was established 25 years ago. A large precipitation and much cloudiness were the most noticeable features of the weather for the month.

A comparison of the records of the several weather elements with the normals for this station shows the following features of interest: The mean barometer was slightly below the normal and the range exceeded the normal range for a whole year. The maximum pressure was slightly lower than the average value of this feature for March. The total wind movement was practically normal, with much from the Northwest quadrant.

The mean temperature was slightly below the normal value and the range greater than usual, owing to a rather high maximum for the month.

The mean dew point was slightly lower than the normal and the mean relative humidity about two points higher than usual.

The total precipitation was about one and one-half inches more than the normal, and several heavy rains were noted. Rains near the last of the month took much of the frost from the ground, and the roads have begun to dry in places. The season's progress at the close of the month was between one and two weeks behind normal conditions.

J. E. OSTRANDER, Meteorologist

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

	1					
Pressure. In inches.	Wind,					
Maximum reduced to freezing, 30 12, 1st, o A.	Total movement, 6194m.					
Minimum reduced to freezing, 29,06, 2d, 6 A.	dieatest daily movement, 401111., 11111					
Reduced maximum reading, 30.43, 1st, o A.	Least daily movement, 58m., 8th					
Reduced minimum reading, 29.37, 2d, 6 A.	Mean daily movement, 207 m					
Mean semi-daily reduced, 30.031	Mean hourly velocity, S.6 m					
Monthly range, 1.06	Maximum pressure per square foot, 26.5 lbs.=					
Monthly range,	/3m. per nour, 12th, 01., 11.					
	Maximum velocity for 5 minutes, 45m. per					
	hour, 12th, 5P., W.					
*Air Temperature. In Degrees Fahr.	Prevailing Direction, Northwest.					
Highest, 83.5, 19th, 2:30 P.	Summary.					
Lowest, 22.0, 4th, 6 A.	North					
Mean hourly, 42.1						
Mean of means of max. and min., 42.6						
Mean sensible (wet bulb), 38 1	South					
Monthly range, 61.5	West Southwest 10 " "					
Highest mean daily, 63.2, 19th						
Lowest mean daily,						
Mean maximum, 52.5						
	Mean cloudiness observed, 56 per cent.					
	Total cloudiness recorded by the Sun Ther-					
Greatest daily range, 41.0, 18th						
	Number of clear days,					
Least daily range,	Number of fair days, 5					
	Number of cloudy days,					
Humidity.	,.,					
	Bright Sunshine.					
Mean dew point,						
Mean force of vapor,	Rain ist ad ad 5th 5th 8th oth 11th 12th					
Mean relative humidity, 75-5	15th, 16th, 19th, 20th, 22d, 25th, 26th, 27th, 28th,					
	29th, 30th.					
	Hail, 15th, 16th.					
Precipitation. In inches.	Snow , 3d, 5th, 7th, 15th, 16th.					
	Frosts af er the 15thr8th, 24th.					
	Gales, 35 or more miles per hour: 51m, 11th, S.; 73m, 12th, W.: 35m, 13th, N.W.; 35m, 15th,					
Number of days on which on inch or more	IF N E : 26m 17th N : 28m, 16th S S.W :					
rain fell	39m, 20th, N.; 39m, 21st, N.N.W.; 43m, 22d, W.N.W.; 36m, 23d, N.N.W.; 36m, 30th, N.N.E.					
Total snow in inches 5.25	IW.N.W.; 36m, 23d, N.N.W.; 36m, 30th, N.N.E.					
*Temperature in ground shelter.						
Reduced to freezing and sea-level.						

	Barome S	ter Red ea Leve		Temperature. Ground Shelter.								
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine	
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	30.43 29.74 30.11 30.19 30.20 30.19 30.23 30.15 30.04 30.33 30.33 30.23 29.94 30.13 30.13 30.13 30.13	29.50 29.37 29.72 30.11 30.07 30.06 30.01 29.58 29.65 30.01 29.94 29.65 30.11 29.94 29.65 29.65 29.65 29.65 29.65 30.13	30.057 29.563 29.893 30.178 30.135 30.180 30.073 29.715 30.022 29.817 30.022 29.93 30.247 30.151 29.723 29.952 30.111 29.723 29.952 30.111 30.066 30.031 30.307	47.5 45.0 41.5 43.0 46.5 36.0 56.0 45.0 49.5 53.0 59.5 48.0 60.0 71.5 83.5 60.0 50.5 65.0 50.5	11 A 8:30 A 4 P 5 P 5:30 P 0 A 9 P 0 A 4 P 1:30 P 12:30 P 2:30 P 2:30 P 2:30 P 2:30 P 11 A 4:30 P 3:30 P	25.5 33.5 22.0 30.0 24.0 33.0 28.5 31.5 32.0 25.0 25.0 32.5 32.0 32.5 32.5 32.5 32.5 32.5 32.5 32.5 32.0	6 A 12 P 12 P 6 A 12 P 6 A 3 A 12 P 6 A 4 3 A 12 P 6 A 4 30 A 4 30 A 5 30 A 5 30 A 12 P 11 30 P 0 A 12 P 2 A	36.5 39.3 33.3 31.7 36.5 35.3 34.0 44.5 37.0 39.0 42.3 41.7 40.3 33.5 41.7 51.0 65.7 53.0 44.0 51.7 42.5 45.3	37.2 39.0 33.4 31.9 34.7 35.1 34.6 36.7 37.9 41.0 42.7 33.0 40.9 39.0 40.9 33.7 44.6 52.1 63.2 55.0 43.9 49.6 42.3	34·3 37·3 29·7 31·3 30·3 32·7 44·3 33·3 35·7 35·3 27·7 33·3 32·0 39·2 44·7 54·3 35·3 40·5 40·5 40·6	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
25 26 27	30.39 30.31 30.20	30.28 29.95 29.94	30.357 30.069 30.094	55.0 42.0 53.0	2:30 P 6 P 4 P	39 5 34 5 40.0	6 A 1:30 A 2 A	47.3 38.3 46.5	45.0 38 4 46.9	37·7 38.5 45·7	0.0	
28 29 30	30.21 30.04 30.09	30.02 29.95 29.99	30.135 30.013 30.053	55 ° 52.5	1:30 P 0 A 5 P	46.5 40.0 36.0	4 A 12 P 12 P	54·3 47·5 44·3	54.3 48.5 42.6	52.3 46.7 38 7	0.0	

	ŀ	Humidity	7.		Precipitation.							
	Dew	apor.	e tty.	ng n.	ent .	are Ft	per		ng.		Tot:	al in hes.
Day.	Mean D Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles pe Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 5 26 27 28	31.0 27.5 23.5 27.5 22.5 23.0 31.0 43.0 26.5 27.0 20.0 25.5 27.5 29.5 34.0 40.0 50.0 50.0 39.5 39.5 31.0 39.5	.211 .249 .181 .186 .195 .203 .190 .313 .219 .264 .249 .177 .237 .332 .188 .291 .367 .502 .403 .265 .319 .255 .327 .269 .239 .239	83.0 69.5 69.5 78.5 67.5 95.0 96.0 76.5 59.0 69.0 90.0 69.0 75.0 91.0 88.0 77.5 50.5 66.0 93.5	W. N.W. N.W. W.N.W. W.N.W. N.W. N.W. S. W.S.W. N.W. S. E.N.E. N.N.E. S. S.S.W. S.S.S.W. N.N.W. N.W. S. K.S.S.W. N.N.W. N.W. S. S.S.W. N.N.W. N.W.	77 183 202 156 95 777 58 320 241 401 344 266 197 286 197 286 197 286 197 286 197 286 197 294 143	0.5 2.0 3.0 1.5 2.5 0.5 0.5 5.5 3.0 2.5 5.5 6.0 3.5 6.0 7.0 7.5 7.5 9.0 4.0 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5	10 20 24 17 22 10 — 33 32 4 22 51 73 35 26 36 38 39 43 36 32 43 36 36 36 36 36 36 36 36 36 36 36 36 36	12 M 4 P 9 P 2 P 2 A — 11 P 8 P 12 M 1 P 6 P 6 P 10 A 4 P 8 P 1 P 6 P 10 A 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P	1 P O A O A O A O A S P O A O A O A	12 P 12 P 5 A 12 P 12 P 4 A 12 P 5 P 11 P 11 P	.54 .22 .03 T .83 .99 .25 .01 .02 .28 .99 T .96 T	4 T
29 30	45·5 35.0	·343 .265	91.5 79.5	N.N.E.	131	6.5	36	11 А 6 Р	0 A 0 A	12 P 1 P	.07	

^{**}Rain or melted snow at base of tower. *Included in following day.

During the month the season made less than normal progress, and at the close of the month vegetation had hardly more than made a start. The first half the month was especially cold and but a single day during that time showed a mean temperature higher than the average for the month. The last week of the month was also colder than usual, with rain nearly every day of that time. The mean temperature placed the month with the unusually cold Aprils of the last quarter of a century.

The precipitation was more than twice the normal amount and was well distributed throughout the month. The snowfall nearly equalled that of the preceding month.

The following were the more important characteristics of the records of the several weather elements: The mean barometer was higher than the normal and the range slightly less than usual. The maximum and minimum pressures were but 30 hours apart. The total wind movement was unusually large and numerous gales were recorded. On twelve days the average daily velocity exceeded ten miles per hour.

The mean temperature was more than four degrees below the normal and the range was exceptionally large. The minimum temperature for the month was very nearly equal to the April average for that feature.

The mean dew point was considerably lower than the normal, owing to the low temperature of the month. The mean relative humidity was very high, due to the large number of rainy days.

The total precipitation, as previously noted, was exceptionally large, in fact, it was higher than any previous April record since this station was established.

The amount of cloudiness was much more than normal, owing to the large amount of rainy weather.

J. E. OSTRANDER, Meteorologist.

Meteorological Observations

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W.

Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

	
Pressure. In inches.	Wind,
Maximum reduced to freezing, 30 20, 18th, 9 A.	Total movement,
	Least daily movement,
Reduced maximum reading, 30.50, 18th, 9 A.	Mean daily movement,
	Mean hourly velocity, 6.0 m
	Maximum pressure per square foot, 19.0 lbs.= 62m. per hour, 27th, 5P., W.
,	Maximum velocity for 5 minutes, 30m. per hour, 27th, 5P., W.
	Prevailing Direction, West Northwest.
*Air Temperature. In Degrees Fahr.	Prevailing Direction, West Northwest.
Highest, 91.0, 27th, 2 P.	
Lowest, 27.0, 2d, 5 A.	Summary.
Mean hourly, 59.0	North Northwest 26 per cent.
Mean of means of max. and min., 58.9	
Mean sensible (wet bulb),57.5	
Monthly range, 64.0	
Highest mean daily, 75.9, 27th	
Lowest mean daily, 40.3, 13th	Other directions 28 " "
Mean maximum, 72.3	
Mean minimum, 45.5	Weather.
Mean daily range, 26.7	Mean cloudiness observed 42 per cent.
Greatest daily range, 39.0, 3d, 18th	Total cloudiness recorded by the bun Ther
Least daily range, 6.0, 13th	mometer, 129 hrs.=28 per cent.
	Number of clear days, 15
	Number of fair days,
Humidity.	Number of cloudy days, 4
Mean dew point, 49.3	Bright Sunshine.
Mean force of vapor,	Number of hours recorded, 324 hrs=72%.
Mean relative humidity, 74.5	Rain, 4th, 5th, 6th, 8th, 9th, 11th, 12th, 13th, 14th, 17th, 25th, 26th, 27th, 3oth.
	Frosts, 1st, 2d, 16th.
Precipitation. In inches.	Thunder and Lightning, 4th, 9th, 12th, 26th, 27th.
Total precipitation, 3.56	Gales, 35 or more miles per hour: 37m, 1st, N.W.; 40m, 2d, N.N.W.; 40m, 6th, N.N.W.;
Number of days on which or inch or more	54m, 23d, N.W.; 38m, 25th, S.S.W.; 62m, 27th, W.
*Townsecture in ground chalter	

^{*}Temperature in ground shelter.

Reduced to freezing and sea-level.

	Barome S	ter Red ea Leve	۱.		Tei	nperatu	re. Groui	nd Shelt	er.		fours of Sunshine,
Day.	Maximun.	Minimum.	Mean. Senn-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hoursof Bright Sunshir
1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 100 11 1 12 1 3 3 1 4 4 1 5 5 16 6 1 7 7 18 1 2 2 2 3 2 4 4 2 5 5 2 6 6 2 7 2 8	30.40 30.50 30.49 30.36 30.20 30.03 30.03 30.32 30.34 30.15 30.04 30.29	29.85 29.79 29.98 29.85 29.52 29.49 29.78 29.75 29.89 30.03 30.06 30.13 30.25 30.40 30.33 30.20 30.03 29.70 29.69 30.03 29.70 29.69 30.03 29.73 29.93 29.93 29.93 29.93 29.93 29.93 29.93 29.93 29.93 29.93 29.93 29.93 29.93	29.967 29.891 30.061 29.988 29.655 29.641 29.847 29.816 29.708 29.819 29.981 30.121 30.160 30.077 30.125 30.199 30.350 30.453 30.419 29.839 29.839 29.822 30.229 30.261 30.043 29.973 30.081	54.5 65.0 74.5 69.5 74.0 66.5 74.5 72.5 57.0 64.5 69.0 72.5 78.5 84.0 76.0 82.5 68.5 73.0 91.0 85.0	3 P 3:30 P 4 P 11:30 A 2 P 3:30 P 5 P 12:30 P 4 P 0 A 5 P 3:30 P 3:30 P 5 P 3:30 P 1 P 3:30 P 1 P 1:30 P 1:30 P 1:30 P 1:30 P 2:30 P 4 P 3:30 P 4 P 3:30 P 4 P 3:30 P 1:30 P 1:40 P 1:4	32.0 27.0 35.5 42.5 48.5 38.5 47.5 50.5 39.0 37.5 40.5 35.0 40.0 39.5 40.0 39.5 40.0 40.0 39.5 40.0 40.0 40.0 40.0 40.0 40.0 40.0 40	2:30 A 5 A 5:30 A 5:30 A 5:30 A 5 A 5:30 A 5 A 5:30 A 12 P 6 A 3 A 4:30 A 4:30 A 6:30 A 5:30 A 12 P 3:30 A 12 P 6 A 13 A 14 P 16 A 17 P 18	43.3 46.0 556.0 51.7 59.0 56.3 57.0 59.3 61.5 52.5 53.3 52.5 52.6 3 55.7 64.3 65.7 65.5 64.3 76.7 78.3 73.0	42.4 48.5 56.2 56.6 51.4 57.7 56.8 56.8 61.6 62.7 45.6 54.3 54.1 560.5 65.4 63.9 64.5 60.0 60.0 64.6 73.7 75.9 73.1	37.3 43.5 50.5 49.3 51.5 55.3 55.5 56.5 55.3 56.5 55.3 56.5 55.3 60.0 57.5 56.0 60.0 57.5 56.7 67.0 70.3 63.7	12.7 12.3 12.0 7 9 0.0 10.7 10.5 4 4 11.2 10.7 0.0 10.5 13.2 13.5 11.4 13.0 12.9 11.1 12.1 12.1 12.0 13.0 13.0 13.0 14.0
30 31	30.32	29.94 29.88	30.066	77·5 80.0	5 P 4 P	45.0	3 A 5 A	61.3 65.0	61.5 67.0	58.0 58.5	13.2 14.0

	H	lumidity	<i>7</i> .		•	Vind.			I	recipita	ation.	
	w e	por.	ty.	n.	t .	ım are Ft	i.		દ્ધ		Tot: Inc	alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending,	Rain.**	Snow.
1 2 3 4 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 2 2 3 2 4 2 5 5 2 6 7 2 8 2 9 3 0 3 1	29.0 36.0 45.5 48.5 48.5 48.0 52.0 47.5 55.5 57.5 58.5	.266 .367 .455 .410 .371 .478 .460 .422 .495 .559 .605 .249 .372 .417 .437 .536 .536 .536 .536 .540 .493 .623 .749 .861 .765 .573 .656	63.0 60.5 65.5 75.5 93.5 75.0 80.0 70.0 86.5 90.0 77.0 62.5 63.5 64.0 73.5 87.5 83.0 87.5 87.5 85.0 87.5 86.0 77.0 86.5 66.5 66.5 66.5 66.5 87.5	N.N.W. N.N.W. S. E.N.E. N.N.W. W.N.W. N.E. W.N.W. N.E. W.S.W. N.N.W. N.N.W. N.N.W. N.N.W. N.N.W. N.W. S.S.W. W. N.N.W. W. S.S.W. W. N.N.W. S. S.W. W.	269 219 91 142 114 364 57 108 116 154 171 144 155 66 64 281 129 238 180 134 1199 151 1192	7.0 8.0 1.5 5.5 1.5 8.0 0.5 2.0 4.5 3.0 2.0 4.5 4.5 5.5 1.0 0.5 1.0 7.0 5.0 1.0 7.0 5.0 1.0 7.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	37 40 17 33 17 40 10 22 20 30 24 20 14 20 30 28 21 10 11 41 45 41 41 41 41 41 41 41 41 41 41 41 41 41	10 A 10 A 2 P 2 P 2 P 12 P 2 P 3 P 6 P 11 P 2 P 7 A 1 P 2 P 10 P 2 P 4 P 4 P 6 P 10 P 2 P 2 P	6 P O A O A O A O A O A O A O A O A O A O	12 P 12 P 4 A 12 P 10 P 12 P 12 P 7 A	.33 I.01 .05 .04 .17 .14 I.03 .65 T	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during May was more nearly normal than that of the preceding month, and the seasonal progress was rapid. Most of the precipitation occurred during the first half of the month, and the last half of the month was marked by generally clear weather with a few exceptionally warm days. Normal conditions were the rule the last part of the month.

An analysis of the records of the several weather elements shows the following features: The mean barometer was considerably higher than the normal and the range large for the time of year. Several rather high barometer records were made, while the minimum was about the usual value.

The mean temperature was about two and a half-degrees above the May normal, and the maximum was the highest since 1900. The minimum was three degrees lower than the normal for this feature, but occurred so early in the month that no damage was done, although traces of ice were noted in a few places. Owing to the abnormal maximum and minimum records the range was exceptionally large for the month.

The mean dew point and relative humidity were both considerably higher than the normals for these features.

The precipitation was slightly less than the usual amount, and the number of days having a measurable amount, comparatively few.

The total wind movement was slightly less than the normal, and an exceptionally large percentage of the total was from the northwest quadrant.

The amount of bright sunshine was a hundred hours more than the normal for this month.

J. E. OSTRANDER, Meteorologist.

E. K. DEXTER, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 29,99,9th, 8 A. Minimum reduced to freezing, 29,34, 20th,11 P. Reducedt maximum reading, 30.29, 9th, 8 A. Reducedt minimum reading, 29.64, 20th, 11 P. Mean semi-daily reduced, 29.952 Monthly range, 0.65	Maximum pressure per square foot, 14.0 lbs.= 53m. per hour, 15th, 6 P., S. Maximum velocity for 5 minutes, 24m. per
*Air Temperature. In Degrees Fahr.	hour, 16th, 3P., N.W. Prevailing Direction, West.
Highest,	Summary. North Northwest 13 per cent. North Northeast 10 " " West Northwest 17 " " South
Mean minimum, 52.8	Weather.
Mean daily range,	Mean cloudiness observed, 48 per cent. Total cloudiness recorded by the Sun Thermometer, 174 hrs.=38 per cent. Number of clear days,
Humidity.	Number of fair days,
Mean dew point,	Bright Sunshine.
Precipitation. In inches.	Thunder and Lightning, 15th.
Total precipitation,	36m, 12th, W.N.W.; 53m, 15th, S.; 47m,
*Temperature in ground shelter.	

	ter Red ea Leve	1.	Temperature. Ground Shelter.							
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 29.94 2 30.10 3 30.09 4 30.11 5 30.10 6 30.19 7 30.20 8 30.22 9 30.29 10 29.81 112 29.88 13 29.95 14 30.02 15 29.93 16 30.13 30.13 30.13 19 30.11 20 30.00 21 30.10 22 30.00 24 29.93 25 29.95 26 30.00 27 30.02 28 29.90 27 30.02 28 29.90 30.01	29.78 29.94 30.03 29.66 29.71 30.09 29.97 29.92 30.09 29.71 29.75 29.71 29.86 29.98 29.96 29.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86 20.86	29.882 30.035 30.016 29.814 29.961 30.169 30.078 30.206 29.837 29.787 29.991 29.991 29.815 29.815 29.815 29.815 29.947 30.038 29.815 29.957 29.957 29.866 29.815 29.957 29.957 29.966 29.817 29.957 29.957 29.957 29.959 29.979 29.979 29.979 29.979 29.979	79.5 70.0 73.0 61.5 68.5 76.5 83.5 87.0 87.0 87.0 71.0 67.5 78.0 71.0 67.5 82.5 90.5 82.5 90.5 84.0 71.5 66.0	3 P 5:30 P 12 M 9 P 4:30 P 4:30 P 1:30 A 4:30 P 3:30 P 2:30 P 3:30 P 4 P 3:30 P 5:30 P 12:30 P 5:30 P 12:30 P 5:30 P 12:30 P 12:30 P 12:30 P 12:30 P 12:30 P 12:30 P 14:30 P 1	57.0 45.5 40.0 39.0 43.0 53.5 57.5 58.5	12 P 5 A 1:30 A 5 A 12 P 5:30 A 5 A 12 P 7 A 4 A 5:30 A 4 A 5 A 5 A 5 A 5 A 5 A 6 A 5 A 6 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	68.3 57.3 58.0 57.3 58.0 57.3 69.7 69.7 70.3 72.5 67.3 65.7 62.0 56.5 62.7 62.0 68.0 77.5 78.3 65.7 69.7	68.3 59.5 62.8 58.1 58.5 58.0 65.2 59.3 69.7 73.6 64.7 60.3 561.4 63.5 61.5 67.7 69.5 77.2 79.4 71.4 64.9 58.8 61.1 61.2	61.0 56.3 56.5 50.3 52.0 51.5 58.5 62.0 70.0 63.7 63.7 59.3 54.7 54.0 51.7 54.0 51.7 54.0 51.7 54.0 51.7 54.0 51.7	13.7 14.0 13.4 0.0 14.2 12.7 17.7 11.3 12.2 13.7 7.4 14.6 14.6 14.6 12.8 4.3 13.2 6.5 9.4 4.0 10.7 9.7 12.9 12.0 1.7 0.0 2.1 2.1

	F	lumidity	·		1	Wind.				Precipita	tion.	
	Dew	apor.	/e lity.	ing on.	ent S.	rum re uare Ft	per		ing.		Tot: Inc	
Day.	Mean Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles 1	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8	57.0 52.5 50.0 55.0 46.0 44.5	.643 .527 .608 .480 .490	74.0 77.0 59.0 91.0 64.0 59.0	N.W. N.N.W. W.N.W. S. N.N.W. N.N.E.	146 144 188 212 300 92	4.5 4.0 5.5 8.0 7.5	30 28 33 40 39	2 P 2 P 2 P 12 M 5 P	IO P O A	12 P 11 P	.10	
9 11	54.0 58.5 51.5 56.5 67.5	.619 .670 .484 .715	69.5 75.5 78.5 68.0 80.5	S.W. E.S.E. S.E. W S.W. N.N.W.	101 92 102 253 134	1.0 2.0 2.5 7.0 3.5	14 20 22 37 26	4 P 1 P 9 P 5 P 1 P	7 P 7 A	2 P	T	
12 13 14	60.0 64.5 56.5 55 0	.748 .761 .573 .478	69.5 81.0 81.5 89.5	W.N.W. N.N.W. N. S.	157 169 84 190	6.5 3.5 0.0	36 26 — 53	6 P 3 P 6 P	5:30 P	7 P	.48	
16 17 18	45.5 47.0 49.0 57.0	.440 .572 .552 .528	69.5 57.0 63.0 87.5	N.W. W.N.W. S. S.	253 113 181 166	11.0 1.0 3.0 3.0	47 14 24 24	3 P 11 A 2 P 2 P	1:30 P	12 P	.69	
20 21 22 23	41.5 48.0 57.0 63.5	.426 .542 .628 .679	61.5 63.0 76.0 87.5	W.NW. S.W. W. S.	312 121 67 114	5.0 1.5 0.0 2.0	32 17 —	12 M 4 P — 4 P				
24 25 26	70.0 68.5 62.5	.876 .968 .762	85.0 73.0 74.5	W.S.W. W.N.W. S.S.W.	121 258 114	1.0 5.5 1.7	14 33 17	4 P 4 P 3 P				
27 28 29 30	62.5 56 0 58.0 57.0	.621 .487 .521 .523	91.0 93.0 94.5 90.5	S. N.N.E. N.N.E. W.	67 87 47 83	0.0	_ _ _	_ _ _	5 A 0 A 2 P 8 A	12 P 12 P 7:30 P 10 A	.15 .33 .05	
	**Rain	or melte	dsnow a	t base of to	wer.	*[r	clude	d in follo	wing da	у.		

The weather during June was generally seasonable and free from unusual features. Comparatively clear and cool, with a rather large wind movement and considerably deficient in precipitation give a fair summary of the prevailing conditions. Traces of frost were reported, on two dates, from the low grounds in the vicinity, but the temperature did not fall low enough for the formation of frost at the station.

A comparison of the records of the various weather elements with the normals of the station shows the following features: The maximum and mean barometer records were practically normal. The minimum barometer was not as low as usual, giving a comparatively small range.

The total wind movement was about twenty percent more than the average, and more variable in direction than usual. A comparatively large number of gales were noted, nearly all during the first half the month.

The maximum and minimum temperatures were both practically normal while the mean temperature was about a degree and a half lower than the normal. The greatest daily range of temperature, on the 7th, was an unusually large amount for that feature.

The mean dew point was slightly below the normal while the relative humidity was several points higher than the average, notwithstanding the small amount of cloudy weather.

The total precipitation was about seventy percent of the normal and was fairly well distributed throughout the month. Only a single thunder storm was noted during the month.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONIALY	SUMMARY.
Pressure. In inches.	Wind.
	Total movement,
Highest,	
Lowest, 45.0, 1st, 4-30 A.	Summary.
Mean hourly, 67.7' Mean of means of max and min. 68.6 Mean sensible (wet bulb), 62.6 Monthly range, 44.0 Highest mean daily, 78.0, 17th Lowest mean daily, 56.5, 3d Mean maximum, 78.5 Mean minimum, 58.6	South 19 per cent. South Southwest 13 " " South Southeast Northwest North Northeast Other directions
Mean daily range, 19.9	
Greatest daily range,	Mean cloudiness observed, 69 per cent. Total cloudiness recorded by the Sun Thermometer, 221 hrs.=48 per cent.
Humidity.	Number of clear days, 7 Number of fair days,
Mean dew point,	
Mean relative number y, 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
Precipitation. In inches.	Number of hours recorded, 241 hrs=52#. Rain, 1st, 2d, 3d, 6th, 7th, 9th, 10th, 11th, 15th, 17th, 18th, 21st, 23d, 28th, 29th, 30th. Thunder and Lightning, 9th, 11th, 12th,
Total precipitation, 3-53	17th, 18th, 21st.
Number of days on which on inch or more rain fell	Gales, 35 or more miles per hour: 40m, 21st, W.S.W.
*Temperature in ground shelter.	

	Barome S	ter Red ea Leve	ł.		Ter	nperatu	re. Grou	nd Shelt	er.		s of
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb	No. Hours of Bright Sunshine.
3 3 4 4 5 6 6 7 8 9 100 111 122 13 144 155 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	30.19 30.03 30.17 30.15 30.15 30.15 30.15 30.12 30.15 30.07 29.98 29.99 30.02 29.97 29.95 30.02 29.95 30.03 30.14 30.13 29.99 29.95 30.14 30.13 29.99 29.95 30.14 30.13 29.99 29.95 30.14 30.13 29.99 30.14 30.13 29.99 30.13 30.14 30.15	29.99 29.80 30.06 30.04 29.93 29.77 29.95 29.82 29.85 29.85 29.88 29.82 29.67 29.88 29.82 29.87 29.88	30.110 29 927 30.129 30.137 30.137 30.107 29 842 30.077 30.111 30.021 29.912 29.911 29.991 29.953 20.5751 29.755 29.808 30.121 30.014 29.932 2	73.0 69.0 60.0 78.0 78.0 68.0 75.0 82.5 87.0 81.0 84.0 77.0 78.0 85.5 66.0 83.5 66.0 83.5 66.0 71.5 66.0	2 P 3 P 6 P 4:30 P 2 P 1 P 1:30 P 2:30 P 4:30 P 3:30 P 3:30 P 4:30 P 4:30 P 4:30 P 4:30 P 4:30 P 2:30 P 4:30 P 3:30 P 3:30 P 4:30 P	45.0 56.0 52.5 58.0 57.0 63.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 64.0 65.0 64.0 64.0 65.0 66.0	4:30 A 12 P 5 A 4 A 5:30 A 1 A 12 P 4:30 P 4:30 A 5:30 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 6 A 7 A 12 P	59.0 62.5 57.0 66.7 68.0 65.5 72.0 69.0 73.3 75.5 70.0 74.0 77.5 66.0 62.7 70.0 62.7 70.0 63.5 65.5 66.3 71.0 71.0 71.0 71.0 65.5	59.8 60.1 56.5 64.3 65.2 62.3 71.5 69.3 68.5 70.9 73.9 73.9 75.0 67.2 62.5 67.8 60.7 69.3 72.7 69.3 72.7 69.3 72.7 69.3 72.7 69.3 72.7 69.3 72.7 69.3 72.7 69.3 72.7 69.3 69.3 69.3 69.3 69.3 69.3 69.3 69.3	58.5 56.3 55.3 60.5 59.3 60.5 64.7 64.0 65.3 66.3 71.5 69.5 62.5 53.0 69.5 69.3 69.5 69.3 69.5 69.3 69.5 69.3 69.5	9.0 6.0 0.6 14.0 7.1 12.5 0.1 12.5 5.6 4.7 8.6 8.2 10.3 8.7 7.1 12.4 12.9 12.3 0.0 8.6 8.6 13.7 8.6 0.0 8.6 8.6 8.2 12.3 12.4 12.5 8.6 8.6 8.6 8.7 12.4 12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5
31	30.21	29 9 6	30,093	77.5	2:30 P	53.5	5:30 A	65.3	65.9	59.3	9 .5

	F	lumidity	y.		1	Vind.				Precipita	tion.	
	ew	por.	ty.	n,	Ħ.	im are Ft	16		pi.		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction,	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	\$7.0 54.5 54.5 54.5 50.0 58.5 55.5 64.5 63.5 64.0 65.5 70.0 67.0 67.0 67.0 68.5 58.5	.533 .480 .455 .585 .591 .005 .558 .750 .656 .679 .656 .765 .758 .691 .742 .850 .901 .857 .711	87.5 88.5 92.5 90.5 85.0 73.5 81.5 83.0 92.5 78.5 78.5 78.5 86.0 90.0 79.0 69.5 80.0	S.E. E.N.E. N.N.E. S.E. S.E. S.S.W. S. S.E. S.E. S.S.W. W.N.W. S.S.E. S. S.S.W. N.W. N.W. N.W. S.S.W.	74 178 36 50 149 108 251 230 90 85 251 230 96 46 46 7 254 67 243 80 147	1.0 1.0 0.5 4.0 0.5 3.5 0.5 2.0 0.0 1.0 0.0 1.0 0.5 2.0 0.0 2.0 2.0 2.0 2.0 2.0	14 14 10 28 10 26 24 10 10 20 ——————————————————————————————	7 P 12 M 8 P 2 P 10 P 5 P 2 P 4 P 9 P 6 P 7 3 P 4 P 12 M 3 P 11 A 12 M	5 P O A 7 A 4:30 P O A 4:30 P O A 4 P 10 P 6:30 P I A 4 P I A 2 P	12 P 7 P 3 P 12 P 7 P 5 P 12 P 8:30 P	.38 .42 .21 .30 .30 .36 .01 .50 T	S
22 23 24 25 26 27	50.5 58.0 60.0 67.0 66.5 52.0	.633 .529 .677 .765 .927	58.0 92.0 79.5 87.5 70.5 55.5	N. W.S.W. E. S. W.NW. N.W.	35 84 96 117 80	3.0 0.0 0.0 1.0 2.5 0.0	24 — I.4 22	I P — I2 M II A	9 A	S P	.25	
28 29 30 31	56.5 55.0 53.0 55.0	.572 .514 .538 .623	81.5 83.5 76 0 70.0	S.E. N.N.E. E.N.E. E.S.E.	70 113 162 63	0.0 2.5 2.0 0.0	22 20 —		6 P 6 A 7 P	3 P 8 P	.01 .15 T	

^{**}Rain or meltedsnow at base of tower.

^{*}Included in following day.

The weather during July was more cloudy than usual with precipitation on about half the days. Notwithstanding the frequency of the rains the total precipitation was considerably less than the normal. The general absence of extremely warm days was also an important feature. Numerous thunder storms were also noted, several of considerable severity.

The best estimate however of the weather conditions prevailing can be obtained by a comparison of the records of the several weather elements with the corresponding normals of the station. Such comparison shows the following features of interest.

The mean barometer was slightly higher than the normal and the range was the smallest since 1899. While the minimum pressure was considerably above the normal, the maximum was correspondingly low. Owing to the small fluctuation in pressure but one gale was noted during the month.

The mean temperature was about three degrees below the normal, making it the coolest July since 1891. The maximum temperature was the lowest since 1889, excepting only 1906, when the maximum record was 88.5 degrees. The mean maximum was also an unusually low record. The minimum temperature was about the usual value and was recorded on the first day of the month.

The mean dew point was but slightly below the normal while the relative humidity was the highest since 1906.

Although there were numerous rainstorms the total precipitation was only about 80 per cent of the normal. In this connection it should be remembered that July is the month with the greatest precipitation record at this station, due to the two extremely large monthly records of 1889 and 1897, when 10.52 and 14.51 inches were respectively recorded.

The total wind movement was practically normal, but the large amount from the south was very unusual for this station.

The amount of sunshine was considerably less than the normal, the record showing the smallest amount since 1902.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Reduced maximum reading, 30.26, 26th, 8 A.	Greatest daily movement,
•	Prevailing Direction, West.
Highest,	Summary. South Southwest
10	North Northeast
Greatest daily range, 32.0, 9th	
Least daily range, 3-5, 29th	Mean cloudiness observed, 61 per cent. Total cloudiness recorded by the Sun Thermometer, 220 hrs.=51 per cent.
Humidity. Mean dew point,	Number of clear days, 2 Number of fair days, 19
Mean force of vapor,	
Mean relative infinialty,	1777
Precipitation. In inches.	Number of hours recorded 209 hrs=49%. Rain, 1st, 3d, 5th, 11th, 12th, 16th, 17th, 18th, 19th, 20th, 21st, 24th, 28th, 20th. Thunder and Lightning, 3d, 11th, 20th,
Total precipitation, 5.11 Number of days on which of inch or more rain fell	Gales, 35 or more miles per hour: 58m, 21st,
* Temperature in ground shelter.	

Baroni	eter Red Sea Leve	1.		Ter	nperatur	e. Groui	nd Shelt	er.		Hours of Sunshine.
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb	No. Hou Bright Sun
1 29.96 2 29.96 3 30.03 4 30.14 5 30.13 6 30.16 7 30.11 8 30.05 10 30.05 11 30.00 11 30.00 11 30.00 11 30.00 11 30.00 12 29.96 16 30.04 17 30.02 18 30.10 20 30.10 21 29.98 22 30.02 23 39.05 24 30.02 26 30.26 27 30.21 28 30.12 29 30.09 30 29.93 31 30.09	29 83 29.84 29 95 29.94 29.90 29.91 29 98 29.80 29 85 29 78 29.71 30.05 30.05 30.05	29.940 29.868 29.924 30.125 30.18 30.125 30.055 30.047 30.020 29.957 30.030 29.905 30.030 29.958 30.030 29.958 30.030 29.958 30.030 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 30.033 29.958 29.849 30.153 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213 30.213	82.5 85.0 82.0 82.0 86.5 92.0 80.5 92.5 83.0 80.5 80.5 83.5 83.5 83.5 77.5 77.0 77.0 77.0 80.5	2:30 P 2:30 P 3:30 P 3:30 P 3:30 P 4 P 2:30 P 2:30 P 2 P 2 P 2 P 2 P 3:30 P 3:30 P 3:30 P 3:30 P 3:30 P 3:30 P 3:30 P 4 P 3:30 P	57.0 56.0 53.0 63.5 71.0 62.0 62.5 64.0 61.0 64.0 64.0 64.0 65.0 64.0 65.0 64.0 65.0 65.0 65.0 65.5 67.0 65.0	6:30 A 4 A 6 A 4:30 A 4:30 A 4:30 A 6 A 5:30 A 5:30 A 5:30 A 12 P 12 P 5:30 A 6 A 7 A 5:30 A 12 P 5:30 A 6 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	69.7 70.5 63.5 63.5 72.0 75.0 80.3 79.0 66.5 70.0 67.5 70.0 67.5 70.0 70.7 71.3 68.3 67.0 61.3 62.0 66.3 60.7 67.5	69.1 70.7 69.9 64.5 70.5 72.1 77.6 3 79.7 76.1 66.3 67.9 71.1 69.4 67.5 69.5 60.7 69.9 60.7 61.1 64.5 60.7 60.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5 76	61.0 65.5 61.7 59.5 61.7 65.3 70.5 70.3 71.7 64.3 60.7 62.3 62.0 63.0 63.0 63.5 62.5 63.5 55.3 60.3 60.3	8.7 9.00 9.7 9.99 7.3 6.9 9.4 8.5 4.7 7.0 9.1 1.7 8.3 9.1 1.2 8.2 0.6 6.0 10.3 2.0 10.3 11.4 5.5 5.0 0.0 0.0 9.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10

	Н	lumidity	·.		1	Vind.	_		I	Precipita	tion.	
	ew	por.	ty.	ng n.	ti.	ım e are Ft	.	H			Tota	al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending,	Rain.**	Snow.
I	56 o 63.5	.718	64.5 88.5	N.W. S.S.W.	78 147	3.5 4.0	26 28	2 P 3 P	7 P		Т	
2 3 4	57.0 57.0	·777	66. 5	N.N.E. N.E.	70	0.0	_	<u> </u>	4 A	5:30 P	.06	
5	60. 5 63.0	.595 .718	89. 5 80.0	N.N.E. S.	116	0.0	_	_	2:30 A	5 A	.20	
7 8	66.0 68.0 70 0	.741 .891 .895	86.5 78.0 84.5	S.S.W. S.S.W. S.S.W.	142 103 56	0.0	17 —	7 P —				
9 10	69. 5 70.0	.941 .861	77 ° 85.5	S. S.S.W.	185 226	5·5 3.0	33 24	2 P 11 A	3 P	9 P	.38	
12	63.0 59 0	.648 .668	88.5 76.0	N. N.N.W.	108 53	0.0	<u> 17</u>	8 A —	I P	2 P	.01	
14 15 16	57-5 59.0 57-5	.637 .673 .755	75.5 77.0 62.5	S.E. N.W. W.N.W.	83 94	2.0 1.0 0.5	20 14 10	12 M 1 P 1 P	11 P		Т	
17	62 0 64. 5	.640 .648	87.5 95.0	S.S.W. S.S.W.	65	4.5	30 20	3 P 3 P	3 P 10 A	6 P	.19 . 2 9	
19 20	68.5 63.5	.806	86.5 83.0	W. N.E. E.	66 72 70	0.0 0.0 17.0	<u>-</u> 58	_ _ _ I P	7 P 0 A 0 A	12 P	T 1.85	
21 22 23	62 5 57.0 59 0	.605 .661 .687	94.5 72.0 75.5	N. S.S.W.	104	3.0	24 26	10 A 2 P	OA	/ F		
24 25 26	60.5 48. 5	.695 .499	76.0 70.0	W.NW.	190	0.5	10	5 P 2 P	10:30A	II A	Т	
26 27 28	51.0 57.0	.521 .573 .586	73.0 82.0 83.0	N.N.E. S.S.W. S.S.W.	43 99 137	0.0 1.5 0.5	- 17 10	5 P 1 A	3 P	12 P	.11.	
29 30	57.5 59.5 58.5	.538 .583	94. 5 85.0	E.N.E. N.W.	66	0.0	20	1 A 12 M	0 A	9 P	1.15	
31	59.5	.691	75.0	W.	95	0.5	10	10 A				

The weather during the month was more than usually cloudy with a comparatively high relative humidity and large precipitation. From the 6th to the 12th there was a period of both high temperature and high humidity combined making it the most unpleasant part of the month. Nearly all the precipitation occurred during the last half the month, the storm of the 20th-21st was exceptionally severe. More than one-half the total precipitation occurred during that period; as well as the high gale and heavy thunderstorm of the month. The last half the month was generally cooler than the mean for the month.

Comparing the records of the several weather elements for the month with the corresponding normals the following features are noted: The mean barometer was practically normal and the range of pressure unusually small, even for August—the month of least range. The interval between the minimum and maximum pressures was only 51 hours.

The total wind movement was practically normal, but the number of days with a prevailing direction of South Southwest was exceptionally large.

The maximum and minimum temperatures were considerably above the usual values for these records, and the mean hourly temperature was a degree above the normal. The monthly range was slightly smaller than usual.

The mean dew point was nearly normal and the mean relative humidity the highest since 1906.

The total precipitation was nearly an inch more than usual and more than three-fourths occurred during two storms. Norwith-standing the large amount of rain less than one-third the days of the month showed a measurable amount.

The amount of sunshine was considerably less than the normal; only two days being recorded as clear.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Meteorological Observations

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 23, 14th, 9 A. Minimum reduced to freezing, 29,41, 24th, 3 P. Reduced† maximum reading, 30.53, 14th, 9 A. Reduced† minimum reading, 29.69, 24th, 3 P. Mean semi-daily reduced, 30.131 Monthly range, 0.84	47m. per hour, 28th, 10 A., N.N.E. Maximum velocity for 5 minutes, 30m. per hour, 28th, 10 A., N.N.E.
*Air Temperature. In Degrees Fahr.	Prevailing Direction, North.
Highest,	Summary.
Mean of means of max and min., 61.0 Mean sensible (wet bulb), 53.1 Monthly range, 72.0 Highest mean daily, 78.7, 2d Lowest mean daily, 42.0, 28th Mean maximum, 75.6	North Northeast 20 per cent. North 13 " Southwest 13 " East Southeast 10 " Other directions 44 "
Mean minimum,	Weather.
Mean daily range, 29.3 Greatest daily range, 44.5, 22d Least daily range, 13.0, 25th	Mean cloudiness observed, 27 per cent. Total cloudiness recorded by the Sun Thermometer, 127 hrs.=34 per cent.
	Number of clear days,
Humidity.	Number of fair days,
Mean dew point,	Bright Sunshine.
71.5	Number of hours recorded, 246 hrs=66%. Rain, 3d, 6th, 24th, 25th, 27th, 28th, 29th, 30th.
Precipitation. In inches.	Frosts, 28th, 29th.
	Thunder and Lightning, 2d, 3d, 3oth.
Total precipitation,	Gales, 35 or more miles per hour: 36m, 7th.
*Temperature in ground shelter.	

Reduced to freezing and sea-level.

	eter Red Sea Leve			Ter	nperatu	re. Grou	nd Shelt	er.		rs of
Day.	Minimum.	Mean. Senu-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 30.09 2 29.97 3 30.00 5 30.12 6 30.08 7 29.89 8 30.12 9 30.24 10 30.24 11 30.20 11 30.51 13 30.51 14 30.53 15 30.44 16 30.43 30.43 17 30.37 18 30.22 20 30.15 20 30.16 22 30.06 23 29.92 24 29.87 25 30.06 27 30.26 28 30.38 29 30.41	29.93 29.84 29.87 29.84 30.00 29.82 29.71 29.87 30.12 30.13 30.13 30.25 30.35 30.40 30.35 30.26 30.98 29.89 29.89 29.89 29.89 29.89 29.89 30.01 30.26 30.26 30.26 30.26 30.26	30.017 29.892 29.912 29.920 30.082 29 967 29 811 30.199 30.199 30.496 30.469 30.478 30.387 30.387 30.148 30.101 30.613 29.969 29.837 29 808 29 967 30.085 30.147 30.342 30.147 30.342 30.147 30.342 30.661	85.0 90.0 82.0 74.0 74.5 79.0 63.5 68.0 65.0 65.0 84.5 85.0 87.0 84.5 87.0 84.5 87.0 84.5 64.0 64.0 65.0 66.0 66.0	2:30 P 4 P 2 P 12 M 4:30 P 2 P 3 P 1:30 P 2 P 3 P 3:30 P 3:30 P 4:30 P 3:30 P 3:30 P 2:30 P 2:20 P 3 P 2:20 P 3:30 P 3:30 P 2:20 P 3:20	54.5 71.0 64.0 56.0 45.0 58.0 45.0 36.5 38.5 36.0 37.0 41.0 52.0 43.5 52.0 41.0 52.0 41.0 52.0 41.0 58.5 58.5 58.5 58.5 58.5 58.5 58.5 58	5:30 P 3 A 12 P 6:30 A 6 A 12 P 6:30 A 6 A 5:30 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 7 A 12 P 12 P 12 P 12 P 12 P 12 P 13 A 6 A 7 A 14 A 7 A 15 A 7 A 16 A 7 A 17 A 18 A 18 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	69.7 80.5 73.0 651.0 59.7 68.5 54.3 51.7 49.7 52.5 57.5 57.0 62.7 66.5 66.0 63.0 71.7 71.5 60.5 52.5 43.5 43.5	70 6 78.7 73 2 64.2 60.9 61.1 68.3 55.5 52.0 52.0 52.6 63.0 63.0 63.0 64.3 62.0 64.3 62.0 68.2 55.7 72.8 68.2 55.7 749.6 42.0	66.0 73.7 69.0 58.0 55.0 56.0 60.3 47.3 45.7 46.0 47.3 50.3 51.0 62.3 64.0 61.0 54.7 41.7 36.3 36.3 36.3	8.6.8.4.9.1.1.1.5.7.9.1.1.5.7.9.1.5.7.9.1.1.0.6.10.6.10.6.10.5.10.6.9.7.10.5.9.6.9.4.7.5.0.2.9.3.6.9.4.7.5.2.4.0.4.5.9.5.2.4.0.4.5.2.4.0.4.0.2.0.2.0.0.0.0.0.0.0.0.0.0.0.0

-	l f	lumidity	y.		,	Wind.			1	Precipita	tion.	
	Ma	por.	y.	ng.	t .	m are Ft	+		ř.		Tot.	al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30	64.0 69.0 67.0 53.5 55.0 41.5 41.5 42.5 42.5 42.5 42.5 42.5 53.0 59.5 51.5 53.0 59.5 51.5 30.5 30.5 30.5 30.5 30.5 44.5	-739 -987 -789 -583 -529 -507 -655 -397 -361 -384 -363 -393 -411 -415 -473 -521 -470 -609 -671 -734 -606 -473 -350 -323 -247 -275 -367	81.5 78.5 84.0 72.5 86.5 69.5 62.0 74.0 70.5	S.W. S.W. N.W. N. S.W. S.S.W. W.N.W. N.N.E. N.N.E. N.E. E.S.E. E.S.E. E.S.E. E.N.E. E.N.E. W.NW. W.NW. W.N.W. N.N.E. N. S.W. W.NW. N.N.E. N.	97 187 89 58 59 131 249 200 67 54 75 50 36 32 64 86 43 22 62 87 83 206 210 134	1.5 1.0 0.0 0.0 3.0 6.5 3.0 6.5 3.0 6.5 3.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	17 14	2 P 9 P	10:30P 5 P 5 P	11 P 6 P 12 P 5 A 1 P 11 A 12 P 2 P	.03 .08 T .03 .04	
	**Rain or meltedsnow at base of tower. *Included in following day.											

During the month the most prominent features of the weather were the unusually small precipitation and large amount of sunshine. Variations in temperature were more noticeable than usual, many of the days showing a variation in temperature of more than 30 degrees and several exceeding 40 degrees. The monthly range of temperature was the largest September record since this station was established.

The mean barometer was unusually high, and the maximum and minimum records both considerably greater than usual at this time of year. The total wind movement was about ten per cent less than the normal, and wind from the Northeast quadrant much more frequent than usual. Gales were infrequent; the heaviest lasted but a few minutes and was accompanied by a small amount of hail.

The mean temperature was about one degree lower than the normal, while the maximum was nearly ten degrees higher than the average Semtember maximum. The maximum temperature recorded on the 22d was the highest temperature for the year at this station. Unusually warm weather prevailed for four days beginning with the 21st.

The minimum temperature was about eight degrees below the normal and made a new minimum record for the month at this station. Frost was reported from the low lands in this vicinity on the 9th, 10th and 11th, but the first frost at the station occurred on the 28th. On the 29th a killing frost occurred and thin ice was formed in places.

The mean dew point and relative humidity were both considerably lower than usual.

The total precipitation was about one-eighth of the normal and the smallest September record at Amherst since 1865. For a period of three weeks, from the 3d to the 24th, not a measurable amount was recorded.

The sunshine record was unusually large, the number of hours noted being exceeded but twice in the past twenty-five years.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind,
Minimum reduced to freezing, 20,31, 26th, 3 P. Reduced† maximum reading, 30,60, 14th,10 A. Reduced† minimum reading, 29,60, 26th, 3 P. Mean semi-daily reduced, 30.095 Monthly range,	Total movement,
*Air Temperature. In Degrees Fahr.	Prevailing Direction, Southwest.
Mean sensible (wet bulb), 47 6 Monthly range, 62.5 Highest mean daily, 68.3, 11th Lowest mean daily, 35.0, 27th Mean maximum, 66.1 Mean minimum, 42.2	East
Mean daily range, 23.9	Weather.
Greatest daily range, 50.5, 3d Least daily range, 4.5, 17th	Mean cloudiness observed, 44 per cent. Total cloudiness recorded by the Sun Ther- mometer, 177 hrs.=52 per cent.
Humidity.	Number of clear days, 8
Mean dew point, 42.9 Mean force of vapor,	
Mean relative humidity, 75-3	Bright Sunshine.
	Number of hours recorded 164 hrs=484. Rain 19th, 16th, 17th, 18th, 19th, 24th, 27th, 29th, 30th.
Precipitation. In inches.	Snow, 27th.
Total precipitation, 2.00 Number of days on which .01 inch or more rain fell	Frosts, 2d, 3d, 4th, 28th. Gales, 35 or more miles per hour: 36m, 27th,
*Temperature in ground shelter. †Reduced to freezing and sea-level.	

Day.	30.27 30.34 30.26	30.07 30.21	Mean. Semi-daily.	Maximum 66.5	Time.	Minimum.	Time.	Mean of Max. and Min.	n rly er.	Mean Sensible Wet Bulb.	No Hours of
2	30.34 30.26			66 -			Tin	Mea Max Min.	Mean Hourly Draper.	Sens Wet	Z
	30.26	30.21		00.5	2:30 P	41.0	12 P	53 7	52.5	46.7	
3			30.312	77.5	3:30 P	33.0	6 A	55.3	52.2	44.0	١.
		30.06	30.192	84.5	4:30 P	34.0	7 A	59.3	55.7	44.0	
4	30.18	30.06	30 143	82.5	3 P	38.5	6 A	60 5	59.1	52.7	
5	30.12	29.99	30.067	81.0	3 P	52.0	6 A	66 5	64.5	55.7	
	30.30	30.05	30.259	61.0	12 M	44.0	12 P	525	53.8	50.7	
7	30.30	30.10	30.211	59.5	4 P	42.0	IA	50.7	50.5	44.3	
	30.10	29.96	30.018	77.0	3:30 P	45.5	6:30 A	61.3	58.9	51.7	
9	30.13	29.93	30.099	78.0	3 P	490	3:30 A	63.5	61.4	57.0	
10	30.13	29.98	30.061	77.0	3 P	59.0	0 A	68.0	66.0	61.7	
11	29.98	29.81	29.897	80.5	3:30 P	61.0	12 P	70.7	68.3	61.7	
12	30.14	29.93	30 037	70.5	I P	50.5	5 A	óo 5	59.6	54.5	
13	30.50	30.14	30.395	60.5	3:30 P	37.0	12 P	48.7	49 8	41.7	
14	30.60	30.44	30.541	57.0	1:30 P	31.0	6 A	44 0	45.5	40.0	
15	30.44	30.08	30 242	69.5	12:30 P	44.0	6:30 A	56.7	57.3	52.0	
16	30.08	29.96	30 015	64.0	3:30 P	59.0	12 P	61.5	62.0	61.0	
17	29.96	29.80	29.848	61.0		56.5	12 P	58.7	58.4	57.7	
18	29.91	29.84	29.885	70.0	3:30 P	54.0	7:30 A	62.0	57.2	53.3	
19	30.09	29 89	29.973	63 5	1 P	52.0	0:30 A 6 A	57.7	57.2	54.5	
20	30.26	30.09	30.229	71.0 76.0	3 P 2:30 P	44.0		57.5	55.1	49.3	
2 I	30 26	30.04	30.155	70.5	1:30 P	39.0	5 A 12 P	57.5	57 4	49·7 46·7	
22	30.38	30.04	30.255	57.0	3 P	32.5	6:30 A	57.3	59.0	38.5	
23	30.54	30.22 29.98	30.425	60.0	3 P	40.0	3 A	44.7 50.0	44.8	44.3	
24	30.22	29.81	30.077	60.0	3 P	29.5	7:30 P	44.7	45.2	37.0	
25 26	30.13 29.81	29.60	29 9 97 29. 689	61.0	1:30 P	42.5	7.30 I	51.7	51.2	44.7	
27	29.01	29.66	29.885	44.0	0 A	24.0	12 P	31.0	35.0	27.7	F
28.	30.03	29.89	29.003	52.0	2 P	22.0	2:30 A	37.0	38.6	30.0	
29	30.03	29.81	29.961	53.5	2 P	34.0	6 A	43.7	45.2	39.3	
30	29.87	29.74	29.513	51.0	2:30 P	40.0	12 P	45.5	+ 43.8	38.7	
31	30.05	29.87	30.041	53.5	2 P	34.0	7 A	43.7	43.5	35.0	

	F	lumidity	·.		1	Wind.				Precipita	ation.	
	ew	tpor.	ty.	ng n.	nt .	ım e are Ft	i.		मुं		Tot Inc	al in hes.
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 30 31	43.5 41.0 39.0 50.0 53.0 47.5 38.0 55.5 60.0 58.5 51.0 33.0 49.0 60.0 56.5 52.0 47.5 46.0 49.0 31.0 32.0 41.0 31.0 31.0 31.0 32.0 41.0 31.0 31.0 31.0 31.0 31.0 31.0 31.0 3	.359 .331 .347 .463 .517 .425 .349 .503 .607 .605 .497 .391 .298 .452 .501 .425 .451 .373 .455 .439 .274 .327 .265 .345 .180 .216 .289 .269	80.5 82.5 71.5 80.0 78.0 78.0 90.5 82.0 90.5 86.0 73.5 76.5 78.5 93.0 92.5 88.5 76.0 70.0 70.0 70.0 70.0 70.0 70.0 70.0	N. N.N.W. N. E. S.W. E.S.E. S. S. S. W.N.W. N. E. S.E. S.W. N. S. S.W. N. S. S.W. S.W. S.W. S	142 43 20 36 101 63 83 53 104 225 221 141 111 49 44 30 110 57 77 77 185 135 1172 95 140 306 190 164 2207 2223	1.0 2.0 0.0 0.5 0.0 0.5 0.0 2.5 3.5 3.5 0.0 0.0 0.0 2.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	14 20 — 10 — 22 26 26 26 — — — — — — — — — 22 26 — — — — — — — — — — — — —	10 A 10 A 10 A 11 A 11 A 8 P 1 P 12 M 11 P 11 P 12 P 10 A 2 P 10 P 3 P 12 M	7 A 3 A 0 A 8 A 2 A 11 A 5 A 9 P 0 A	12 P 2 P 12 M	T	T
	**Rain	or melte	dsnow a	t base of tov	ver.	*In	cluded	l in follo	wing da	у.		

The weather during the month was generally seasonable and more than usually pleasant. A measurable amount of precipitation was recorded on only five days, and the drought which prevailed during the preceding month was not broken until the 16th, when a fairly heavy rainstorm occurred. A few light rains were noted later in the month, but the total rainfall was less than 60 per cent of the normal for October.

The records of the several weather elements, compared with the normals for this station, show the following features: The mean barometer was considerably higher than the normal, and the range comparatively small. The mean daily barometer fell below 30 inches but once during the first half of the month—the period which was without precipitation. The maximum and minimum pressures were not far from the normal values for these features. The total wind movement was about 90 per cent of the normal, and an unusually large per cent of the total was from the southwest quadrant. The pressure chart showed but a single gale, and that was a light one.

The mean hourly temperature was more than 3 degrees above the normal, and, excepting last year, was the warmest October since 1900.

The maximum temperature was more than 5 degrees higher than usual, while the minimum record was practically normal. The daily range of more than 50 degrees, on the 3d, was exceptionally large for this locality.

The mean dew point was slightly higher than usual and the relative humidity was practically normal.

The precipitation, already commented on, nearly all occurred during four days near the middle of the month. Notwithstanding the small precipitation the amount of cloudiness was nearly normal. The mornings, however, were much more cloudy than the evenings.

J. E. OSTRANDER, Meteorologist'

R. E. McLAIN, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Reduced† maximum reading, 30.78, 29th, to A. Reduced† minimum reading, 29.46, 20th, 1 P. Mean semi-daily reduced, 30.066 Monthly range,	Maximum pressure per square foot, 18.5 lbs.= 61m. per hour, 13th, 3 P., S.S.W. Maximum velocity for 5 minutes, 40m. per hour, 13th, 2 P., S.S.W.
*Air Temperature. In Degrees Fahr.	Prevailing Direction, West Southwest.
Highest, 71.5, 1st, 2:30 P. Lowest,	Summary.
Mean hourly, 37.0 Mean of means of max and min. 37.6 Mean sensible (wet bulb), 31.5 Monthly range, 67.0 Highest mean daily, 51.6, 4th Lowest mean daily, 21.0, 23d Mean maximum, 47.5 Mean minimum, 27.6	West Southwest
Mean daily range, 19.8	Weather.
Greatest daily range, 37.5, 1st Least daily range, 8.5, 19th	Mean cloudiness observed, 41 per cent. Total cloudiness recorded by the Sun Thermometer, 180 hrs.=62 per cent.
Humidity.	Number of clear days,
Mean dew point,	
Mean relative humidity, 69.6	
Precipitation. In inches.	19th.
Total precipitation, 2.62 Number of days on which or inch or more rain fell	Snow, 11th, 17th, 19th, 20th, 23d Gates, 35 or more miles per hour: 45m, 2d, W.N.W.; 44m, 4th, W.S.W.; 35m, 5th, W. N. W.; 61m, 13th, S.S.W.; 37th, 14th, W.; 41m, 15th, E.S.E.; 59m, 17th, W.; 41m, 19th, N.

Barome	ter Red ea Leve	1.		Ter	nperatur	e. Groui	nd Shelte	er.		s of
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of
1 30.04 2 29.84 3 29.98 4 29.85 5 30.13 30.25 8 29.92 9 30.07 10 30.12 11 30.05 12 30.24 13 30.24 14 30.43 15 30.44 16 29.87 17 30.22 18 30.59 29.74 20 29.92 21 30.59 22 30.59 24 30.59 25 30.24 26 29.92 27 30.35 28 30.69 29 30.78 30.67	29.77 29.64 29.81 29.56 29.69 29.78 29.87 30.00 29.74 30.05 29.60 29.47 29.87 30.22 29.74 29.46 29.59 29.86 30.02 29.71 29.74 29.87 30.24 29.71 29.74 30.24	29.931 29.745 29.775 29.775 29.775 30.135 29.867 30.025 30.095 30.125 30.03 30.521 29.633 30.521 29.776 29.977 29.977 30.333 30.461 30.055 29.864 30.555 29.864 30.002 30.555 20.864 30.002 30.626 30.705 30.533	71.5 58.0 71.0 56.5 48.0 52.5 41.0 48.5 61.0 48.5 60.5 37.5 29.5 34.5 34.5 34.5 34.0 53.0 48.0 54.0	2:30 P 12 M 2:30 P 2 P 11:30 A 1:30 P 1 P 3:30 P 2:30 P 1:230 P 1:230 P 1:230 P 1:250 P 1	34.0 34.0 35.0 41.0 36.0 29.0 27.0 28.5 29.0 21.0 25.0 26.5 19.5 25.5 25.5 25.5 25.5 25.5 28.0 28.0 27.0 28.5 29.0 21.0	5 A 12 P 7:30 A 7 A 12 P 6 A 7:30 A 12 P 7 A 0 A 7:30 A 12 P 6 A 12 P 12 P 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A	52.7 50.7 46.0 53.0 41.5 42.0 45.3 35.0 31.0 37.5 37.7 44.7 38.5 24.5 29.7 20.3 36.0 44.3 42.3 36.0 36.0 36.0 37.0 24.5 29.7 20.3 36.0 36.0 36.0 37.0 24.0 26.0	51.3 48.8 45.3 51.6 46.1 42.0 43.9 34.3 36.0 37.0 42.8 39.6 36.7 49.3 31.3 24.9 28.4 27.1 28.1 21.2 36.6 44.2 45.9 45.9 36.0 37.0 42.8 30.7 27.1 28.1 28.1 29.0 20.0 21.2 36.6 44.2 45.9 45.9 45.9 45.9 46.0 47.0	40.3 42.3 39.0 40.5 40.7 36.3 37.5 38.7 28.0 23.3 31.7 36.7 38.0 20.0 22.0 23.5 18.0 22.3 31.7 32.3 23.5 18.0 24.7 32.3	7 6 3 5 6 2 2 3 3 6 3 6 3 6 6 8 6 8 9 9 9

	Н	lumidity	<i>7</i> .		1	Vind.]	Precipita	tion.	
	ew	tpor.	ty.	ng n.	tu.	ım e are Ft	per		žć			alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square 1	Miles pe	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 122	32.0 38.5 33.0 35.5 35.0 31.5 32.5 36.0 20.0 15.0 24.5 33.0 21.0 33.5 40.0 25.0 24.0 5 5	.331 .301 .289 .309 .301 .243 .261 .179 .143 .205 .197 .279 .221 .240 .358 .163 .157 .163	57.5 78.0 67.0 74.0 67.5 73.5 62.5 75.5 62.5 75.5 67.5 53.0 84.0 75.0 85.0 56.0 85.5	S. W. W.S.W. S.W. W. N.W. W. E.N.E. N.N.W. S.W. W.S.W. S.S.W. W.S.W. N.W. E. W. W.S.W. N.N.E. N.N.W. S.W. S.W. S.W. S.W. N.N.E. N.N.W. S.W. S.W. S.W. S.W. S.W. S.W. S	138 259 154 229 235 169 118 177 249 142 70 323 258 70 323 378 195 127 192	2.5 10.0 9.5 6.0 2.5 3.0 4.5 1.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5	22 45 14 44 35 22 24 28 30 17 10 37 41 33 24 41 33 22 41 41 33 22 41 41 41 41 41 41 41 41 41 41 41 41 41	4 P 2 P 7 P 4 P 1 P 10 A 3 P 1 A 9 P 1 A 9 P 1 P 1 A 9 P 1 P 1 A 1 P 1 P 1 A 1 P 1 P 1 A 1 P 1 P 1 P 1 A 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P	4 A A 5 P I P 6 P 5 A 6 P I P 0 A A 4 P 8 A 0 A	12 M 4 P 12 P 7 P 12 P 10 A	T T	T T 1.5
23 24 25 26 27 28 29 30	12.5 10.5 25.5 31.0 32.5 13.5 22.0 31.0	.111 .109 .215 .273 .270 .135 .147	71.5 73.0 67.0 63.0 68.5 63.0 79.5 92.5	N.W. S. S.S.W. S.S.W. W. N. E. S.	187 122 203 203 227 77 22 15	4.5 5.0 3.0 3.0 4.5 0.0 0.5 0.0	30 32 24 24 30 —	2 P 9 P 9 A 10 P 8 P — 1 P	II A	12 M	Т	Т

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during the month was generally seasonable and presented few unusual features of interest. Nearly all the precipitation occured near the middle of the month and the wind movement was most marked at about the same time. A snowfall of nearly six inches on the 19th, 20th, was the last precipitation of any importance and traces of it remained on the ground when the month closed. During the last week of the month some rather low temperatures were registered.

A study of the separate records of the several weather elements shows the following features: The mean barometer was slightly higher than the normal and the range of pressure nearly the average amount for November. The maximum barometer, on the 29th, was the highest November record since 1896. The maximum pressure was also much higher than the normal value for that feature.

The total wind movement was considerably more than usual and a comparatively large number of gales was registered.

The mean temperature was about two and one-half degrees below the normal, owing largely to the low temperatures for a few days near the end of the month. The maximum temperature was considerably higher than usual while the minimum was the lowest November record since 1891, giving a range about one-third more than usual. The mean hourly temperatures for the 23d and 24th were extremely low for the time of year.

The mean dew point and relative humidity were both several points lower than the normal values for these elements.

The total precipitation was about five-sixths of the normal and nearly all of it occurred during two well defined storms.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30-36, 26th, 11P. Minimum reduced to freezing, 28.86, 14th, 5-A. Reduced† maximum reading, 30.69, 26th, 11-P. Reduced† minimum reading, 29.17, 14th, 5-A. Mean semi-daily reduced, 30.177 Monthly range, 1.52	Greatest daily movement, 425m., 22d Least daily movement, m., 28th Mean daily movement, 152 m Mean hourly velocity, 6.3 m
*Air Temperature. In Degrees Fahr.	Prevailing Direction, West Northwest.
	West
, , , , , , , , , , , , , , , , , , ,	Number of clear days,
Humidity.	Number of fair days,
Mean dew point,	Rain, 7th, 8th, 13th, 14th, 19th, 20th, 29th, Snow, 7th, 10th, 13th, 14th, 19th, 20th, 22d,23d, 24th, 27th.
Precipitation. In inches.	Days of Sleighing, u.
Total precipitation, 2.89 Number of days on which of inch or more rain fell 8 Total snow in inches 5.5	W.S.W.; 39m, 20th, N.W.; 40m, 21st, W.N.W.; 42m, 22d, N.W.; 45m, 30th,

	Barome S	ter Red ea Leve	1.		Ter	nperatur	e. Groui	nd Shelt	er.		'
Day.	Maximun.	Mininum.	Mean. Semr-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	
ı	30.41	30.24	30.299	57.0	3 P	31.0	2 A	44 0	40.1	37.0	
2	30.24	30 07	30.145	50.0	10 P	31.5	2 A	40.7	40.9	40.7	
3	30.34	30.07	30.197	58.5	2 P	37.0	12 P	47.7	47.5	43.5	
4	30.49	30.34	30 465	46.5	3:30 P	33.0	7 A	39.7	36.3	30.7	
5 6	30.56	30.46	30.565	37.0	12 M	20.0	12 P	31.5	30.3	24.3	
	30.54	30.37	30 489	33 5	9 P	26.0	o A	2 9 7	30.6	27.3	
7 8	30.37	29.86	30.065	32.0	12 M	29.5	5 A	30.7	308	29.7	
	30.07	29.80	29 921	35 5	4 P	30.0	I A	32.7	328	28.5	
9	30.26	30.07	30.219	30.0	3:30 P	26.5	9 A	28.3	28.3	24.7	
10	30.18	29.98	30.055	37.5	3:30 P	25.0	8 A	31.3	28.7	25.0	
11	30.11	29.98	30.055	39.0	2 P	24.0	12 P	31.5	30.0	27.5	
12	30.24	30.11	30.216	38.0	2 P	20.0	12 P	29.0	25.8	21.3	
13	30.28	29 34	29.989	38.0	12 P	14.5	6:30 A	26.3	25.4	24.3	
14	29.78	29 17	29.521	39.0	I A	180	12 P	28.5	30.9	25.0	
15	30.20	29.78	30.049	22.5	2 P	12.0	7:30 A	17.3	17.3	130	
16	30.42	30.20	30.395	28.5	1:30 P	15.0	12 P	21.7	20 0	16.5	
17	30.51	30.40	30.496	28.5	3:30 P	13.0	7:30 A	20.7	17.8	13.3 16.5	
81	30.51	30.41	30.471	30.0	3:30 P 8 P	5.5	7:30 A	17.7	16.7	26.5	
19	30.41	29.91	30,121	37.0	1:30 A	14.0	3 A 12 P	255	27.I	25.5	
20	30.41	29.91 29.63	30.298	39.0 35.5	7:30 P	23.0 21.5	9:30 A	31.0 28.5	30.5	25.3	
21	30 39 29.91	29.75	29.909 ; 29.874	28.5	12 M	160	9.30 A	22.3	25.4 23.0	18.0	
22	30.20	29.75	30.056	20.5	1:30 P	5.0	6 A	12.7	13.2	8.3	
23 24	30.26	29.91	30.090	20.0	10 P	-0.5	7 A	9.7	13.2	9.7	
25	30.23	29.91	30.151	15.0	1:30 P	20	12 P	8.5	10.3	6.7	
26	30.69	30.23	30.537	13.5	3 P	-16.0	7:30 A	-1.3	-4.5	-12.0	
27	30.67	30.30	30.438	9.0	3 P	-18.5	6 A	-4.7	-60	-10.0	
28	30.45	30.29	30.383	25.5	2 P	-5.0	1:30 A	10.3	10.2	7.7	
29	30.29	29.56	29.913	31.0	12 P	8.0	3:30 A	19.5	27.I	23.3	
30	30.11	29.51	20 787	43.0	12:30 P	22.5	12 P	32.7	33.8	30.5	
31	30.37	30.11	30.328	30.0	4 P	12.0	12 P	21.0	19.3	14.7	1

_												
	I	Iumidit	у.		,	Wind.				Precipita	tion.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour,	Time.	Beginning.	Ending.	Tot Inc *	al in hes.
1 2 3 4 4 5 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21	35.5 38.5 41.0 24.0 21.5 27.5 20.0 19.0 21.5 23.5 17.0 4.0 6.5 5.0 4.0 22.0 18.0	.229 .273 .307 .201 .151 .167 .171 .185 .149 .143 .159 .177 .144 .161 .090 .086 .089 .086	93.5 90.0 86.0 65.5 90.0 91.5 85.0 83.5 77.5 90.0 62.0 62.0 62.0 62.5 68.0 83.5 67.0	S. W.S.W. N.N.W. N. N.N.E. N.N.E. N.N.E. N.W. N. W. W.S.W. W.S.W. N.N.E. W. S.S.W. N.W. N.N.W.	21 24 99 262 206 293 382 232 232 168 144 55 56 32 356 346 181 59 27 76	0.5 0.0 2.5 3.5 1.5 3.0 7.0 4.5 0.0 1.5 1.5 0.0 2.0 7.0 3.5 1.0 0.0 7.0	10 	12 M 2 P 8 A 9 A 1 P 9 P 1 A 4 P 7 P 5:30P 12 M 4 P 1 P 12 P 4 P 8 P	11 A O A 7 A 4 P O A 4 P 3 A	12 P 10 A 10 P 12 P 12:30P	.43 .14 T .55 .55	T.00 T .255 T 3.5
22	9.0 0.5	·113	59.0 63.5	W.N.W. W.	425 185	90	42 20	2 A I P	11 P 2 P	6 Р	T^{\perp}	T T
24 25 26	5.0 2.0 -24.0	.078 .064 .027	79.0 77.5 52.5	S.W. E. N.E.	79 114 33	0.5 3.5 0.0	10 26	4 P 10 A	2:30P	IIP	.04	.75
27 28	-27.0 0.0	.032 .075	52.0 67.5	W. S.S.W.	10	0,0	_	_	9 A	ΙP	T	Т
29 30 31	21.5 25.0 9.0	.132	92.0 76.0 74.0	N.W. W. N.N.E.	47 288 118	0.5 10.0 1.5	10 45 17	12 P 5 P 5 A	10 А	10 P	.30	

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

Annual Summary for 1914.

Pressure. In inches.

Minimum reduced to freezing,	
*Air Temperature. In degrees Fahr. Highest,	Maximum pressure per square foot, 30.0 lbs.=77 m. per hour, Mar. 1, 6 P., E. Maximum velocity for 5 minutes, 45 m. per hour, Mar. 1, 6 P., E.; Apr. 12, 5 P., W. Precipitation. In inches.
Annual range,	Total precipitation, rain or melted snow, 41.83 Number of days on which of or more rain or melted snow fell,
Mean minimum,	Weather.
Mean daily range,	Mean cloudiness observed, 50 per cent. Total cloudiness recorded by Sun Thermometer, 2077 hrs.=47 per cent. Number of clear days,
Mean dew point,	Number of cloudy days,
Mean relative humidity, 75.8	Bright Sunshine-
	Number of hours recorded,2377 hrs.=53 per cent.
Wind.	Dates of Frosts.
Prevailing direction, West Northwest	Last, May 16th First, Sept. 28th
Summary.	Dates of Snow.
North Northeast,	Last,
North Northwest, 10 Other directions, 68 " Total movement, 55.455 m Greatest daily movement, 488 m., Jan. 13 Least daily movement, 1 m., Dec. 28 Mean daily movement, 152 m Mean hourly velocity, 6.3 m	Gates of 50 or More Miles Per Hour, Jan. 12th, 63m., W.N.W.; Feb. 14th, 50m., N.N.W.; Mar. 1st, 77m., E.; 19th, 52m., W.N.W.; Apr. 11th, 51m, S.; 12th, 73m, W.; May 23d, 54m, N.W.; 27th, 62m. W.; June 15th, 53m, S.; Aug. 21st, 58m, N.N.W. Nov. 13th, 61m, S.S.W.; 17th, 59m, W.
**Paramanakan taramanah albahan	
*Temperature in ground shelter.	

R. E. McLAIN,

Observer.

J. E. OSTRANDER,

Meteorologist.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.						
Maximum reduced to freezing, 30-24, 24th, 10A. Minimum reduced to freezing, 29,00, 19th, 6 A. Reduced! maximum reading, 30.56, 24th, 10 A. Reduced! minimum reading, 29.30, 19th, 6 A. Mean semi-daily reduced, 30.123 Monthly range, 1.26	Greatest daily movement, 490m., 13th Least daily movement, 1m., 4th Mean daily movement, 129 m Mean hourly velocity, 5.3 m						
*Air Temperature. In Degrees Fahr.	Prevailing Direction, West Northwest.						
Mean of means of max and min. 27.1 Mean sensible (wet bulb) 24.5 Monthly range 58.0 Highest mean daily 45.4 Lowest mean daily 7.8 Mean maximum 35.2 Mean minimum 19.0	Summary. West						
Least daily range, 7.6, 24th Humidity.							
Mean dew point	Bright Sunshine. Number of hours recorded, 144 hrs=49%. Rain, 6th, 7th, 12th, 13th, 17th, 18th, 19th, 23d, 25th, 31st. Suow, 2d, 12th, 13th, 17th, 20th, 23d, 24th, 25th,						
Precipitation. In inches.	27th, 28th, 31st. Hail, 17th.						
Total precipitation,	Days of Sleighing, 13. Gales, 35 or more miles per hour: 49m, 7th, S.S. W.; 43m, 12th, N.; 50m, 13th, N.; 43m,						

	Humidity.		Wind.				Precipitation.					
	w oor.		y.	, ad	E E	m ire Ft			jó		Total in Inches.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4	4.0 17.5 10.0 1.5	.069 .116 .096 .056	83.0 86.0 74.5 89.5 84.5	N.N.E. S. N.W. N.N.W. W.	5 38 203 1 87	0.0 3.0 5.0 0.0	24 32 - 28	— II P II A — 4 P	10 A	4 P	.12	1.25
4 5 6 7 8 9	30.5 38.5 21.0 18.5	.191 .294 .181 .143	91.0 82.0 63.0 74.0 74.5	S. S.S.W. W. N.W.	142 249 270 131 89	3.0 12.0 4.5 1.5 1.0	24 49 30 17	1 A 7 A 6 P 1 A 11 A	II P O A	12 P 6:30A	.02 -95	
11 12 13 14 15	16.0 33.0 24.5 23.0 31.0	.117 .196 .199 .149 .187	83.5 95.5 69.0 88.0 92.5 83.5	W. N.N.W. N. W. S.E. N.N.W.	36 145 490 95 46 73	1.0 9.0 12.5 1.0 0.0	43 50 14 —	3 P 11 P 7 A 8 P —	5 A 0 A	12 P 8 A	1.31 .28	T T
17 18 19	30 5 35.0 40.5 22.5	.199	87.5 97.5 83.5	S.E. S. W.S.W. W.N.W.	92 12 243 129	2.5 0.0 9.0 2.5	43	9 A 	10 A 0 A 0 A 10 A	12 P 12 P 8 A 12 M	.62 1.46 .04 T	T T
2 I 2 2 2 3 2 4	18.0 6.0 28.0 21.0	.125 .097 .175	81.0 65.0 98.0 84.5	W.N.W. N.W. S.W. N.W.	106 194 101 194	4.0 3.5 5.5 6.5	28 26 33 36	5 P 10 A 9 P 2 A	0 A	9 P 12 P	.8 ₄	4·5 T
25 26 27 28	24.5 11.0 23.0 27.0	.146 .130 .146 .167	94 5 60.0 86 0 92.0	N.N.W. N.N.W. N. N.	178 123 97 58	2.5 2.0 1.0 2.5	22 20 14 22	11 P 2 A 5 P 9 P	0 A 12 M 8 A	11 A 1 P 10 P	·35 T	2.0 T
29 30 31	-4.5 -13.0 8.5	.076 .055 .075	50.0 44.5 88.0	W. N. W.	233 101 25	5.5 1.0 0.0	33	3 A 2 P	II A	12 P	.42	2.5

The most noticeable feature of the weather for January was the unusually large precipitation, the greater part of which occurred as rain. The total snowfall was nearly one foot and nearly all of it occurred during the latter part of the month. The total precipitation was the largest January record since 1898.

The first five days and the last five days of the month were periods of low temperature, while the intervening period was generally warmer than the average for the month. The mean temperature for the month was two degrees higher than that of the preceding month, although the normal for January is more than three degrees lower than for December.

The records of the several weather elements show the following features of interest: The mean barometer was considerably higher than the normal while the range was comparatively small. The maximum pressure was below 30 inches on only four days, although the maximum for the month was much lower than the normal. The range of pressure was about eight-tenths of the usual amount and changes in pressure were generally slow. The total wind movement was about one thousand miles less than the normal and very few days had a large wind movement.

The mean temperature was one and one-half degrees higher than the normal, and the maximum and minimum were both about three degrees above their normals. The minimum temperature fell below zero on three days, but the total period for the month showing a temperature below zero was only nine hours.

The mean dew point and relative humidity were both comparatively high.

The total precipitation was about three inches more than the normal and was well distributed throughout the month. Several of the heavy storms were both snow and rain.

The amount of sunshine recorded was above the average.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 26, 19th, 8A. Minimum reduced to freezing, 28.96, 25th, 2 P. Reduced† maximum reading, 30.58, 19th, 8 A. Reduced† minimum reading, 29.27, 25th, 2 P. Mean semi-daily reduced, 30.120 Monthly range, 1.31 *Air Temperature. In Degrees Fahr.	Total movement,
Highest,	Summary. North
Mean minimum,	Weather.
Mean daily range, 17.1	Mean cloudiness observed, 51 per cent. Total cloudiness recorded by the Sun Thermometer, 181 hrs.=61 per cent. Number of clear days, 9 Number of fair days,
Humidity.	Number of cloudy days, 15
Mean dew point,	
Precipitation. In inches.	Snow, 1st, 2d, 3d, 5th,7th, 8th.
Total precipitation,	Gales, 35 or more miles per hour: 35m, 11th, S.S.E.; 42m, 18th, N.: 39m, 26th, W.: 41m,

	Barome	ea Leve			Ten	nperatu	re. Grou	nd Shelt	er.		Hours of Sunshine
Day.	Maximum.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou
1	30.29	29.88	30 065	32.5	2:30 P	15.0	12 P	23.7	23.1	21.7	c
2	30.33	29.96	30.141	15.0	0 A 2 P	8.0	11 A	11.5	10.0	9.3	0
3	30.15	29.90	30.006	20.0	4 P	11.0	0 A 12 P	15.5	15.7	15.3	8
4	30.33	30.15	30 289	34·5 30·5	12 P	2.0	7:30 A	23.3 16.3	20.2 18.2	15.7	
5 6	30.33	29.76	29.791	46.5	3:30 P	30 5	7.30 A	38.5	38.3	38.7	(
	29.88	29.70	29.791	42.5	3:30 P	29.0	7:30 A	35.7	34.5	31.0	
7	29.96	29.71	29 813	36.0	1:30 P	23.5	11:30 P	29.7	300	26.3	
9	30.30	29.96	30.150	30.0	2 P	15.5	12 P	22.7	22.6	18.0	7
10	30.54	30.30	30.489	280	5 P	6.5	7:30 A	17.3	14.5	12.3	;
11	30.54	30 18	30 398	38 5	2:30 P	4.0	7:30 A	21.3	23.2	19.0	_ ا
I 2	30.28	2 9.98	30.125	44.5	4:30 P	30.0	13 b	37.3	37.8	320	,
13	30.45	30.28	30 423	41.0	2:30 P	200	7:30 A	3º 5	276	243	{
14	29.43	30.31	30.377	37.5	9 P	20.0	3 A	28.7	29.0	29.3	(
15	30 31	30.10	30.159	42.5	6:30 P	33.0	4:30 A	37.7	35.7	360	1
16	30.20	30.11	30.181	38 5	3 P	31.5	12 P	35.0	3545	31.5	
17	30.37	30.09	30.293	35 0	4 P	22.0	12 P	28.5	29.8	26.5	
18	30.49	30.37	30.453	32.0	3 P	16.5 19.0	6:30 A 6:30 A	24.3 3° 5	23.7 28.2	20.5	9
19	30.58	30.44	30.523	42.0	3:30 P 4:30 P	24.5	6 A	36.7	34.6	23.0	
20	30.44	30.34	30.398	46.0	3:30 P	220	7:30 A	34.0	32.6	27.5	
2 I 2 2	30.37	30.22	30.303	47.0	4:30 P	20.0	7:30 A	33.5	31.2	28 5	
23	30.22	30.13	30.182	45.0	9 P	35.0	7 A	40.0	38.7	36.7	'
24	30.13	29 06	29 861	51.0	пP	35.0	4 A	43.0	40 8	41.5	١.
25	29.66	29 27	29 369	500	3:30 A	37.0	12 P	43.5	42.3	41.0	١.
26	29.72	29.38	29.614	37 0	0 A	15.5	12 P	26.3	24.7	21.7	
27	29.83	29.72	29.756	26.0	3 P	14.0	5:30 A	20.0	190	16.5	1
28	29.82	29.75	29.785	29.5	3:30 P	17.5	3 A	235	22.3	20.0	- 3

	ŀ	Iumidity	у.		,	Wind.	_		1	recipita	tion.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	X Inc	al in hes.
1 2 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	18.5 7.0 13.5 17.0 36.0 28.5 22.5 24.0 20.5 26.5 35.0 22.0 14.0 19.5 21.5 24.5 39.5 39.5 39.5 16.0 8.5 13.5	.125 .070 .092 .095 .110 .253 .183 .152 .107 .142 .175 .213 .206 .159 .125 .149 .125 .149 .125 .149 .125 .149 .125 .149 .125 .149 .125	83.5 87.5 87.0 100.0 74.5 88.0 83.0 77.5 75.0 75.5 75.0 65.5 75.0 68.5 59.5 69.0 77.5 81.5 81.5 81.5	N.N.W. N.N.E. N.N.W. S.S.W. S. S.S.W. N.W. N.W. N.W.	1111 306 1711 127 41 64 34 113 140 120 20 24 147 209 290 230 211 42 5 36 34 143 442 424 336	4.5 3.0 1.0 2.0 1.0 0.0 1.0 4.5 3.5 6.0 4.0 0.5 0.0 2.0 4.0 0.0 2.0 3.0 0.0 0.0 2.0 4.5 7.5 8.5 5.0	30 24 24 14 	7 P 6 A 11 P 2 A 8 P	O A O A O A O A O A O A O A O A O A O A	12 P 12 P 12 P 12 P 12 P 12 P 12 P 5 A	.86 .34 1.05 .19 .31 .15 .05	0.5 3.0 2.25 T 0.5 0.25

^{**}Rain or melted snow at base of tower.

^{*}Included in following day

The most noticeable features of the weather for the month were the large precipitation and absence of extreme cold. No zero weather occurred, and only three dates showed a minimum temperature lower than ten degrees above zero. The large precipitation record was accompanied by a correspondingly small sunshine record.

The records of the several weather elements show the following as the more important features. The mean barometer was considerably higher than the normal and the range considerably less than usual at this time of year. Owing to the comparatively steady barometer the total wind movement was rather small, and the few gales recorded were only of moderate intensity. The maximum pressure was nearly normal.

The mean temperature was about four degrees higher than the February normal, making the record the highest since 1909. The maximum temperature was nearly normal, while the minimum was more than ten degrees higher than usual, giving a comparatively small range. The first half the month was considerably colder than the last half.

The mean dewpoint was about four degrees higher than the normal and the relative humidity a little above the average.

The total precipitation was more than twice the normal and the largest February record since 1900. Several heavy storms occurred, but the one of the 24th—25th was much the largest—more than three inches of rain being registered. The snowfall was not large, and practically all of it occurred during the first week of the month.

The total wind movement was about ten per cent less than usual.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

* Temperature in ground shelter.
Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

	
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30 02. 5th, 8 A. Minimum reduced to freezing, 29.21, 21st, 2 P. Reduced maximum reading, 30.37, 5th, 8 A. Reduced minimum reading, 29.52, 21st, 2 P. Mean semi-daily reduced, 29.832 Monthly range, 0.85	Total movement,
Mean hourly, 32.0 Mean of means of max and min. 32.8 Mean sensible (wet bulb), 27 3 Monthly range, 44.5 Highest mean daily, 43.8, 25th Lowest mean daily, 19.5, 3d Mean maximum, 43.0 Mean minimum, 22.6 Mean daily range, 20.3 Greatest daily range, 31.0, 4th	West Northwest
Least daily range, 12.6, 7th Humidity.	Number of fair days,
	Bright Sunshine.
Mean dew point,	Number of hours recorded, 290 hrs=78%. Rain, 21st, 22d, 25th. Snow, 2d, 22d, 23d, 26th, 29th, 30th. Gales, 35 or more miles per hour: 35m., 1st,
Precipitation. In inches.	W.N.W.; 40m., 2d, W.N.W.; 40m., 3d, W.N.W.; 37m., 4th. N.N.W.; 36m., 10th,
Total precipitation,	W.N.W.; 35m., 11th, N.W.; 30m., 14th, N.N.W.; 30m., 15th, W.N.W.; 57m., 20th, W.; 44m., 27th, N.W.; 30m., 29th, W.N.W.;

		ter Ked ea Leve			Тег	nperatui	e. Grou	nd Shelt	er.		Jo S.
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	29.81 29.77 30.13 30.32 30.37 30.18 29.84 29.85 29.87 29.84 29.75 29.83 29.71 29.83 29.72 29.65 29.72 29.65 29.72 29.88	29.71 29.67 29.75 30.13 30.18 29.86 29.66 29.66 29.76 29.79 29.52 29.52 29.58 29.52 29.58 29.58 29.58 29.59 29.58 29.59 29.58	29 757 29.723 29.965 30.295 30.295 30.297 30.012 29.739 29.789 29.721 29.972 30.010 29.898 29.771 29.657 29.677 29.6561 29.668 29.779 29.668 29.779 29.6561 29.678	33.0 38.5 44.0 44.0 42.0 43.0 43.0 43.0 43.0 43.0 43.0 45.0 45.0 45.0 46.0 51.5 54.5	4:30 P 3 P 0 A 3:30 P 4 P 3:30 P 4 P 3:30 P 4 P 3:30 P 4 P 3:30 P 3:30 P 3:30 P 3:30 P 2:30 P 2:30 P 4 P 3:30 P 4 P 3:30 P	17 0 24.0 13.0 13.0 20.5 32.0 25.0 25.0 25.0 27.5 22.5 22.5 22.5 22.0 21.0 19.5 22.5 32.0 23.0	2 A 3:30 A 12 P 0 A 7 A 6 A 12 P 7 A 6:30 A 7 A 7 A 7 A 7 A 7 A 7 A 6:30 A 6:30 A 7 A 7 A 6:30 A	25.0 31.3 19.5 28.5 32.3 34.5 33.5 31.5 33.3 30.7 33.3 31.5 31.5 32.5 31.5 32.5 31.5 31.5 31.5 31.5 31.5 31.5 31.5 31	24.5 30.9 19.5 27.5 31.5 32.7 30.6 32.7 32.6 32.7 32.8 32.7 32.8 32.7 32.5 32.5 34.3 32.5 34.3 32.5 34.3 32.7 32.8 32.8 32.8 32.8 32.8 32.8 32.8 32.8	20.5 29.7 16.3 27.0 30.7 29.7 26.5 25.0 27.7 22.3 27.7 22.3 25.7 26.3 25.5 28.0 27.5 34.5 33.3 33.3 33.3	9 4 4 9 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
26 27 28 29 30	30.07 30.07 30.00 29.86 29.87 29.85	29.75 29.95 29.79 29.71 29.94 29.71	29.933 30.039 29.897 29.779 29.809 29.798	43.0 36.0 47.5 36.5 32.5 50.5	0 A 4 P 6 P 3 P 3 P 4 P	19.0 16.5 21.5 23.5 18.0 23.0	12 P 5 A 5 A 12 P 6 A 4 A	31.0 26.3 34.5 30.0 25.3 36.7	31 1 25.4 33.7 29.6 25.6 35.6	24.5 24.0 31.0 25.3 21.5 28.7	1

	Н	lumidity	,.		\	Wind.			I	Precipita	tion.	_
	Dew	por.	ty.	ng. n.	t .	ım are Ft	h		મું		Tot: Inc	al in hes.
Day.	Mean Do Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 4 25 26	90 25.5 11.0 21.5 26.0 20.5 16.5 14.0 25.5 18.0 15.5 17.0 22.5 17.0 26.5 32.5 28.5 24.0 31.0	.133 .181 .101 .147 .166 .188 .197 .169 .161 .181 .181 .179 .173 .170 .155 .143 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183 .175 .183	50 5 77.5 73.0 60.0 70.5 58.0 62.0 54.5 56.0 52.5 56.0 78.0 68.5 54.0 68.5 54.0 68.5 54.0 68.5	W.N.W. W.N.W. N.N.W. N.N.W. N.N.W. N.N.W. N.W. N.W. N.W. N.W. N.W. N.W. W.W. W.	222 254 555 108 79 112 263 295 257 280 271 160 199 229 144 251 110 157 263 3115 63 489	6.0 8.0 8.0 7.0 1.0 1.0 5.5 5.0 6.5 6.0 7.5 7.5 4.0 3.0 3.0 3.0 4.5 0.0 2.0 2.0 16.0	35 40 40 37 14 114 33 32 24 39 28 24 26 24 20 20 32 57	I P IO P I A IO A 12 M 2 P 2 P 12 P 6 P 3 P 12 M 9 A 3 P 12 M 1 P 3 P 10 A I I A I I A I A I P 7 P 12 M	10 A 4 P 5 P 0 A 8 P 10 A	7 P	T .055.03	Т
27 28 29 30 31	20.5 28 0 20.0 16.5 20.5	.145 .187 .150 .129	81.0 83.0 73.0 74.5 59.0	N.W. W.N.W. N.N.W. W.N.W. N.W.	489 131 212 271 225	9.5 3.0 6.5 8.5 3.0	44 24 36 41 24	1 P 12 P 12 M 2 P 6 A	8 A 1 A	6 а	T .04	T †

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during March was abnormal in many respects, but the most noticeable feature of all was the small precipitation record. During the first three weeks of the month only a trace was recorded. The last third of the month had two light snowfalls totaling about one-half inch of snow and melting to about one-eighth of an inch of water—a negligible amount. On examining the precipitation records for this locality, dating from 1836, it is found that it is the smallest monthly record. The next smallest was the record of .27 inches, made in August, 1876.

As might be expected from the general absence of precipitation the amount of sunshine was exceptionally large, the number of hours being greater than for any preceding March since this station was established. More than one-half the days were clear and only a single cloudy day was observed.

Another unusual feature was the persistency of the wind from the northwest quadrant. On but a single date was the prevailing direction outside that quadrant.

Although the sunshine was large, as noted above, the mean temperature for the month was more than two degrees below the normal. The maximum temperature was about five degrees lower than usual and the minimum more than six degrees higher than its normal, giving a comparatively small range for the month.

The mean relative humidity was about nine per cent lower than the normal and the mean dew point about six degrees below the March average.

The mean barometer was exceptionally low and the range the smallest for March since this station was established. The comparatively steady pressure is of especial interest when we take into account the fact that the total wind movement was more than twenty per cent above the normal.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.21, 22d, 8 A. Minimum reduced to freezing, 29.24, 29th, 5 P. Reduced! maximum reading, 30.51, 22d, 8 A Reduced! minimum reading, 29.52, 29th, 5 P. Mean semi-daily reduced, 30.034 Monthly range, 0.99	Total movement,
Highest,	Summary.
27th, 4:30 P. 6A. Lowest. 21.5, 5th. Mean hourly. 49.9 Mean of means of max- and min. 51.1 Mean sensible (wet bulb) 43.4 Monthly range 66.5	South Northwest
Highest mean daily,	
Lowest mean daily. 30.1, 3d Mean maximum. 63.0 Mean minimum. 39.2 Mean daily range, 23.8 Greatest daily range, 42.5, 25th Least daily range, 8.c, 3d	Mean cloudiness observed, 46 per cent. Total cloudiness recorded by the Sun Thermometer, 179 hrs.=44 per cent.
Humidity.	Bright Sunshine.
Mean dew point,	Number of hours recorded,
Precipitation. In inches.	Thunder and Lightning, 10th, 11th, 25th, 27th, 29th, 30th. Frosts, 3d, 5th, 22d.
Total precipitation,	
*Temperature in ground shelter.	

Barome	ter Red ea Leve	1.		Ter	nperatur	e. Groun	nd Shelte	er.		Hours of Sunshine
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours Bright Sunsh
1 30.03 2 30.21 3 30.24 4 30.11 5 30.25 6 30.25 7 30.15 10 30.19 11 29.95 11 29.95 12 30.15 13 30.30 14 30.34 15 30.32 20.97 18 29.97 19 29.97 19 29.97 20 29.99 21 30.43 22 30.51 23 30.23 24 30.31 25 30.23 26 30.22 27 30.66 28 30.82 29.91	29 83 30.03 29.57 29.54 30.11 29 99 30.04 30.13 29.89 29.77 29.79 30.15 30.23 30.11 29.87 29.57 29.90 30.38 30.10 30.16 30.02 29.85 29.85 29.80 29.91 29.85 29.80 29.91	29.948 30.131 29.891 30.232 30.081 30.237 29.980 29.855 29.955 30.266 30.317 30.221 29.975 29.959 29.781 30.2669 29.781 30.280 30.157 30.157 29.993	49.0 49.0 35.0 48.5 50.0 48.5 50.0 67.0 63.0 63.0 63.0 69.5 74.5 72.0 69.0 69.0 69.0 69.0 69.5 74.5	2 P 5 P 12 M 4:30 P 4:30 P 4:30 P 4:30 P 4:30 P 5 P 2 P 1:30 P 4 P 3 P 3 P 4 P 3 P 5 P 5 P 1 P 5 P 1 P 5 P 2 P 4 P 3 P 4 P 4 P 5 P 5 P 4 P 5 P 5 P 6 P 7 P 8	35.0 30.0 27.0 28.5 21.5 36.0 37.0 32.5 46.5 51.0 46.0 33.5 41.0 46.0 49.0 49.5 44.5 49.5 44.5	0 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A	42.0 39.5 31.0 38.5 35.7 40.7 44.7 56.3 57.0 53.0 53.0 62.5 51.5 56.5 56.7 68.7 49.3 48.3	40.3 38.5 30.1 37.3 37.3 38.6 43.3 43.5 54.3 54.5 54.3 647.0 47.9 55.2 55.2 59.7 61.0 56.4 53.7 56.7 56.7 57.5 61.7	34.3 32.5 28.3 32.5 31.7 37.5 39.0 42.3 40.0 42.3 40.0 45.3 50.5 50.5 50.5 50.0 48.0 47.0 45.3 50.5 50.5 50.0 48.0 48.0 49.0 49.0 49.0 49.0 49.0 49.0 49.0 49	5.3 5.0 9.0 8.0 1.0 2.3 11.7 2.2 11.7 2.2 9.5 9.4 12.2.2 10.3 6.5 8.2 9.0 10.7 9.0 10.3 10.3 10.3 10.3 10.3 10.3 10.3 10

	F	Iumidity	<i>i</i> .			Vind.			l I	recipita	tion.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Nous
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	27.0 23.5 23.0 27.0 23.5 34.5 34.5 34.5 51.0 43.5 38.0 43.5 31.0 38.0 43.5 31.0 38.0 43.5 45.5 27.5 31.0 43.5 47.0 40.5 47.0 40.5 47.0 40.5 47.0 40.5 47.0 40.5 47.0 47.0 47.0 47.0 47.0 47.0 47.0 47.0	.233 .223 .173 .212 .215 .239 .279 .345 .423 .414 .395 .273 .315 .336 .405 .429 .487 .538 .321 .305 .429 .447 .538 .321 .355 .577 .429 .415 .437 .415 .437 .415 .437 .415	64.0 57.0 76.0 61.5 85.0 68.0 44.5 59.0 68.0 92.5 74.0 75.5 63.0 55.5 57.0 49.0 58.0 62.5 83.0 62.5 85.0 84.0 87.0	N.W. N.W. N.N.E. N.N.W. W.N.W. S.S.W. S.S.W. S.S.W. S.S.W. N.W. W.N.W. N.E. N.E. N.N. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.W. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.W. N.N.E. N.N.E. N.N.W. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E. N.N.E.	229 116 282 461 75 53 118 204 121 158 414 210 72 197 323 62 241 125 105 105 105 105 108 148 87 122 104	5.0 2.0 12.5 8.0 1.5 1.0 2.0 2.5 4.5 5.0 9.5 4.5 3.0 2.0 4.5 6.5 6.5 6.5 6.5 8.0 1.5 1.0	32 20 50 17 14 20 32 22 30 32 44 28 30 24 28 30 24 20 28 45 17 20 20 21 40 40 40 40 40 40 40 40 40 40 40 40 40	3 P 5 P 10 P 7 P 0 A 3 P 1 P 0 P 1 P 9 A 12 M 12 M 6 P 7 A 2 P 1 P 2 P 1 A 1 2 P 2 P 1 1 A 1 2 P 2 P 2 P 2 P 2 P 2 P 3 P 4 P 4 P 5 P 5 P 8	1 P 1 P 6 A 4 A 0 A 6 P 8 A 2 A 7 A	12 P 2 P 12 P 11 P	T .50 .29 .20 1.55 T T .02	T 9.5

^{**}Rain or meltedsnow at base of tower.

^{*}Included in following day.

The weather during April was marked by a number of unusual features, the most noticeable of which was a heavy snowstorm on the 3d. This was much the deepest snowfall of the year, but owing its lightness it melted down to a comparatively small amount of water. It was the deepest snow recorded at this station since 1891, when eleven inches fell on the 3d of the month. Nearly all of the remaining precipitation occurred during two extremely heavy thunderstorms on the 11th and 30th.

The high temperatures recorded on the 25th and 27th were almost record breaking for this station.

The records of the various weather elements show the following features of interest: The mean barometer was slightly higher than the normal and the range about nine-tenths of the usual amount. The wind was more variable than usual although the total wind movement was considerably less than the normal.

The mean hourly temperature was more than three and one-half degrees above the normal making it the warmest April since this station was established, excepting only the year 1910, which was seven-tenths of a degree warmer.

The maximum temperature was the highest since 1896 and the minimum was practically normal giving a range of ten degrees more than usual. A mean hourly temperature of more than 70 degrees on the 27th was an exceptional record for April.

The mean dew point was rather high and the relative humidity practically normal. Only a few frosts were noted during the month.

The total precipitation was nearly an inch more than the normal, the two heavy thunderstorms giving about three-fourths of the total. The excess of precipitation for the first four months of the year, over the normal, is nearly four inches.

The sunshine record was practically normal, although only four days were recorded as clear.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Meteorological Observations

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W.

Reduced to freezing and sea-level.

Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Reduced† maximum reading, 30.28, 1rth, 10 P. Reduced† minimum reading, 29.45, 4th, 3 P. Mean semi-daily reduced, 29.905 Monthly range, 0.83	Mean hourly velocity, 5.5 m.
*Air Temperature. In Degrees Fahr.	rectaining istreetion, west restaurant
Highest, 80.0, 31st, 6P.	Summary.
Lowest,	North Northwest
Mean minimum, 42.2	
Mean daily range, 23.2	Weather.
	Mean cloudiness observed, 46 per cent.
Least daily range, 3.6, 17th	Total cloudiness recorded by the Sun Ther-
Humidity. Mean dew point,	I and the second
Mean force of vapor,	
Mean relative humidity, 66.8	Rain, 1st, 2d, 4th, 5th, 7th, 8th, 13th, 16th, 17th, 21st, 22d, 24th, 26th.
Precipitation. In inches.	Thunder and Lightning, 21st.
·	Frosts, 15th, 16th, 20th.
Total precipitation,	Gales, 35 or more miles per hour: 30m., 7th, S; 41m., 9th, W.N.W.: 38m, 26th, N.; 39m., 27th, N.W.: 40m., 28th, W.N.W.
*Temperature in ground shelter.	

	Barome S	ter Ked ea Leve	l.		Ten	nperatui	e. Groui	nd Shelt	er.		90
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No Hours of
ı	29.86	29.70	29 77 1	50.0	4 P	41.0	4 A	45.5	44 6	43.0	
2	29.92	29.82	29.901	56.5	4 P	41.0	5 A	48.7	48.3	46.0	4
3	29.85	29.68	29.781	59.5	3:30 P	42.0	5 A	50.7	49.8	45 5	10
4	29.68	29.45	29.538	04.0	3 P	41.5	5:30 A	52.7	52.5	49.3	9
5	29.79	29 49	29 657	60.0	3 P	44.0	8 A	52.0	50.2	46.3	١ (
5	30.03	29.79	29 962	68.5	5 P	.49.0	4 A	58.7	57.5	50.3	I
7 8	30.10	29.72	29.969	71.0	12 M	40.0	5:30 A	55.5	57.3	50.5	
8	29.69	29 62	29.656	75 0	4 P	57 °	6 A	66.0	63.4	58.3	
9	29.91	29.61	29.735	68.0	LP	48.0	12 P	58 o	58.8	51.7	1
10	30.10	29.91	30.054	64 o	3 P	41.0	5 A	52.5	53.3	45.5	I
1	30.28	30.10	30 247	73.0	4:30 P	46 o	5:30 A	59. 5	588	47.7	1
2	30.26	29.90	30.093	72.5	1 9	45.0	5:30 A	58.7	60.2	53.0	
13	29.90	29.66	29 746	68.0	4 P	45 5	12 P	56 7	59.1	547	
14	29.87	29.76	29.825	68 o	3 P	3 9 o	5 A	53.5	52.6	44.0	1
15	29 85	29.72	29803	64.0	4 P	34 5	4 A	49.3	51.1	44 3	1
16	29.96	29 85	29.925	57.0	2:30 P	34.0	5:30 A	45.5	47 I	43.0	
17	29.92	29.84	29.874	47.0	5 P	44 0	I A	45.5	45.1	43.7	
ι8	29.96	29.87	29 920	59.0	2:30 P	40.0	6 A	49.5	49.5	47.0	
19	30 16	29 96	30.050	63.0	4 P	39· 5	5 A	51.3	50.8	46.5	1
20	30.22	3011	30.179	70.0	3:30 P	35.5	5 A	52.7	55 0	48 5	I
1 5	30.27	29.94	30.189	57.5	IO A	48.0	5 A	52 7	51.6	47.7	
22	29 99	29 75	29 845	77.5	2 P	49.0	0 A	63 3	62.0	59.5	١.
23	30.05	29.82	29.972	64 0	1 1	47.0	12 P	55.5	540	497	I
24	30.03	2987	29 953	645	10:30 A	42.5	5 A	53.5	54.0	52.0	
25	30.04	29.91	29 982	78 o	4 P	43.5	2:30 A	60.7	61.2	56 0	1
26	29.97	29.66	29 845	60.0	8:30 A	41.5	12 P	50 7	53.4	50 3	
27	30.09	29.87	30 000	61.5	3:30 P	35.5	4 A	48.5	49.5	41.0	I
28	29 88	29.70	29.790	71.0 68.0	4 P	41.0	3:30 A	560	57.0	46 o 48.5	
29	29.89	29.73	29.822	68 o	5 P	40 5	5 A	54 3	55.3	48.0	I
30	29.99	29.89	29.925	800	4 P 6 P	36.5	5 A	62.3	52 7 60 6		I
31	30.10	29.99	30.049	30 0	0 12	36 5	5:30 A	58 3	00.0	52.0	1

	ŀ	lumidity	<i>i</i> .			Vind.				Precipita	tion.	
	Dew	apor.	e ity.	ing on.	ent S.	um e nare Ft	e lare Ft		ng.		Tota Inc	al in hes.
Day.	Mean I Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
								-				
I	41.0	.297	87.0	N.N.E.	161	2.5	22	12 M	12 M	12 P	.01	
2	44 5 42.0	.331	89.5 76.5	N.N.E. N.N.W.	172	3.0	24	7 A	0 A	12 P	Т	
3	44.5	.417	71.5	S.W.	65	1.5	17	3 P	8 P		Т	
4 5 6	43.5	.351	82.0	S.E.	67	0.5	10	6 P	4 A	12 M	.06	
6	44 0	.459	63.0	W.N.W.	97	2.0	20	4 P		i l		
7 8	46.5	463	69 5	S.S.W.	126	7.5	39	5 P	2 P	12 P	.03	
	56.0	-557	81.5	S.W. W.	212	3.0 8.5	24	3 P	O A	6 P	.31	
9	64.0 30.5	.490 .413	65 5 48.0	W.	197	4.0	4 I 28	9 P 4 P	1			
11	36.5	.480	45.5	w.	124	1.0	14	3 P	İ			
12	48.0	.511	67.5	S.S.W.	187	4.0	28	5 P 6 P				
13	51.0	.517	72.0	W.S.W.	143	4.0	28		9:30A	3 P	.01	
14	32.0	.407	45.5	W.N.W.	70	3.0	24	4 P				
15	33.5	-397	49.5	N.N.W.	143	4.0	28	2 P				
16	35.5	.348	60.5 85.0	W.N.W. S.	88	4.0	28 14	7 A 1 A	4 P	12 P	.02	
17	41.5	.307 .371	75.5	W.N.W.	49 98	1.5	17	3 P	O A	3 P	.05	
19	41.0	.376	69.5	N.W-	212	5.0	32	12 M			1	
20	39.5	.462	54.0	N.N.W.	66	2.0	20	1 P			. 1	
2 I	43.5	.390	74.5	E.S.E.	50	0.1	14	3 P	IO A	12 P	.46	
22	58.0	.558	87.5	S.S.W.	182	3.5	26	ОА	o A	10 P	.04	
23	43.5	.457	630	N.W.	212	5.5	33	9 A				
24	49.5 51.0	.437	79.0 64.5	W.S.W. W.S.W.	39	1.5	17 26	11 A	4:30 P	5:30 P	.02	
25 26	46 5	.528 426	74.0	W.S.W.	73 184	3.5 7.0	38	9 P	9 A	5 P	.19	
27	33.5	.338	5 9 0	N.N.W.	343	7.5	39	12 M	9 1	3 1	.19	
28	34 0	.450	44.5	N.W.	294	8.0	40	2 P				
29	40 5	·455	56 o	F.	99	1.5	17	6 Р				
30	40.0	-44 I	57.0	S.S. W.	57	1.5	17	9 A				
31	43.0	.543	54.5	S.	54	1.0	14	S P				
1	,	-		1		1	1		1	1		

The weather during May was abnormally cool although the amount of sunshine was considerably more than the normal. On more than two thirds of the days the maximum temperature was below 70 degrees and the maximum temperature was 8 degrees lower than the April maximum and then did not occur until the last day of the month. The precipitation was comparatively small but was fairly well distributed throughout the month.

An analysis of the records of the various weather elements shows the following features of interest: The mean barometer was much below the normal while the range was about the average amount. Notwithstanding the prevailing low barometer the amount of fair weather was well above the average for May. The total wind movement was about nine-tenths of the normal amount.

The mean temperature was three and one-half degrees below the normal making it the coolest May, with one exception, since this station was established. May, 1907, was however more than two degrees cooler, having a mean temperature of 51.8 degrees. The maximum temperature was 7 degrees lower than usual and the minimum more than 3 degrees higher than normal giving a very small range for the month.

The mean dew point was very low for the season and the relative humidity well below the normal. The total precipitation was about one third of the normal amount and occurred as small storms on numerous dates. Only one thunder storm was noted.

The rate of progress of the season was slow during the month and at the close of the month the season was slightly backward.

J. E. OSTRANDER, Meteorologist.

R. E. McLAIN, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
28th, 8 A. Minimum reduced to freezing, 29,30, 23d, 3 A. Reduced† maximum reading, 28th 8 A. Reduced† minimum reading, 29.60, 23d, 3 A. Mean semi-daily reduced, 29.60, 23d, 3 A.	Total movement,
Mean hourly, 64.2 Mean of means of max and min. 64.5 Mean sensible (wet bulb), 57.7 Monthly range, 52.0 Highest mean daily, 72.0, 14th Lowest mean daily, 55.5, 2d Mean maximum, 76.9 Mean minimum, 52.1 Mean daily range, 24.8	East
Humidity. Mean dew point,	Number of clear days,
Precipitation. In inches. Total precipitation,	Gales, 35 or more miles per hour: 36m., 10th,

^{*}Temperature in ground shelter.

[!] Reduced to freezing and sea-level.

	Baromet Se	er Red ea Leve	1.		Ten	nperatur	e. Groui	nd Shelte	er.		Hours of
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hom
1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 5 26 6 27 28	30.13 30.19 30.09 29.99 30.03 29.92 20.78 29.94 30.00 30.08 30.20	29 96 30 00 30.11 30.08 30.14 30 00 29.86 29.87 29.87 29.83 29.81 30 00 30 06 30 02 30.06 30 02 30.06 29 93 29.64 29.64 29.64 29.69 29.78 29.89 29.64 29.60 29.78	30.036 30.151 30.171 30.146 30.060 29.933 29.848 29.959 30.046 29.959 30.158 30.08 30.121 30.682 30.08 30.121 29.9716 29.981 29.784 29.716 29.885 29.990 30.040 30.149	84.0 64 0 66.5 75 0 77.5 74.5 79.0 73.0 75.0 81.0 82.0 79.0 85.0 82.0 76.0 76.0 77.0 76.0 77.0 77.0 77.0	4:30 P 1 P 1:30 P 1:30 A 2:30 P 2:30 P 2:30 P 1:50 A 3:30 P 4:30 P 4:30 P 2:30 P 4:30 P	44.0 42.5 40.0 37.0 51.0 52.0 52.0 51.0 55.5 48.0 55.5 57.5 57.0 52.0 58.0 51.5 52.0 58.0 51.5 49.5 52.0 52.0 54.0 54.0 55.0 55.0 55.0 55.0 55.0 55	5 A 12 P 1 A 5 A 5 A 4 A 12 P 4 A 4:30 A 4 A 12 P 5 A 4 A 12 P 5 A 6 P 12 P 4:30 A 6 P 12 P 12 P 12 P 12 P 12 P 12 P 12 P 12	64 0 53 3 53 3 56 0 3 62 7 70 5 66 5 62 5 63 0 60 7 64 3 69 5 70 5 70 5 63 7 64 0 63 5 64 0 65 3	65.5 55.5 56.6 57.6 61.0 63.3 68.5 65.8 62.0 63.3 67.7 64.5 72.0 60.7 68.7 68.5 64.8 63.0	55.7 46.5 49.0 52.0 57.0 63.5 61.0 56.5 54.7 62.7 58.5 66.5 63.3 65.5 63.3 65.5 63.3 65.5 63.3 65.5 63.5 63	12. 10. 9. 12. 12. 16. 8 6. 11 11. 10. 10. 10. 10. 10. 10. 10. 10.
29 30	30.12	29 94 29.82	30.034	84 o 75 o	4 P	53 o 59-5	5 A 3:36 A	68.5 67.3	69.7 66.4	62.3 63 o	0.

		umidity			Wind.						Precipitation.			
	*	por.	у.	gg .:	l t	m tre Ft	L		à		Tota Incl			
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	0.0		
I	48.5	.619	57.0	S.	48	0.5	10	10 P						
2	38.5	.415	58.0	Ε.	149	3.0	24	6 A						
3	430	432	650	E.N.E.	140	1.5	17	1 P			1			
4	430	.477	58.5	N.E.	61	1.5	17	2 P						
5	46.0	.515	60.0	E.N.E.	58	0.1	14	12 M						
	52.5	575 ج	690	E.N.E.	170	3.0	24	9 A						
7 8	61.0	.67 I	81.0	E.	84	I.O	14	3 A	O A	12 P	Т			
	58 o	.616	80.0	S.W. N.N.W.	110	10	14	3 P	7 A	II A	.12			
9	49.5	.643	550	N.N.E.	79	0.5	10	7 A						
0	45.5	.501	61.0	S.S.W.	191	6.5 8 o	36	2 P 6 P						
11	47 5	.582	57 ° 64 °	W.N.W.	225	4.0	40 28	12 M						
2	57 5 53.0	·744 ·613	66.5	S.S.W.	116	4.5	30	3 P						
13	66 o	.700	92 5	E.	99	1.5	17	2 P						
5	58.0	.513	()2 0	E	66	05	10	4 A	8 A	HP	.73			
6	04.5	740	835	S.	69	0.5	10	4 P			., 3			
7	61.5	.633	87.5	S. S.S.W.	102	1.0	14	3 P	4 A	6 P	.66			
8	020	-770	730	S.S.W.	113	1.0	14	9 P						
9	030	.655	88 5	S.S.W.	189	195	62	2 P	4 P	12 P	.12			
20	500	· 5 95	85.0	N.W.	141	4.0	28	7 P	2 A	I 2 M	1,00			
1 5	57.5	-588	820	N.N.E.	204	4.5	30	11 A						
22	46.5	.170	68 5	S.W.	98	2.0	20	6 P						
23	51.5	-494	77.5	N N.E.	125	5.5	33	2 P	3 P	6 P	.03			
24	49 5	.542	64.0	N.N.E.	179	3 5	26	9 A			.19			
5	500	548	600	W.N.W.	59	0.1	14	3 P						
:6	55.5	.588	76.0	S.E. W.N.W.	66	1.5	17	12 M	5 1	1 P	.30 T			
27 28	47 0	·494	67 5 60.0	N.W.	62	5.5	33	8 A	11 A		1			
26 29	51.5 57.0	.653 .752	62 0	S.W.	75	1.5	17	7 P						
30.	60 5	.647	83.5	S.W.	137	2.5	22	4 P	12 M	4 P	.04			

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during June was generally pleasant and devoid of any abnormal features of importance. While there were no periods of excessive heat the amount of bright sunshine was unusually large.

No precipitation of consequence occurred until about the middle of the month although the total amount was but little under the normal.

An examinatian in detail of the several weather records shows the following as the principal features: The mean barometer was considerably above the normal while the range of pressure was small even for a month when small ranges are expected. As a result of the steady barometric pressure the wind movement was less than the normal. Nearly one half the days showed a prevailing wind direction from some one of the eastern points of the compass, giving a very unusual record for the prevailing direction for the month.

The mean temperature for the month was nearly two degrees lower than the normal and the maximum and minimum records were both lower than the average values for these records, leaving the range equal to the normal amount. On only two days was the mean hourly temperature above 70 degrees and on but four days was it below 60 degrees.

The mean dew point and relative humidity were both lower than the normal value for these elements.

The total precipitation, while slightly less than the normal, consisted mainly of three storms totaling more than 80 per cent of the whole amount.

J. E. OSTRANDER, Meteorologist.

D. POTFER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Value I	1
Pressure. In inches.	Wind.
Maximum reduced to freezing, 29 93,24th, 8 A. 28th, 8 A. Minimum reduced to freezing, 29,19, 8th, 7 P. Reduced! maximum reading, 30,22, 24th, 8 A. Reduced! minimum reading, 29,48 8th, 7P. Mean semi-daily reduced, 29,923 Monthly range,	Total movement,
Lowest mean daily. 61.2, 2d Mean maximum. 80.4 Mean minimum. 59.6 Mean daily range. 20.8 Greatest daily range. 31.5, 13th	Weather. Mean cloudiness observed, 49 per cent. Total cloudiness recorded by the Sun Thermometer, 271 hrs.=59 per cent. Number of clear days,
Humidity.	
Mean dew point,	Bright Sunshine. Number of hours recorded, 191 hrs.=41%. Rain, 1st, 2d, 3d, 4th, 5th, 7th, 8th, 9th, 11th, 12th, 14th, 16th, 18th, 19th, 21st, 22d,
Precipitation. In inches.	26th, 27th, 30th, 31st. Thunder and Lightning, 8th, 26th, 30th,
Total precipitation,	Gales, 35 or more miles per hour: 57m., 5th,
*Temperature in ground shelter. ! Reduced to freezing and sea-level.	

	Baromet Se	er Redi	١.		Ten	np erat ur	e. Groun	nd Shelte	er.		rs of
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of
ı	29.79	29.61	29.683	69.0	10:30 A	62.0	12 P	65.5	65.2	64.0	0
2	29.82	29.71	29.813	65.5	3 P	57.5	12 P	61.5	61.2	59.7	0
3	29.88	29.78	29.848	83.0	5:30 P	56.5	4:30 A	69.7	68.2	63.0	9
4	30.00	29.88	29.984	81.0	2:30 P	63.5	5:30 A	72.3	72.5	68.3	8
5	29.90	29.65	2 9.759	78.0	3 P	61.0	12 P	69.5	69.0	65.5	2
	30.08	29.82	30.004	71.0	5 P	52.5	12 P	61.7	63.2	56.0	8
7	30.15	30.00	30.098	76.5	3 P	48.0	4:30 A	62.3	64.2	59.5	$ \epsilon$
8	30.02	29.48	29.720	68.0	4 P	60. 5	12 P	64.3	63.3	61.3	
9	29.89	29.59	29.817	78.0	3 P	5 5.5	12 P	66.7	65.3	58.7	9
10	29.96	29.87	29.926	80.5	4:30 P	52.5	4 A	66.5	68.1	63.7	ç
ΙΙ	29.96	29.83	29.916	82.5	2 P	58.0	5 A	70.3	70.5	63.7	7
I 2	29.8 9	29.75	29.812	76.0	6 P	58.0	3:30 A	67.0	64.0	61.5	4
13	29.84	29.74	29.824	88.0	4:30 P	56.5	5 A	72.3	71.9	66.3	10
14	29.86	29.78	29.850	84.5	4 P	61.0	4:30 A	72.7	70.0	66.0	8
15	29.90	29.81	29.870	87.5	3:30 P	62.0	2:30 A	74.7	72.3	66.7	6
ıĞ	29.85	29.65	29.778	85.0	2:30 P	61.5	4 A	73.3	72.9		
17	29.70	29.54	29.617	85.0	4 P	69.0	12 P	77.0	75.3	73.0	1
18	29.89	29.70	29.864	84.0	2:30 P	63.0	5 A	73.5	73.1	67.0	1
19	29.92	29.75	29.884	85.0 78.0		65.0 61.0	5 A	75.0 69.5	73.3	62.5	i
20	29.95	29.82	29.948	,	3 P 11:30 A	60.5	5 A 4 A	66.5	69.0	60.0	
21	30.02	29.90	29.958	72.5 75.0	2 P	60.0	i '	67.5	65.8	60.5	2
22	30.14	30.02	30.120	80.5	3 P	53.5	3 A 3 A	67.0	66.8	62.5	
23	30.18	30.09	30.100	81.0	IP	54.0	4 A	67.5	66.0	61.0	
24	30.21	30.13	30.182	82.5	3:30 P	54.0	5:30 A	68.3	68.5	64.5	1 8
25 26	30.21	30.06	30.144	81.0	J.J. I P	60.0	5 A	70.5	67.7	62.7	1
27	30.08	30.03	30.078	82.5	4 P	64.0	6:30 A	73.3	70.8	67.0	1
28		29.93	30.078	83.5	3 P	58.0	5 A	70.7	70.3	66.3	
20		29.80	29.888	87.0	3:30 P	66.0	4 A	76.5	739	69.3	3
30		29.83	29.896	89 5	4:30 P	60.5	5 A	75.0	74.6	69.5	1
31		29.87	29.926	91.0	3 P	71.0	5:30 A	81.0	76.9	74.5	

	F	Iumidity	7.		,	Wind.	-			Precipita	ation.	
	ew	por.	ty.	ng n.	ut .	ım are Ft	16		18.		Tot	alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending,	Rain.**	Snow.
1 2 3 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	63.0 58.5 66.5 66.0 55.5 55.0 59.0 64.0 65.5 57.5 65.0 59.5 65.5 57.5 65.5 57.5 65.5 59.5 65.5 59.5 65.5 65.5	.631 .582 .675 .786 .729 .629 .570 .608 .764 .715 .729 .827 .864 .804 .739 .686 .585 .658	91.0 94.0 80.0 82.0 82.0 63.0 72.0 63.0 72.0 63.0 75.0 84.5 87.5 88.5 73.5 88.5 73.5 83.0 83.0 83.0 83.0 83.0 83.0 83.0 83.0	E. N.N.E. W.S.W. S.S.W. W.N.W. S.S.W. S.W. S.W.	137 63 71 77 77 174 206 77 149 251 117 101 67 65 43 21 97 134 83 82 87 78 63 77 78	2.0 0.5 1.5 16.0 3.5 1.5 8.5 7.0 0.5 1.0 0.5 2.0 2.0 2.0 5.0 1.5 0.5 1.5	20 10 17 17 26 17 41 38 20 14 10 26 20 20 20 21 7 10 11 10 11 10 11 10 11 10 11 10 10 10	2 P 8 P 10 P 7 P 9 A 2 P 6 P 6 P 6 P 1 2 A 1 P 2 A 1 P 3 P 3 P 3 P 3 P 3 P 3 P 1 I 1 P 5 P 1 I 1 P 1 I 1 I 1 I 1 I 1 I 1 I 1 I 1 I 1 I 1 I	2 A I A I O P O A 9 A 7 P 6 A 6 P I O P O A I P 4 P 3 P I O A	3 P 12 P 12 P 2 A 12 M 10 P 8 P 11 A 6 P 11 P 10 P	1.55 1.22 .05 .03 .13 T 3.10 .01 .10 .43 .21 .01	
27 28	65.5 64.5	.718 .68 5	88.0 88.5	N. S.S.W.	77 68 68	0.5 1.5	17 10 17	10 A 10 P	2 P 0 A 6 P	12 P 2 A 11 P	.20 .03 .50	
30 31	68.0 6 _{7.5} 73.5	.778 .838 .914	88.0 81.5 91.0	W.S.W. W. N.W.	49 42	0.5 0.0 2.5	10 — 22	11 A — 2 P	II P O A	12 P 4 P	.10 .57	

^{**}Rain or melteds now at base of tower. *Included in following day.

The weather, during July, was abnormal in many respects, but by far the most noticeable feature was the excessive precipitation. Starting with nearly three inches of rain on the first two days of the month, and within a week, another day with more than three inches in a single storm, the precipitation continued to occur throughout the month on more than half the days, giving a total of more than twice the July normal. Excepting the year 1897, when 14.51 inches was recorded in July, the precipitation this month was the largest for twenty-five years. As might be inferred from the excessive moisture of the month, the relative humidity was nearly ten per cent more than the normal.

A comparison of the records of the several weather elements with the normals for a period of twenty-five years shows the following as the most important features: The mean barometer was comparatively low and the changes in pressure generally slow and small. The range of pressure was practically normal. The total wind movement was about 20 per cent less than normal and more than usual was from the southwest quadrant. The mean hourly temperature was nearly two degrees lower than the normal and the maximum temperature did not reach 90 degrees until the last day of the month. Notwithstanding the absence of especially high temperatures the last week of the month was especially oppressive and sultry. The minimum temperature was nearly three degrees higher than usual giving a comparatively small range for the month.

The mean dewpoint was comparatively high as would be inferred from the high relative humidity referred to above.

Nearly one half the days were cloudy and not a single clear day was noted.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

Reduced to freezing and sea-level.

Wind.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	wind.
Minimum reduced to freezing, 29,40,25th, 5 A.	Mean hourly velocity,
Mean hourly, 66.0 Mean of means of max and min. 67.0 Mean sensible (wet bulb), 62.3 Monthly range, 46.0 Highest mean daily, 76.7, 1st Lowest mean daily, 55.6, 27th	South 13 "" West 10 "" Northeast 10 "" Other directions 54 ""
Mean minimum,	Weather.
Mean daily range,	Mean cloudiness observed, 63per cent. Total cloudiness recorded by the Sun Thermometer, 277 hrs.=65 per cent. Number of clear days,
ů	
Mean dew point, 60.4 Mean force of vapor, .635 Mean relative humidity, .85.0	Bright Sunshine. Number of hours recorded, 152 hrs.=35%. Rain, 1st, 2d, 3d, 4th, 5th, 6th, 8th, 9th,
Precipitation. In inches.	10th, 13th, 15th, 16th, 21st, 22d, 25th, 29th, 30th,
Number of days on which so inch or more rain fell	Thunder and Lightning, 1st, 9th, 15th, 22d. Hail, 9th. Gales, 35 or more miles per hour: 39m., 4th, E.; 44m., 8th, S.S.E.; 36m, 19th, N.N.W.
*Temperature in ground shelter.	

	Barome	ter Red ea Leve	1.		Ter	nperatur	e. Groun	nd Shelte	er.		Hours of Sunshine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou Bright Sun
1 2 3 3 4 4 5 5 6 7 7 8 8 9 100 11 1 12 13 3 14 4 15 16 17 18 19 20 21 22 22 22 22 22 22 22 22 22 22 28		29.89 29.85 29.93 29.93 29.94 29.97 29.86 29.82 29.93 29.94 29.86 29.83 29.93 29.92 29.88 29.87 29.93 29.73 29.73 29.73 29.73 29.73	29.976 29.964 30.245 30.003 30.0023 30.005 29.984 29.951 29.916 30.013 30.038 29.978 30.006 29.979 29.914 30.011 30.008 29.815 29.828 29.850 29.758 20.9758 20.9758 20.9758 20.9758 20.9758	88.0 81.5 67.5 64.0 65.5 78.0 81.0 85.5 81.0 85.0 85.0 77.0 77.5 82.0 77.0 76.0 86.0 78.0	1 P 2:30 P 12 M 3 P 5 P 12 M 5 P 3:30 P 14 P 4 P 2 P 3 P 3 P 2 P 11 A 4 P 2 P 11 A 4 P 3 P 2 P 11 A 4 P 3 P 2 P 11 A 4 P 3 P 3 P 4 P 2 P 4 P 3 P 3 P 2 P 11 A 4 P 3 P 3 P 2 P 11 A 4 P 3 P 3 P 4 P 3 P 2 P 4 P 2 P	69.0 70 0 54.5 54.5 55.0 57.0 62.5 57.5 56.0 66.0 64.0 61.0 65.0 51.0 55.5 66.0 51.0 55.0 58.0 58.0 58.0	6 A 7 A 12 P 6 A A 12 P 6 A A 6 A A 6 A 6 A 6 A 6 A 6 A 6 A 6	78.5 75.7 61.0 58.0 59.5 61.3 67.0 73.3 70.7 73.5 72.5 72.5 75.7 62.5 63.3 66.5 73.0 68.0 68.0 68.0 68.0 68.0	76.7 72.7 61.3 57.9 60.3 66.0 71.4 67.0 67.0 67.0 67.0 69.6 73.8 72.3 73.0 64.7 59.0 65.8 65.8 69.2 69.2 69.2	72.7 69.5 55.7 56.7 57.3 59.0 67.3 62.7 64.3 72.0 68.5 59.0 67.7 67.3 67.5 67.5 59.5 59.5	4.6 1.2 0.6 0.0 0.0 0.0 6.4 4.1 10 2 11.2 3.4 4.7 7.4 4.1 7.7 9.4 7.7 0.6 0.0 0.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0
29 30 31	_	29 90 29.83 29.91	29.966 29.874 30.108	60.0 72.0 71.0	5 P 4 P 3 P	53.0 56.5 52.0	5 A 0 A 12 P	56.5 64.3 61.5	56.5 61.5 59.9	54 5 60.3 53.5	0.0 1.9 6.7

	Н	lumidity	<i>i</i> .		1	Vind.			I	Precipita	tion.	
	Dew	por.	.y.	n.	t.	m are Ft	L.		ρċ		Total in Inches.	
Day.	Mean De Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending,	Rain.**	Snow.
1 2 3 4 4 5 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	71.5 69.0 53.0 55.5 58.0 64.0 60.5 63.0 71.0 69.5 67.5 56.0 61.5 66.5	.879 .768 .508 .516 .515 .643 .783 .673 .643 .721 .877 .852 .781 .753 .578 .492 .568 .604	89.0 92.0 81.5 85.0 85.0 94.0 87.0 90.0 82.5 81.0 84.0 88.0 84.5 87.0 88.0 96.5	S.W. W. N.E. N.E. N.E. S. S.S.E. S.E. N.W. S.E. S. W. S.S.W. W.S.S.W. W.N.W. S.S.W. S.S.S.E.	52 89 140 159 208 119 108 101 83 62 100 75 78 73 87 192 167 65 41 48	1.5 1.5 1.5 7.5 1.5 0.5 1.5 9.5 2.0 2.5 1.0 0.5 0.5 1.0 0.5 0.5 1.0 0.5 0.5 1.0 0.5 0.5 1.0 0.5 0.5 1.0 0.5 0.5 1.0 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0	17 17 17 39 17 10 17 44 20 22 10 14 10 10 11 10 11 10 11 10 11 10 10 10 10	7 P 10 P 7 A 2 P 7 A 12 M 2 P 2 P 1 P 10 P 10 A	9 P 0 A 10 A 11 A 10 P 8 A 8 P 0 A 12 M 4 P 0 A 3 P 5 P	12 P 7 A 6 P 11 P 10 P 12 P 10 P 12 P 5 A 8 P	1.53 .29 .35 2.61 T .44 .01 .46 T .46 .20	
23 24 25 26 27	66.0 66.5 64.5 53.0 47.5	.707 .718 .666 .535 .446	91.5 91.5 91.0 77.0 78.0	W.S.W. S. N.W. N.W. W.N.W.	106 44 144 144 55	0.5 0.5 3.0 3.0	10 10 24 24	2 P 11 P 5 P 3 P	I A	7 P	.29	
28 29 30 31	52.5 53.5 59.0 50.0	.464 .450 .540 .496	84.0 89.5 94.5 72.0	E. N. W. N.W.	57 77 56	0.5 0.0 0.0 1.5	10 — — 17	9 P — — 9 A	4 A 0 A	12 P 1 P	.14 .36	

^{**}Rain or meltedsnow at base of tower.

^{*}Included in following day.

The general character of the weather during the month was similar in many respects to the abnormal record of July. An excessive rainfall, high humidity and much cloudiness were the predominating features. While the precipitation was slightly less than that of July, it was larger than any previous record for August since this station was established. The amount of cloudiness was considerably greater than in the preceding month and the relative humidity several points higher. The two months taken together furnish a very exceptional record for heavy rainfall.

Comparing the records of the several weather elements with the corresponding normals for this station the following features are noted: The mean barometer was slightly lower than the normal and the range of pressure comparatively small. Changes in pressure were generally slow and small. The total wind movement was practically normal and few gales were recorded. Daily wind directions were much more variable than usual.

The mean temperature was nearly two degrees lower than usual and the range slightly smaller than usual. The maximum temperature was comparatively low and one of the dates was the first, the day following the maximum of the month before, which was reached the last day of July. Although frost was feared several times the minimum temperature did not fall below 42 degrees, which is at least six degrees above the record at which frost might be noted in especially exposed places at the level of the ground.

The mean dew point was practically normal, while the mean relative humidity was exceptionally high.

The total precipitation was nearly twice the normal amount. More than one-half the total fell during the heavy storms on the first four days of the month.

Nearly an equal number of cloudy and fair days were noted, while not a single day was rated as clear.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

BULLETIN NO. 321. SEPTEMBER, 1915

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTHLY SUMMARY.

Pressure. In inches.	Wind.
2d, 8 A. Minimum reduced to freezing, 29.05, 26th, 6 P Reduced† maximum reading, 30.37, 1st, 9 A; 2d, 8 A. Reduced† minimum reading, 29.34, 26th, 6 P Mean semi-daily reduced 30.050 Monthly range	51 m per hour 26th 11 P W
*Air Temperature. In Degrees Fahr.	
Highest 93.0, 9th, 4 P; 15th, 1:30 P	Summary.
Lowest 34.5, 30th, 5:30 A Mean hourly .64.2 Mean of means of max, and min. .66.0 Mean sensible (wet bulb) .59.3 Monthly range .58.5 Highest mean daily .79.4, 15th Lowest mean daily .48.6, 28th Mean maximum .78.1 Mean minimum .53.9 Mean daily range .24.2	West
Greatest daily range 36.0, 30th Least daily range 13.5, 6th	Thermometer 192 hours = 51 per cent Number of clear days
Humidity.	
Mean dew point 56.3 Mean force of vapor Mean relative humidity 80.8	
Precipitation. In inches.	21St.
Total precipitation	Gales, 35 or more miles per hour: 35m, 21st,

† Reduced to freezing and sea-level.

	ea Leve		Temperature. Ground Shelter.								
Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb,	No. Hours of	
0.37	30.21	30.362	740	3 P	44.5	6 A	59 7	58.2	53.0		
0.37	30.18	30.275	80.5	3:30 P	47.0	6 A	63 7	60.9	55.7		
0.20	30.08	30 144	87.0	2:30 P	53.0	5 A	70.C	67.4	62.0		
0.08	29.95	30.030	88.0	2 P	57.0	6 A	72.5	69.7	64.5		
0.10	30.00	30.094	84.0	3 P	62.5	6 A	73.3	71.0	65.7		
0.12	30.04	30.159	77.0	3:30 P	63.5	6 A	70.3	68.4	62.7	4	
0.07	29 92	30.061	80.5	4 P	630	6 A	71.7	69.0	66.3		
0.03	2986	29.966	85.0	3 P	690	5 A	77.0	73.1	70.5		
9.93	29.79	29884	93.0	4 P	69.0	5 A	810	76.4	70.7	:	
9.95	29 87	29.908	87.0	3 P	63.5	7 A	75.3	74.2	68.5		
9.98	29 87	29.943	87.5	3 P	56.0	7 A	71.7	70.7	66.7	(
0.10	29.98	30.066	820	4 P	55.5	6 A	68.7	67.4	62.0	1	
0.18	30.02	30.119	80.0	3:30 P	62.0	12 P	71.0	67.8	64.3		
81.0	30.07	30.108	92.0	3 P	60.0	I A	76.0	748	72.7	;	
30.21	30.11	30.146	93.0	1:30 P	70.0	3 A	815	79-4	75.3	:	
30.23	30.11	30.189	91.0	3 P	71.0	6 A	81.0	78.1	71.5	(
30.11	29.95	30 064	86.0	I P	66.5	5 A	76.3	73.9	69.0		
30.16	30.00	30.079	76.0 78.0	4 P	60.5 58 o	5:30 A	68.3 68.0	67.2	62.3 60.5		
0.00	29.84	29.896	80.0	4 P 2:30 P	•	5 A	66.5	63.8 64.9	60.5	8	
9.97	29 83	29.932	68.0	9 A	53.0 52.0	6 A	60.5	62.6	9	;	
9.83	29 52	29.701	62.0	3:30 P	41.5	12 P	517	52.0	57.0 44.7		
30.34	29 79 30.18	30.124	69.0	3.30 P	35 0	5:30 A	520	51.5	45.5	ĺ	
30.23	30.10	30.186	66.5	4:30 P	450	4 A	55.7	52.1	49.7		
										6	
						12 P				8	
				2:30 P				48.6	42.5	10	
30,12	29.90	29.987	66.0	2;30 P	40.5	5 A			44.3	10	
30.22	30 08	30.162	70.5	3 P	34.5	5:30 A	52.5	50.0	44.5	10	
30.34 30.13 29.87 29.90 30.12		30.12 2 29.34 2 29.55 2 29.78 2 29.90	30.12 30.280 2 29.34 29.664 2 29.55 29.820 2 29.78 29.874 2 29.90 29.987	30.12 30 280 70 0 2 29.34 29.664 68.0 2 29.55 29 820 59 5 2 29.78 29.874 62.5 2 29.90 29.987 66.0	30.12 30.280 70 0 4:30 P 2 29.34 29.664 68.0 6:30 P 2 29.55 29.820 59.5 3 P 2 29.78 29.874 62.5 2:30 P 2 29.90 29.987 66.0 2:30 P	1 30.12 30.280 70.0 4:30.P 42.0 2 29.34 29.664 68.0 6:30.P 44.0 2 29.55 29.820 59.5 3.P 42.0 5 29.78 29.874 62.5 2:30.P 30.0 2 29.99 29.987 66.0 2;30.P 40.5	1 30.12 30 280 70 0 4:30 P 42.0 6 A 2 29.34 29.664 68.0 6:30 P 44.0 1 A 2 29.55 29.820 59.5 3 P 42.0 12 P 29.78 29.78 62.5 2:30 P 30 0 5:30 A 22.99 29.987 66.0 2;30 P 40.5 5:30 A	1 30.12 30.280 70 4:30 P 42.0 6 A 56.0 2 29.34 29.664 68.0 6:30 P 44.0 1 A 50.0 5 2 29.55 29.820 59.5 3 P 42.0 12 P 50.7 5 29.874 62.5 2:30 P 30.0 5:30 A 49.3 2 29.90 29.987 66.0 2:30 P 40.5 5 A 53.3	4 30.12 30 280 70 0 4:30 P 42.0 6 A 56.0 55.0 2 29.34 29.664 68.0 6:30 P 44.0 1 A 56.0 55.9 2 29.55 29.820 59.5 3 P 42.0 12 P 50.7 49.5 0 29.78 29.874 62.5 2:30 P 30 0 5:30 A 49.3 48.6 2 29.90 29.987 66.0 2;30 P 40.5 5.3 A 53.3 52.1	1 30.12 30.280 70 4:30 P 42.0 6 A 50 0 55.0 50 0 2 29.34 29.664 68.0 6:30 P 44.0 1 A 50.0 55.9 53.3 0 29.55 29.820 59.5 3 P 42.0 12 P 50.7 40.5 42.5 29.874 62.5 2:30 P 30 0 29.98 62.5 2:30 P 40.5 5 A 53.3 52.1 44.3	

	ŀ	Iumidity	γ.		1	Wind.	_			Precipita	ition.	
	ew	tpor.	ty.	ng nn.	int :	ım e are Ft	per		ng.			alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles por Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 12 22 23 24 25 27 28 29 30	50.0 53.0 61.0 62.0 60.0 60.0 60.5 65.0 63.0 72.0 74.5 70.0 67.5 60.0 59.5 59.5 59.5 59.5 48.0 46.5 49.5	.456 .479 .612 .679 .689 .691 .806 .831 .752 .646 .649 .873 .913 .838 .894 .644 .555 .357 .364 .352 .380 .480 .324 .334 .358	81.0 87.0 88.5 85.5 71.0 78.0 89.5 79.5 82.0 79.5 82.0 79.5 82.0 79.5 82.0 79.5 82.0 79.5 82.0 79.5 82.0 79.0 64.5 72.5 72.5 72.5 73.5 74.0 64.5 74.0 64.0	N.N.E. S.W. W. N.W. S. S. S.W. W.N.W. W. S. S.E. S. S.S.E. S. S. S. S. N.W. S. S. N.W. N.W. N.W.	855 155 32 38 43 68 70 128 72 111 52 63 81 1150 131 88 117 68 48 124 1166 254 1152 31 50 296 373 86 257 333 338 43 43 43 43 43 43 43 43 43 43 43 43 43	0.0 0.0 0.0 0.0 0.0 0.0 0.5 2.0 0.5 2.0 1.5 2.0 0.5 2.5 1.0 0.5 2.0 1.5 2.0 0.5 2.5 1.0 0.5 2.0 1.5 2.0 0.5 2.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1	17 20 10 20 14 10 10 10 10 32 54 39 32 24 14	5 P 5 P 3 A 4 P 4 P 10 P 1 A 2 P 6 P 12 M 8 P 10 P 8 A 1 P 8 A 1 P 10 P 2 A 4 P 1 A 1 2 M	7 A I A 4 P 3 P 2 A 8 A 8 A	5 P 2 A 7 P 4 P 8 P 3 P 12 M 5 P	T .08 .04 .08 .94 .02 .17	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during September was considerably warmer than usual, due largely to a number of extremely warm days about the middle of the month. The highest temperature of the year was registered on the 15th, during a period of high humidity, and caused an unusually large number of prostrations from heat. The last part of the month, while seasonable, was rather cool. The precipitation was small, but owing to the extremely heavy rainfall of the preceding two months vegetation did not suffer.

The mean barometer was slightly below the normal and the range considerably more than usual owing to a minimum considerably lower than usual. The large number of days with wind from the South was exceptional for this station. While the total wind movement was nearly normal, several days near the close of the month showed a large daily record.

The mean hourly temperature was more than three degrees higher than the normal, and the mean of means of maximum and minimum records was nearly two degrees higher than the mean hourly records—an exceptionally large difference.

The maximum temperature was about six degrees higher than the September normal for this feature, and two degrees more than the previous maximum for this year. The minimum was slightly higher than usual, giving a large range for the month. Light frosts were noted near the end of the month, but no damage of consequence was done.

The mean dew point and relative humidity were both much higher than their respective normals.

The total precipitation was about one-third of the normal, and much the greater part was registered during a single storm.

The amount of sunshine was slightly less than the normal.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N.

t Reduced to freezing and sea-level.

Longitude 72° 31' 10" W.

Height of harometer above ground, 51 ft. Above sea level, 273.5 ft.

Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Monthly range	Total movement
*Air Temperature. In Degrees Fahr.	
Mean of means of max. and min. 52.4 Mean sensible (wet bulb) 47.2 Monthly range 50.5 Highest mean daily 64.0, 15th Lowest mean daily 39.6, 23d Mean maximum 63.1 Mean minimum 41.8	Summary. South Southwest .26 per cent West .19 " " North Northwest .16 " " Northwest .10 " " West Northwest .10 " " Other directions .19 " "
Mean daily range 21.3 Greatest daily range 39.0, 17th	Weather.
Least daily range 4.5, 2d	Mean cloudiness observed 44 per cent Total cloudiness recorded by the Sun Thermometer 179 hours = 52 per cent Number of clear days 6
Humidity.	Number of fair days
Mean dew point	Number of cloudy days
Mean relative numbers	Bright Sunshine.
Precipitation. In inches. Total precipitation 2.89 Number of days on which or inch or more rain fell	Gales, 35 or more miles per hour: 36m, 22d,
* Temperature in ground shelter.	

	Baromet Se	er Red ea Leve	١.	Temperature. Ground Shelter.							Hours of Sunshine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou Bright Sur
1	30.15	29.94	30.074	60.5	4 P	37 0	7:30 A	48.7	49.4	45.3	3
2	29.94	29.78	29 844	490	I A	44.5	12 P	47.3	47.6	46.5	Č
	30.08	29.88	30.004	54.0	12 M	38.0	12 P	460	47.5	46.7	c
3	30.21	30.03	30.151	67.5	4 P	34.5	2 A	510	51.0	46.0	(
4	30.03	29.73	29.879	66.0	1:30 P	51.0	12 P	58 5	58.0	56.3	Ċ
5 6	30.11	29.92	30.057	61.5	4:30 P	42.5	12 P	520	51.0	46.7	1
7	30.21	30.05	30 174	61.5	1 P	38 0	3 A	49.7	50.0	47.0	1
8	30.05	20.04	29 97 5	590	4 P	46.5	6 A	52.7	51.0	47.5	
9	30.08	29.94	30.030	58.0	2 P	39 0	7 A	48.5	47.1	39.7	ŧ
ó	30.33	29 94	30.242	59.0	3 P	37.0	6:30 A	48.c	46.0	40.3	(
I	30.41	30 25	30 353	61.0	3 P	28 o	7 A	44.5	450	39.7	9
2	30.34	30.22	30 300	730	3 P	43.5	6:30 A	58.3	56.0	49.5	
13	30.39	30 28	30.369	760	2 P	49.0	5 A	62.5	59.0	52.5	1
14	30.34	30.20	30.302	76.0	1:30 P	54 0	5 A	650	63.1	58.3	. !
15	30.31	30.18	30.299	760	3 P	50.0	12 P	66.0	64.0	57.3	
16	30.41	30 24	30.231	65.0	3 P	46.5	12 P	5 5.7	55.8	503	7
7	30.24	30.09	30.192	70.0	3 P	37.0	6 A	56.5	528	430	1
18	30.24	30.10	30.185	700	3 P	42.0	6:30 A	56.0	55.1	50.3	8
19	30.12	29 98	30.059	67.0	4 P	510	0 A	59.0	59.4	57.3	(
20	30.03	29 95	30 010	64.0	2 P	59.0	7 A	61.5	610	59 7	(
2 1	29.98	29 79	29.942	740	1:30 P	48.0	11:30 P	61.0	61.2	55.7	
2 2	29.99	2981	29.924	590	2 P 1 P	42.0	5 A	50.5	50.9	49.5	
23	29.92	29.86	29910	45.0		34.0	0 A	39 5	39.6	34.7	2
24	30.15	29.90	30 019	530	2:30 P	33.0	12 P	430	40 4	37.3	3
25	30.27	30.15	30.250	56.0	3 P	25.5	6 A	40.7	39 9	35 0	
26	30.23	30 07	30.169	63.5 67.0	12 M	39.0 41.0	0 A 12 P	51.3 54.0	52.2	51.7 49.3	i
27	30.18	30 04	30.153	62.0	3 P 3 P	31.5	6:30 A	46.7	54.I 45.7	380	8
28	30.19	29.06 29.06	30.091	62.0	3:30 P	430	0.30 A	52.5	52.7	49.7	1
29	-	29.00 29.58	29.798 29.653	54.5	3.30 I	45.0	10 P	49.7	48.0	49.7	2
30	29.70	29.79	29.053	590	2 P	41.0	7 A	50.0	48.4	41.7	8
31	-9./4	=9.79	29.000	390		71.0	/ 21	, , , , ,	404	41.7	

	Humidity.				Precipitation.							
	».	oor.	·.	ρn :-	t t	m re Ft			żć		Total in Inches.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Novement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4	42.0 45.5 45.0 43.0	·343 ·322 ·336 ·349	78.5 96.0 91.0 81.5	N.W. N.N.E. N.N.W. S.W.	15 145 42 53	0.0 1.5 0.0	17 	5 P 7 P	11 P 0 A	12 P 8 P	.03 .49	
5 6	54 5 45.0	.486	\$8.5 90.0 89.5	S. N. S.	203 48	4.5 0.5 1.5	30 10	10 A 1 P 10 A	7 A 6 P	5 P	.25 T	
7 8 9	45·5 45·5 33·5 37·0	.341 .353 .286	87.0 67.5 80.5	W. N.N.W. N.N.W.	52 40 49 71	0.0 1.5 2.0	17	2 P 2 P	0 A	7 A	.88	
11 12 13 14	36.5 47.0 49.5 56.5	.279 .396 .458 .541	81.0 82.0 79.0 86.0	S.S.W. S.S.W. S.S.W. S.S.W. N.	82 171 153 175	2.0 2.0 3.0 3.0	20 20 24 24	5 P 2 P 5 P 1 P 2 P	_ ,	S P		
15 16 17 18	55.5 46 0 36.5 49.0 55.0	.519 .431 .342 .396	86.5 72.5 64.5 88.0 83.5	W. W. W.N.W. S.S.W.	33 52 166	0.0 0.5 1.0 2.5	14 10 14 22	4 P 6 P 1 P	7 A	o r	.52	
20 21 22 23	59.0 54.5 47.0 26.5	.526 .470 .385 .236	95.5 91.5 85.5 60.5	S.S.W. W. W.N.W. N.N.W.	31 91 212 282	0.0 3.5 6.5 6.0	26 36 35	6 P 10 A 1 P	5 A	12 P	.57	
24 25 26 27 28	33 ° 31.5 50.0 47.0 33.5	.241 .229 .423 .379 .263	79 0 78.5 85 5 87.0 74.5	N.N.W. W. S.S.W. W.N.W. W.	40 258 202 55	2.5 0.0 4.5 3.0 0.5	30 24 19	1 P — 12 M 4 P 2 P	8 Р	12 P	.15	
29 30 31	33.5 47.5 35.0 37.5	.399 .325 .302	82.5 63.5 73.0	S.S.W. N.W. N.W.	212 315 257	3.0 I2.0 3.0	24 49 24	5 A 1 P 11 A				

^{**}Rain or meltedsnow at base of tower.

^{*}Included in following day.

The weather during October was generally seasonable and unmarked by abnormal features. Many fair days and mild temperature combined to make it one of the most pleasant periods of the year. The precipitation was somewhat deficient for the month and the temperature slightly above the normal.

The barometer was rather inactive for the time of year, the range being only about three-fourths of the normal value. The mean pressure was a few hundredths above the normal. The total wind movement was about 500 miles less than usual, and only three days showed gales of moderate intensity. The prevailing wind direction was almost due West, and the eastern points of the compass were hardly noted in the record of wind direction.

The mean hourly temperature was between one and two degrees higher than the normal, and the maximum was three degrees lower than usual, while the minimum was slightly higher than the normal, giving a considerably smaller range than the normal value for this feature.

The mean dew point was comparatively high, and the relative humidity more than six points above the normal.

The total precipitation was about 80 per cent of the usual amount, and most of it occurred during a few well-defined storms of moderate intensity. The last part of the month was comparatively free from rain.

The amount of sunshine was a little less than the normal value.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

111011111111111111111111111111111111111	
Pressure. In inches.	Wind.
Minimum reduced to freezing, 28.89, 19th, 8 r Reduced† maximum reading, 30.48, 18th, 7 A Reduced† minimum reading, 29.19, 19th, 8 r Mean semi-daily reduced 29.993 Monthly range 1.29	Total movement
*Air Temperature. In Degrees Fahr. Highest 69 o, 1st	Prevailing direction, West Northwest.
Lowest 20.0, 18th Mean hourly 39.9 Mean of means of max, and min. 40.8 Mean sensible (wet bulb) 35.5 Monthly range 49.6 Highest mean daily 49.5, 12th Lowest mean daily 31.9, 18th Mean maximum 49.8 Mean minimum 31.7 Mean daily range 18.1	North Northeast 13 " " Southwest 13 " " West 3 " " West Northwest 13 " " South 10 " " Northwest 10 " " Other directions 11 " " Weather Mean cloudiness observed 44 per cent Total cloudiness recorded by the Sun Thermometer 175 hours = 60 per cent Number of clear days 3
Humidity.	Number of fair days
Mean dew point 30.7	Bright Sunshine.
Mean force of vapor	Number hours recorded, 118 hrs, = 40 per cent, Rain, 2d, 4th, 12th, 14th, 15th, 19th, 21st, 27th, 29th.
Precipitation. In inches. Total precipitation 2,20 Number of days on which 9 Total snow in inches	37m, 10th, N.W.; 56m, 13th,W.N.W.; 66m, 15th, W.N.W.; 51m, 16th, W.N.W.; 36m,
* Temperature in ground shelter.	

		ter Red ea Leve			Te	mperatu	re. Groui	nd Shelt	er.		rs of shine.
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper,	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
_											
1	29.83	29.54	29 644	690	2 P	45.0	o A	57.0	56.2	50.5	4.8
2	29.80	29.47	29.639	58.0	9 A	43.0	12 P	50.5	49.4	45.7	3.1
3	30.14	29.80	30.004	60.0	3 P	37.0	12 P	48.5	42.5	37.7	3.9
4	30.16	29.85	30.074	58.0	ĪΡ	27.0	6:30 A	42.5	38.2	33.5	5.3
	30.08	29.75	29.939	42.0	4 P	38.0	IIA	40.0	40.2	37 7	00
5 6	30.25	30.08	30.188	50.0	3 P	320	12 P	41.0	41.5	35.5	7.3
7	30.23	30.10	30.196	54.5	3 P	27.0	7 A	40.7	39.9	34.5	8.5
8	30 22	29.98	30 124	61.0	3 P	27.0	6 A	44.0	43.6	39 3	8.3
9	30.05	29.87	29 998	59 0	12 M	43.5	12 P	51.3	47.7	41.3	6.4
ΙÓ	30.25	30.05	30.237	525	3 P	36 o	12 P	44.3	42.5	39.0	9.2
11	30.29	30.18	30.246	34.5	3 P	31.0	4 A	32.7	41.6	380	1.6
12	30 18	29 92	30.006	555	2 P	43.5	7 A	49.5	49 5	457	0.0
13	30.13	29 94	30.076	54 0	2:30 P	31.0	6 A	42.5	44.2	370	7.8
14	30.12	29 70	29.979	46.0	2:30 P	32.0	7 A	39.0	40.7	34.3	1.1
15	29.70	29.26	29.465	44.5	4 P	380	3 A	41.3	40.I	35.5	0.0
16	30.04	29 59	29 925	42.0	2 P	29.0	12 P	35.5	35 2	30.0	7.5
17	30.38	30.04	30 267	430	3 P	26.5	3 A	34.7	32.2	28.3	4.7
18	30.48	30.19	30.366	48.0	3 P	200	7 A	34.0	31.9	240	6.9
19	30.19	29 19	29.554	56.5	9 P	26.5	0 A	41.5	423	44.3	0.0
20		29.23	29.445	480	2 P	39.0	9 P	43.5	42.3	37.3	I 2
21	29.78	29.49	29 686	50.0	2 P	35.0	7:30 P	42.5	41.2	36.5	0.0
22	30.07	29 78	29.959	42.0	2 P	30 5	7 A	36.3	36.0	31.0	44
23	30.19	30 07	30.166	490	2 P	27.0	7 A	38.0	34 4	31.7	1.4
24	30.33	30 12	30 262	37.5	2 P	28 5	I 2 l'	33 C	32.4	30.0	1.0
25	30.40	30 31	30 404	48.5	3:30 P	23.5	7 A	36 o	33.0	29 5	69
26		30 07	30.218	50.0	4 P	230	7 A	36.5	33.2	290	6.3
27	30.07	29.95	30.011	390	4 P	24.0	7 A	31.5	32.5	30.7	0.0
28	30 08	2995	30.011	58.5	2:30 P	32.5	7 A	45 5	40.7	33-7	4 5
29	29.96	29 55	29718	44.0	10:30 A	30.0	LA	37.0	38 4	34.0	0.0
30	30.07	29.65	29.937	41.0	2 P	26.5	12 1	33 7	34.7	30.0	6.2

	ŀ	lumidit	<i>.</i>			Wind.			1	Precipita	tion.	
	w	por.	ty.	n.	l ti .	m are Ft	b.		ž		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 12 12 22 32 24	47.5 42.0 32.5 28.5 34.5 30.0 27.5 41.5 35.5 36.5 42.0 30.5 24.0 24.0 24.0 24.0 32.0 24.0 32.0 24.0 32.5 28.0 27.5 28.0 27.5 28.0 27.5 28.0 27.5 28.0 29.0 29.0 29.0 29.0 29.0 29.0 29.0 29	.419 .353 .265 .215 .238 .237 .319 .302 .259 .244 .357 .262 .240 .237 .1190 .167 .242 .201 .198	78.0 75.5 67.5 73.0 82.0 70.5 62.0 82.5 68.0 75.5 64.0 67.5 75.5 74.0 75.5 74.0 69.5 74.0	S. W.N.W. N.W. N. N. N. N. N. N. N. N. W. N. W. S.S. W- S. W.N.W. W. N.W. S.W. W. N.W. S.W. S.W	224 230 382 251 267 269 99 226 328 17 87 235 105 1154 83 139 424 215 248 150 150	2.0 15.5 7.5 2.0 3.0 6.0 10.0 7.0 0.0 1.5 1.0 22.0 13.0 4.0 6.5 5.5 2.0 1.5	20 56 39 20 24 34 34 44 44 47 56 51 28 14 36 33 32 20 17	1 A 2 P 3 P 12 P 7 P 8 A 9 A 12 P 10 A 7 P 10 A 7 P 11 A 8 P 2 P 12 M 2 P	7 P 7 P 0 A 11 A 8 A 7 A	1 P 12 P 9 P 12 P 7 P 10 P 8 P	.03 .07	T 0.5
25 26 27 28 29	26.0 26.5 29.0 31 0 29.0	.174 .169 .178 .208	81.5 86.5 95 0 83.5 75.5	N.N.E. N.N.E. N.N.E. N.E. N.	34 6 21 41 67	0.0 0.0 0.5 0.5	10	3 P 10 A 4 P	2 P	4 P	.02	
30	21.5	.184	63.5	ŵ.	225	3.0	24	i P	* '	, .	.20	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during November was slightly warmer than usual and the precipitation was somewhat deficient. During the first half of the month the wind movement was unusually large and numerous gales were registered on the pressure chart,—three showing a velocity of more than fifty miles per hour. The fluctuations of pressure shown by the barometer chart about the middle of the month were rather unusual, especially the drop of an inch in twenty hours on the 19th.

The records of the several weather elements show the following features of interest: The mean barometer was considerably less than the normal and the maximum and minimum pressures were both low. The range of pressure was practically normal. The total wind movement was about twenty per cent. more than the usual and most of the high wind was from the northwest quadrant.

The mean temperature was about one and one-half degrees higher than the normal and the maximum and minimum for the month were both several degrees above the usual values for these records. The range of temperature was practically normal. During the last half of the month there was comparatively little freezing weather and but very little ice was formed.

The mean dew point and relative humidity were both practically normal

The total precipitation was just one inch less than the normal amount. Nearly the whole amount fell during the rapid falls of the of the barometer on the 15th and 19th.

The amount of sunshine recorded was a little less than usual.

The month closed with the temperature comparatively mild.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

* Temperature in ground shelter. † Reduced to treezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT

STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.19, 31st, 12 P	Total movement
Minimum reduced to freezing, 28.55, 26th, 9 A	
Reduced† maximum reading, 30.52, 31st, 12 P	Least daily movement 11m, 31st
Reduced† minimum reading, 28.85, 26th, 9 A	
Mean semi-daily reduced 29.949	Mean hourly velocity 6.7 m
Monthly range 1.67	Maximum pressure per square foot, 13.0 lbs =
	51 m per hour, 26th, 2 A, S.
	Maximum velocity for 5 minutes, 48m per
*Air Temperature. In Degrees Fahr.	liour, 26th, 2 A, S.
	Prevailing direction, West Northwest.
Highest 53.0, 26th, 4'30 A	e
Lowest 2.0, 31st, 7 A	Summary.
	Northwest
Mean of means of max. and min 27.0	
Mean sensible (wet bulb) 23.3	South Southwest
Monthly range 51.0	North
Highest mean daily 36.5, 18th Lowest mean daily 16.3, 31st	West Southwest
Mean maximum	
Mean minimum	Other directions
Mean daily range	other directions
Greatest daily range	***
	Weather. Mean cloudiness observed 55 per cent
Beast daily range	Total cloudiness recorded by the Sun
	Thermometer 177 hours = 62 per cent
	Number of clear days 9
Hamidity.	Number of fair days 6
Mean dew point 17.9	
Mean force of vapor	Bright Suushine.
Mean relative humidity 71.6	Number hours recorded, 106 hrs, = 38 per cent.
	Rain, 2d, 8th, 9th, 13th, 14th, 17th, 18th, 23d,
	25th, 26th, 28th, 29th.
Precipitation. In inches.	Hail, 17th, 29th.
	Snow, 2d. 6th, 8th, 9th, 13th, 14th, 19th, 20th,
Total precipitation 5.86	26th, 28th, 29th.
Number of days on which .or inch or more	Gnles, 35 or more miles per hour: 40m, 10th, N.W.: 49m, 13th, N.N.W.: 49m, 14th,
	N.N.W.; 37m, 15th, W., 37m, 18th, N.W.;
Total snow in inches	5rm, 26th, S.

Barom	eter Red Sea Leve	l.		Ter	nperatur	e. Groui	nd Shelt	er.		rs of
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 30.19 2 30.17 3 30.09 4 30.08 5 30.09 6 30.11 7 30.19 8 30.08 9 29.53 10 29.91 11 30.12 12 30.13 13 30.03 14 29.57 15 30.16 30.18 29.68 19 30.11 20 30.12 21 30.13 22 30.13 22 30.13 22 30.13 22 30.33 24 30.16 27 30.17 28 30.02 27 30.17 28 30.02 27 30.17 28 30.02 27 30.17 28 30.02	30.08 29.96 29.98 30.00 30.08 29.53 29.57 29.52 29.91 30.03 29.05 29.57 29.68 29.69 29.68 29.99 29.55 30.13 29.55 29.57 29.55 29.79	30.161 30.101 30.018 30.068 30.061 30.146 29.723 29.432 29.788 30.099 30.081 29.733 30.084 29.361 29.499 20.902 30.095 30.070 30.284 30.014 30.058 29.914 30.058 29.915 30.096 29.958 29.972 30.096	41.0 33.0 34.0 38.0 38.0 31.0 27.0 28.0 32.0 33.0 33.0 33.0 35.0 36.0 37.0 37.0 38.0 39.0 30.0	3 P 2 P 2 P 1 P 2 P 3 P 2:30 P 11 P 2 P 3:30 P 3:30 P 11 P 7 A 2 P 2 P 2 P 2 P 2 P 2 P 1 A 3 P 1 A 3 P 1 P 2 P 3:30 P 1 P 1 P 1 P 2 P 3:30 P 1	21.5 23.0 24.0 27.0 27.0 27.0 28.0 17.0 17.0 12.0 18.0 12.0 18.0 29.0 25.5 11.0 28.0 28.0 28.0 28.0 29.0 27.0 21.0 21.0 21.0 21.0 21.0 21.0 21.0 21	4 A A 7 A A 12 P A A A A A A A A A A A A A A A A A A	31.3 28.0 31.5 25.7 31.5 30.3 26.5 24.5 22.0 21.7 22.5 27.0 21.5 22.0 35.0 34.0 29.0 24.5 34.0 38.0 38.0 38.0 38.0 30.5 24.0 38.0	28.0 27.9 30.4 26.3 29.7 30.7 28.6 22.0 20.5 20.5 21.5 21.5 21.6 36.5 34.7 28.3 34.0 35.7 28.8 31.7 23.6 20.7	22.7 25.7 26.0 22.3 24.3 27.7 22.3 23.5 22.7 17.0 16.7 21.7 14.3 16.5 37.0 27.0 17.0 18.0 24.7 30.7 30.7 30.7 31.5 33.0 27.3 33.5 27.3 31.7 27.5 27.5	7.22 0.c. 5. 6.c. 6.c. 6.c. 0.c. 0.c. 0.c. 0.c. 0.c.

	I	Iumidity	7.		,	Wind.			į I	Precipita	ition.	
	ew	tpor.	ty.	ng n.	ent :	ım e are Ft	ie.		ng.			al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5	11.5 19.0 20.5 17.5	.145 .152 .155 .131	55.5 73.0 75.0 77.5 66.0	W.S.W. W.S.W. W.S.W. N.W. N.W.	50 16 62 104 64	0.5 0.0 0.5 3.0 3.0	10 10 24 24	2 P 4 P 6 P	10 A	12 P	.03	0.3
4 5 6 7 8	21.0	.171	68.5	N. N.N.W.	174	4.0 5.0	28 32	12 M 1 A	10 A			T
8 9 10	16.5 12.5 5.5 8.0	.154 .144 .110	54.5 56.5 54.5 67.0	S.S.W. W.N.W. N.W. N.W.	175 115 426 305	0.5 5.0 8.0	10 32 40 28	12 M . 7 P 3 P 10 A	5 A 0 A	12 Р б Р	.12 .06	o.7 o.3
12	7 º	.096 .142	67.5 63.5	N.N.W. N.N.W.	54 143	2 O I 2.0	20 49	10 A 10 P	6 A	12 P	.51	6.0
14	7 ° -2 ι.5	·144 ·112	44.5 14.0	N.W. W.	490 336	12.0 7.0	49	1 A 12 M	o A	5 A	.17	2.0
16 17 18	11 0 12.5 36.0 26 0	.109 .093 .225	54.0 78.0 93.5	W.N.W. N.W. N.W. W.N.W.	154 20 133 282	3.0 0.5 7.0	24 10 37	1 P 2 A 6 P	9 A 0 A	12 P 7 P	1.08	т
19 20 21 22	24 0 8 5	.155	77.0 86.0 60 5 68.0	W.N.W. S. S.	208 208 89 66	2.5 3.0 3.0 0.5	22 24 24 10	10 A 10 A 10 A	3 P 8 A			T T
23 24	23.5 28.5	142 .180	96.0 88.0	S. S.W.	27 89	0.0	10	3 P	5 P	12 P	.19	
25 26 27	29.0 31.0 25.0	.185	89.5 91.5 86.5	E.N.E. W.N.W. S S.W.	110 482 126	3.0 13.0	24 51	11 P 2 A 9 A	5 P 0 A	12 P 10 P	1.20 .40	T
28	30.0	.183	92.5	S.S.W. N.W.	30	0.0			10 A	8 P	.26	T
30 31	21.0 13.5 14.0	.124 .099 .106	93.0 84.5 82.0	N.W. N. N.	122 196 11	3.0 1.0 0.0	24 14 -	4 P 11 A —	10 A	12 P	.54	2.0

Annual Summary for 1915.

Pressure. In inches.

Minimum reduced to freezing,	
*Air Temperature. In degrees Fahr. Highest, 93.0, Sept. 9th, 4P.: 15th, 1:30 P. Lowest,	Maximum pressure per square foot, 22.0 lbs.=66 m. per hour, Nov. 15, 8 P., W.N.W. Maximum velocity for 5 minutes, 48 m. per hour, July 5th, 10 A., S.S.E.; Sept. 26th, 7P, W: Nov. 15th, 9 P., W.N.W., Dec. 26th. 2A., S. Precipitation. In inches. Total precipitation, rain or melted snow, . 51.58 Number of days on which or or more rain or melted snow fell,
Mean minimum, 38-3 Mean daily range, 20-3 Greatest daily range, 43-5, May 31 Least daily range, 3.0, May 17	Weather. Mean cloudiness observed, 43 per cent. Total cloudiness recorded by Sun Thermom-
Humidity. Mean dew point,	eter,
Prevailing direction West Northwest Summary.	Dates of Frosts. Last,
Northewst, 14 per cent. South Southwest 11 " West, 10 " South 10 " West Northwest 10 " West Northwest 10 " Other directions, 33 " Total movement, 50.486 m Greatest daily movement, 1 nn., Jan. 4 Mean daily movement, 141 m Mean hourly velocity, 5.9 m	Dates of Snow. Last,
*Temperature in ground shelter.	

DAVID POTTER, Observer.

J. E. OSTRANDER,

Meteorologist.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTILLI	SOMMAKI.
Pressure. In inches.	Wind.
29th, 10 A. Minimum reduced to freezing, 29.17, 5th, 12 P Reduced† maximum reading, 30.64, 8th, 9 A Reduced† minimum reading, 29.47, 5th, 12 P	Total movement .6341 m Greatest daily movement .435m, 14th Least daily movement .17m, 1st Mean daily movement .205 m Mean hourly velocity .8.5 m
Highest	Summary. North
Mean minimum 19.5 Mean daily range 16.6 Greatest daily range 32.0, 28th Least daily range 6.0, 12th	Weather. Mean cloudiness observed 44 per cent Total cloudiness recorded by the Sun Thermometer 154 hours = 52 per cent Number of clear days 13 Number of fair days 3 Number of cloudy days 15
Mean dew point 21.4	D tale G
Mean force of vapor	Rain, 1st, 2d, 3d, 5th, 1oth, 13th, 2oth, 27th, 3oth. Hail, 1st, 2d, 2oth.
Precipitation. In inches. Total precipitation 2.56 Number of days on which .or inch or more rain fell 9 Total snow in inches 5.0	Snow, 2d. 3d, 10th, 16th, 17th, 20th, 30th. Days of Sleighing, 23. Gales, 35 or more miles per hour: 35m, 4th, S.S.W.: 36m, 5th, S.S.W.: 44m, 6th, N.W.: 40m, 14th, N.W.: 41m, 17th, W.N.W.: 50m, 22d, W.: 71m, 23d, W.: 44m, 28th, W.S.W.
* Temperature in ground shelter.	

	Baromet Se	er Red			Ten	peratur	e. Groun	d Shelte	er.		Hours of Sunshine
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou Bright Sun
1 2 3 4 4 5 5 6 6 7 8 9 100 11 11 12 13 14 15 16 16 17 18 19 200 21 1 22 22 23 24 25 26 27 28	29.93 30.13 30.57 30.61 30.40 30.21 30.61 30.55 30.43 30.40	29.85 29.73 29.74 30.04 29.47 29.47 30.28 30.53 30.41 29.74 29.74 30.20 29.89 30.15 29.59 29.51 30.16 30.17 29.71 29.71 30.13 30.16 30.17 29.74 30.20 29.89	30.011 29.851 29.884 30.294 29.708 30.007 30.399 30.573 30.506 29.948 30.012 30.379 30.421 30.408 29.763 30.017 30.431 30.397 30.431 30.397 30.431 30.397 30.431 30.397 30.431 30.397 30.431 30.397	33.0 36.0 35.5 29.0 43.0 45.0 27.0 16.0 23.0 40.0 25.0 37.0 19.0 32.0 24.0 19.0 43.0 43.0 43.0 43.0 51.0 48.0 53.0 55.0	5 P 3 P 11 A 12 P 2 A 2 P 2:30 P 8 P 1:30 P 11 P 4 P 0 A 2:30 P 3 P 0 A 2:30 P 3 P 12 P 3 P 3 P 12 P 3 P 12 P 0 A	20.0 23.0 20.0 11.0 29.0 18.0 8.0 0.0 28.0 19.0 24.0 -5.0 19.0 19.0 6.0 8.0 17.0 36.0 37.0 28.5 22.0 30.0 40.5 40.5 40.5 40.5	3 A 6 A 12 P 7:30 A 12 P 7:30 A 8 A 0 A 12 P 9:30 A 12 P 7:30 A 8 A 0 A 6:30 A 3 A 0 A 6:30 A 11:30 P 2 A 0 A	26.5 29.5 27.7 20.0 36.0 31.5 17.5 8.0 10.5 22.0 34.0 22.0 35.5 17.5 17.5 17.5 17.5 25.5 17.0 25.5 17.0 25.5 17.5 26.5 39.5 44.0 39.5 46.0 39.5 46.0 46.0 46.0 46.0 46.0 46.0 46.0 46.0	26.6 31.2 31.2 20.5 35.7 29.5 17.9 8.7 9.3 25.8 33.8 23.8 30.5 17.5 8.2 24.5 15.6 24.9 39.6 44.4 34.6 30.8 46.2 49.1	25.7 29.5 27.5 27.5 18.3 36.0 24.5 13.0 26.3 30.0 20.5 29.5 11.0 63 22.3 9.0 7.7 11.3 25.5 38.3 45.0 44.7 49.7	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
29 30 31	30.63	30.01 20.83	30.571 30.292 29.972	34 ° 32.5 51.0	4 P 12 P 5 P	16.5 20.5 32.0	7:30 A 3:30 A I A	25 3 26 5 41.5	24.5 27.3 42.2	21.3 26.7 42.5	7.3 0 0

	Н	umidity			,	Wind.	_		F	recipita	tion.	
	we	por.	ry.	gr n.	ti.	m are Ft	1		ğ		Tota Incl	lin nes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4	24.0 26.5 23.0	.144 .173 .166	94.0 84.0 76.0 85.0	N. E.N.E. W.N.W. N.	17 126 319 240	1.0 0.5 2.0 6.0	14 10 20 35	6 P 5 A 2 A	3 A 0 A 0 A	12 P 12 P 5 A	.18 .62 .11	^{2.75} T
5 6 7 8	32.5 21.0 10.0 -4.0	.225 .145 .085 .067	87.0 82.0 82.5 62.5 82.5	S.S.W. N.W. N.W. N.W. N.	378 242 80 150	6.5 9.5 3.0 3.0	36 44 24 24	5 P 8 A 3 P 8 A 0 A	2 A	10 A	11.	
10 11	24.0 27.5 15.5	.155 .176 .133	88 5 85.0 76.5	N. W. N.	59 190 150	1.5 3.0 2.5	17 24 22	8 P 4 P	10 A	11 P	.48	1.75
13 14 15	29.5 4.5 -1.5	.151 .084 .071	89.5 72.5 66.5	N.W. N.W. S.S.W.	149 435 225	3.5 8 o 3.0	26 40 24	5 A 8 P 4 P 8 P	I А	I P	-77	
16 17 18	18.5 0.5 1.5 6 0	.074 .068 .065	78.0 61.5 71.5 70.5	S. W. W.S.W. W.	367 247 268	5.0 8.5 3.5 5.5	32 41 26 33	7 A 2 P 2 P	6 A 7 A	4 P		T T
20 21 22 23	23.0 35.5 40.5 27.0	.150 247 .315 .184	80 0 86.0 80.0 80 0	S. S.S.E. S.W. W.	175 202 322 420	3.0 1.5 17.5 25.0	24 17 59 71	6 P 0 A 12 P 1 A	10 A	2 P	.09	0.5
24 25 26	29.0 38.0 44.0	·211 ·249 ·304	75.5 91.5 94.0	W.S.W. S.S.W.	90 208 148	2.5 2.5 1.5	22 22 17	7 P 10 A 3 A				
27 28 29	16.5	.369 .280 .127	93.5 84.0 77.0 94.0	S. W. N. E.S.E.	93 317 236		30 44 28	IIP IIA 7A IIA	1 A 6 A	5 A	.08	Т
30 31		-150 -283	94.0	S.S.W.	181	5.0	32	t P	O A	ПР	. I 2	1

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during January was unusually variable; ranging from midwinter conditions during the first part of the month to early spring conditions near the close of the month. The variations in temperature presented, resulted in a monthly range of temperature considerably larger than usual. The precipitation was considerably less than the normal and nearly all of it occurred during the first half of the month. A generally high barometer prevailed during the month and while there were a number of fluctuations of considerable magnitude, the range of pressure was only about two-thirds of the normal amount.

A comparison of the records for the month of the several weather elements with the normals for this station, shows the following characteristics of interest: The mean barometer was more than one-tenth of an inch above the normal and the highest January record since 1907. The maximum pressure was lower than usual and the minimum rather high, resulting in the small range referred to above. The total wind movement was about one-fourth more than the normal and numerous gales were recorded, Nearly all the wind was from the westerly points of the compass.

The mean temperature was more than three degrees above the normal, due to the comparatively high temperatures during the last third of the month. The maximum temperature was over six degrees higher than the normal value, while the minimum was two degrees higher. Zero temperature was reached on only three dates.

The mean dew point and relative humidity were both several points above the normal value.

The total precipitation was nine-tenths of an inch less than the normal and only five inches of snow occurred.

The records for sunshine and cloudiness were not far from average value.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTHLY SUMMARY.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.27, 14th, 1 P	Total movement 5504 m
	Greatest daily movement 519m, 28th
	Least daily movement 37m, 17th
	Mean daily movement 190 m
	Mean hourly velocity 7.9 m
Monthly range 1.84	Maximum pressure per square foot, 16.0 lbs = 57 m per hour, 28th, 3 A, W.N.W.
	Maximum velocity for 5 minutes, 36m per
*Air Temperature. In Degrees Fahr.	hour, 28th, 4 A, W.N.W.
Highest 47.5, 1st, o A	Prevailing direction, West Northwest.
Lowest	
Mean hourly	Summary.
Mean of means of max. and min 20.1	North
Mean sensible (wet bulb) 17.8	South Southwest
Monthly range 63.5	West
Highest mean daily 40.7, 1st	West Northwest
Lowest mean daily 1.3 15th	Other directions 28 " "
Mean maximum 28.6	other directions
Mean minimum 11.5	
Mean daily range 17.1	Weather.
Greatest daily range 39.5, 15th	
	Mean cloudiness observed 59 per cent
Least daily range 5.5, 12th	Total cloudiness recorded by the Sun
	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent
	Total cloudiness recorded by the Sun Thermometer156 hours = 53 per cent Number of clear days 8
	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days 8 Number of fair days 9
Least daily range 5.5, 12th Humidity.	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days 8 Number of fair days 9 Number of cloudy days 12
Humidity. Mean dew point	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
Humidity. Mean dew point	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
Humidity. Mean dew point 13.0 Mean force of vapor 116	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
Humidity. Mean dew point 13.0 Mean force of vapor 116	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
Humidity. Mean dew point 13.0 Mean force of vapor 116	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days 8 Number of fair days 9 Number of cloudy days 12 Bright Sunshine. Number hours recorded, 140 hrs, = 47 per cent Rain, 1st, 6th, 18th, 23d, 24th, 25th, 26th. Hail, 23d.
Humidity.	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
Humidity. Mean dew point 13.0 Mean force of vapor Mean relative humidity 79.6 Precipitation. In inches. Total precipitation 5.27	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
### Humidity. #### Humidity. Mean dew point 13.0 Mean force of vapor 16.0 Mean relative humidity 79.0 Precipitation. In inches. Total precipitation 5.22 Number of days on which or inch or more	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
Humidity. Humidity. Mean dew point 13.6 Mean force of vapor 116 Mean relative humidity 79.6 Precipitation. In inches. Total precipitation 5.2 Number of days on which or inch or more rain fell 1.	Total cloudiness recorded by the Sun Thermometer 156 hours = 53 per cent Number of clear days
### Humidity. #### Humidity. Mean dew point 13.0 Mean force of vapor 16.0 Mean relative humidity 79.0 Precipitation. In inches. Total precipitation 5.22 Number of days on which or inch or more	Total cloudiness recorded by the Sun Thermometer

† Reduced to freezing and sea-level.

	ea Leve			Ter	nperatui	e. Groui	nd Shelt	er.		S of
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb,	No. Hours of
1 30.28 2 30.39 3 30.47 5 30.38 6 30.15 7 30.06 8 30.40 9 30.31 10 30.34 11 30.49 12 30.35 13 30.49 14 30.60 15 30.54 30.16 17 29.85 18 29.78 19 29.92 20 30.17 21 30.50 22 30.30 23 30.01 24 30.24 25 29.88 26 29.37 27 29.41 28 29.81 29 30.03	29.87 29.82	30 092 30.311 30.104 30.418 30.234 30.221 29.769 30.319 30.201 30.350 30.350 30.379 30.328 29.993 29.548 29.630 29.969 30.401 30.120 29.354 29.911 30.120 29.354 29.311 29.669 29.913	47.5 31.5 27.0 24.5 30.0 40.0 37.5 22.0 12.5 23.5 30.5 41.0 19.5 13.0 31.5 42.5 33.5 22.0 19.5 19.5 23.5 23.5 23.5 23.5 23.5 23.5 23.5 23	O A O A O A O A 2:30 P 10 P 3 P 10:30 A 10:30 A 10:30 A 10:30 A 3:30 P 3:30 P 3:30 P 4 P 3 P 4 P 1 P 2:30 P 7 P 3 A O A 2 P 4 P	31.5 19.5 16.5 9.5 11.5 12.5 12.5 13.0 9.5 13.0 -16.0 -0.5 22.0 -4.0 -4.0 -2.0 21.5 17.5 29.5 10.0 7.5	12 P 12 P 8:30 A 7:30 A 9 A 12 P 4:30 A 12 P 8 A 10 P 12 P 9 A 8 A 12 P 9 A 12 P 12 P 12 P 12 P 12 P 12 P 12 P 12 P	39.5 25.5 21.7 17.0 20.7 29.3 26.0 19.3 22.7 25.7 15.7 13.3 2.7 3.7 15.0 33.0 29.3 7.0 7.7 4.3 17.7 27.3 24.5 36.0 32.0 32.7 37.0	40.7 24.2 21.1 15.7 21.8 30.9 27.6 18.2 22.2 26.9 17.3 16.6 1.8 1.3 16.5 29.9 30.5 9.1 10.0 31.1 20.7 27.5 26.5 31.5 31.5 21.9 21.9 21.9	38.7 22.7 19.0 11.5 18.7 28.3 24.3 16.0 21.3 25.3 12.5 12.7 -3.0 -3.3 12.5 27.0 29.5 4.3 8.3 -11.7 19.3 29.3 21.7 36.5 29.3	0. 0. 5. 9. 4. 3. 2. 6. 4. 8. 4. 0. 7. 7. 6. 3. 0. 9. 9. 8. 8. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.

	H	lumidity	7.		1	Wind.			I	recipita	tion.	
	w	por.	.y.	g .	t .	m are Ft	r		ρċ		Tota	alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6	36.5 20.5 16.0 7.5	.251 .128 .110	85.0 90.0 86.0 78.0	N.W. N.W. W.N.W. W.S.W.	169 230 280 223	4·5 3·5 5 5 2·5	30 26 33 22	4 P 5 P 4 P 1 P	0 A 7 A 0 A	5 A 12 P 5 P	.04	3 1 1 1 1
5 6 7 8	14.0 25.5 21.0	.118 .171 .147	76.0 87.5 84.0	S.S.W. W.	86 75 309	2.0 1.0 14.5	20 14 54	3 P 3 P 3 P	8 P		Т	
9	10 0 19.0 23.5	.101	70.0 8 6.5 88 o	W. E.S.E. W.	233 189 235	0.5 6.5	47 10 36	5 A 1 A 9 A	8 P 0 A	12 P 5 A	.06	1 1/2
11	8.0 12.0 10.0	.086 .088 .083	75.5 81.0 86.0	W.S.W. N.N.W. N.	140 92 350	2.0 1.5 5.0	20 17 32	4 A 11 P 7 P	2 P 0 A 0 A	12 P 12 P 7 P	.48 .79 .83	$\frac{2\frac{3}{4}}{4\frac{1}{4}}$
13 14 15	-20 5 -34.5	.043	38.5 38.5	N. N.N.E.	² 35 38	5.0	32	10 A	O A	/ F		
17	8.5 26.0	.098	82 5 44.5	S E. S.S.W. N.W.	44 37	0.5	10 - 28	5 P	9 P	12 P	.08 T	T 1/2
18 19 20	27.5 -5 5 3.0 -6.5	.172 .059 .072	87.5 58.5 76.0	N.W. S.W. W.	44 420 138 133	4.0 13.0 .4.0 4.0	51 28 28	12 P 4 P 4 P 6 A	2 P	9 P	.19	2
22 23 24		.124 .143 .128	76.0 88.0 80 0	S.S.W. W. N.	178 70 120	3.5 1.0 1.0	26 14 14	12 M 3 P 12 P	12 M 12 M	3 P 12 P	.21	Т
25 26 27	35 5 28 0 11.5	.221 .173 .089	95.5 89.5 86.5	N. N.W. W.N.W.	218 224 384	2.5 3.0 10.5	22 24 46	4 A 6 P 12 P	0 A 0 A 6 P	12 P 1 P	1.14 ·74 T	T T
28 29	10.5	.075	93.0 84.0	W.N.W. N.W.	519	3.0	57 24	3 A 4 P				

^{*}Rain or melted snow at base of tower. *Included in following day.

During February the weather was cold and wintry without exception. The highest temperature was recorded at the beginning of the first day of the month, and zero temperature was reached on several dates. Following the high temperature which prevailed during the last part of January, the low temperature of the month was especially noticeable. The precipitation was large, especially the snowfall, and sleighing was continuous after the first day. The snow storm of the 11th—13th was one of the heaviest in recent years here.

An examination of the records of the several weather elements shows the following as the most important features. The mean barometer was nearly normal and the range unusually large, owing to the very low minimum record. Owing to the breaking of the Draper barometer, the maximum and minimum pressures, after the 11th, were taken from a barograph, and are not as precise as the Draper records. The marked barometric activity resulted in a total wind movement considerably more than the normal.

The mean temperature was nearly four degrees lower than the normal and more than seven degrees lower than the mean of the preceding month. The minimum temperature was about eight degrees lower than the normal value for this feature and gave a large range for the month.

The mean dew point was about four degrees below the normal and the relative humidity slightly higher than usual.

The total precipitation was two inches more than the normal, and was well distributed throughout the month. The amount of cloudiness was considerably more than usual.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.12, 2d, 3 A	Total movement 5556 m
Minimum reduced to freezing, 28.87, 8th, 12 P	Greatest daily movement 461m, 16th
Reduced† maximum reading, 30.44, 2d, 3 A	Least daily movement 18m, 27th
Reduced† minimum reading, 29.19, 8th, 12 P	Mean daily movement 147 m
Mean semi-daily reduced 29.955	Mean hourly velocity 6.1 m
Monthly range 1.25	Maximum pressure per square foot, to.o lbs =
	45 m per hour, 9th, 12 M, W.
	Maximum velocity for 5 minutes, 30m per
*Air Temperature. In Degrees Fahr.	hour, 9th, 13P, W.
•	Prevailing direction, West.
Highest 66.0, 31st, 3:30 P	Summary.
Lowest o.o, 11th, 11 P	North Northwest
Mean hourly	11.01.11
Mean of means of max. and min 26.8	West "" "
Mean sensible (wet bulb)	1. Contineast
Highest mean daily 49.0, 30th	South Southwest
Lowest mean daily 10.0 17th	
Mean maximum	Other directions
Mean minimum	
Mean daily range 19.8	
Greatest daily range 43.5, 26th	weather.
Least daily range 8.o, 9th	Mean cloudiness observed 43 per cent
	Total cloudiness recorded by the Sun
	Thermometer 154 hours = 42 per cent
	Number of clear days
Humidity.	Number of fair days 8 Number of cloudy days 8
Mean dew point 22.4	Number of cloudy days
Mean force of vapor	
Mean relative humidity 86.8	Bright Sunshine.
	Number hours recorded, 217 hrs, $= 58$ per cent
	Rain, 5th, 6th, 7th.
	Snow, 2d. 5th, 6th, 7th, 8th, 9th, 10th, 13th- 14th, 15th, 19th, 21st, 22d.
Precipitation. In inches.	Days of Sleighing, 29.
Total precipitation 3.97	Gales, 35 or more miles per hour: 39m. 1st,
Number of days on which .or inch or more	N.N.W.; 40m, 4th, W.N.W.; 38m, 5th, W.N.W.; 45m, 6th, W.; 35m, 10th, S.S.W.;
rain fell	1 35111, 13611, 11.21.11.11., 30111, 10611. 21.11 3/111,
Total snow in inches	23d, W.
 Temperature in ground shelter. 	

	Barome S	ter Red ea Leve	1.		Ter	nperatur	e. Grour	nd Shelt	er.		Hours of Sunshine.
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou Bright Sun
1 2 3 3 4 4 5 6 6 7 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 1 22 3 24 25 36 6 27 28	30.21 30.13 30.14 30.04	29.97 30.04 30.04 29.71 29.65 30.19 29.57 29.19 29.56 29.86 29.92 29.87 29.86 30.07 29.45 30.05 29.45 30.03 30.04 30.00 29.88	30.275 30.119 30 067 29.929 29 960 30.285 29.607 29.391 29.701 30.064 30.091 29.641 29.974 29.949 30.156 29.979 29.823 29.687 29.918 30.090 30.070 29.946	28.5 24.0 29.5 26.0 25.0 21.0 27.0 31.0 26.5 34.0 39.0 39.0 24.5 20.0 22.0 27.0 36.5 38.0 39.0 30.0 27.0 36.5 38.0 27.0 36.5 38.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 27.0 27.0 36.5 38.0 27.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 27.0 36.5 38.0 27.0 36.5 38.0 27.0 36.5 38.0 27.0 36.5 38.0 27.0 36.5 38.0 36.5 38.0 36.5 38.0 40.0 55.0 65.0	5 P 4 P 3:30 P 2 P 1 P 10:30 A 1 P 0 A 8 A 11 A 1 P 8 A 4 P 1 P 0 A 7:30 A 1:30 P 4:30 P 2:30 P 2:30 P 2:30 P 2:30 P 4 P 4:30 P 2:30 P 2:30 P 4 P 4:30 P 2:30 P	11.0 14.0 18.5 12.0 6.0 17.5 18.5 19.0 0.0 3.5 27.5 25.5 15.0 7.0 1.5 2.5 16.0 12.5 16.0 12.5 16.0 12.5 16.0 16.0 17.5 16.0 17.5 16.0 17.5 16.0 17.5 16.0 17.5 16.0 17.5 17.0	6:30 A 9 A 5 A 10 P 12 P 4 A 0 A 11 P 0 A 12 P 5 A 0 A 12 P 4 A 0 A 6 A 7 A 6 A 7 A 4:30 A	19 7 19.0 24.0 19 3 18.5 24.7 23.0 24.0 13.3 18.7 33.3 31.7 10.7 12.3 22.5 22.5 25.3 25.5 26.0 39.3 46.7 40.7	19.8 19.8 22.5 19.9 17.6 17.0 27.5 22.2 23.7 18.2 28.3 33.0 21.0	17.3 18.7 19.7 16.3 14.3 18.0 28.0 23.3 22.0 31.3 31.7 28.5 15.7 8.7 11.0 17.0 19.5 25.7 20.5 25.0 35.7 40.3 40.3 40.3	9.6 0.7 9.4 9.8 8.3 6.0 0.4 0.0 6.5 2.7 3.6 0.9 10.5 8.8 9.5 9.6 7.4 0.0 10.7 8.5 10.7 8.5 8.9 9.4
29 30 31	30.11	29.98 30.01	30.036	64 0 66.0	3:30 P	40 0 35·5	3 A 5 A	$-\frac{52.0}{50.7}$	49.0 48.4	43·7 44·3	8.9 10.8

	ŀ	lumidity	7.	Wind.						Precipitation.				
	Dew	por.	у.	; ad	l t	m ire Ft			ż		Tota Incl	al in hes.		
Day.	Mean De Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.		
1 2 3 4	13.5 17.5 16.5 13.0	.103 .108 .114 .098	80-5 92.0 83.0 80.0	E. N.N.W. N.N.W. W.N.W.	108 84 174 398	7·5 1.0 3·5 8.0	39 14 26 40	10 A 2 P 10 A 2 P	I A	10 A	.08	2		
5 6 7 8	10 0 16.0 27.0	.065 .104 .156	78.0 88.5 94.5	W. S.S.W. N.N.W.	215 92 100	7.0 1.5 2.0	38 17 20	4 P 4 P 4 A	11 A 3 P 0 A	12 P 12 P	.76 .08	T 1 4		
9	22.0 20.5 21.5	.134 .124 .129	84.5 92.5 90.0	N. W. S.S.W.	199 379 294	5.0 10.0 6.0	32 45 35	5 P 12 M 12 M	0 A 0 A 3 A	7 P 7 P 10 A	1.08 .17 .09	2 1 1 2 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1		
11 12 13	17.0 29.5 30.5	.103 .180 .183	91.0 92.5 92.5	W.N.W. W. W.	142 75 294	4.0 2.0 6.0	28 20 35	9 A 11 P 10 A	2 A	8 a	.38	5.1		
14 15 16	26.5 15.0 12.0	.163 .09 5 .099	89.5 90.5 81.0	N.N.W. N. W.	354 461	0.0 3.5 7 0	26 38	2 A 4 P	5 P 0 A	12 P 11 P	.48	3 4½		
17 18 19	7.0 8. 5 15.0	.068 .076 .103	92.0 85.0 91.0	W.N.W. W. W.N.W.	266 108 156	5.5 0.5 2.5	33 10 22	10 A 10 A 12 M	0 A	4 A	.04	4		
20 21 22	17 0 23.5 19 5	.113	85.5 88.5 95.5	W.S.W. S.S.W. N.W.	218 107 106	2.0 1.0 2.0	20 14 20	9 A 10 A 11 P	0 A 8 A	11 A 10 P	.15	1 1 3		
23 24 25 26	18.5 22.5 34.0	.139 .146 .226 .285	83.5 87.5 86.0 86.5	W.N.W. W.S.W. N.E. N.	375 200 99	7.0 3.0 4.5	37 24 30	IOA IIA IP SP						
27 28 29	39.0 37.5 37.0 36.0	.274	84.0 81.0 80.5	S. E.S.E. N.E.	18 40	0.0	10	6 P						
30	40 5 41.5	.313	82.0 81.0	N.E. N.	74	4.5	30 14	2 P 8 A						

The weather during March was in many respects the most wintry of the season. The snowfall was exceptionally large and traffic was blocked to a considerable extent. The temperature was much below the normal, in fact, the mean for the month was about average midwinter temperature. The total snowfall for the season was 56 inches—an unusually large amount. Shortly after the equinoctial date the weather turned warmer and by the end of the month nearly all the snow in this vicinity had disappeared without causing extremely high water. The total number of days of sleighing during the winter was about one hundred.

The mean barometer was comparatively low, and was smaller than usual. The maximum and minimum barometer up to the 25th are taken from barograph readings, after that the Draper barometer records are used.

The total wind movement was slightly below the normal although several high daily records were made. No extremely high velocities were recorded on the pressure chart. Up to the last week nearly all the wind was from the westerly points of the compass.

The mean hourly temperature was more than seven degrees below the normal, making it the coldest March since this station was established. Other low March records taken from Professor Snell's records at Amherst College are, 1888, 26.8; 1887, 26.4; 1863, 26.1; 1856, 25.9; 1843, 24.5. These however are taken from maximum and minimum daily readings. The range of temperature was unusually large owing to the high temperature at the close of the month.

The mean dewpoint was low owing to the low temperature of the month.

The total precipitation was nearly normal and nearly all of it occurred as snow. The snowfall of 22 inches was the largest of any month of the winter. The amount of sunshine was considerably more than the normal.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Wind.
Total movement
Prevailing direction, West.
Summary. Northeast
Weather.
Mean cloudiness observed 65 per cent Total cloudiness recorded by the Sun Thermometer
Number of fair days 8
Number of cloudy days
Bright Sunshine. Number hours recorded, 123 hrs, = 31 per cent Rain, 1st, 4th, 6th, 12th, 13th, 14th, 17th, 21st, 22d, 23d, 24th, 26th, 27th, 28th.
220. 230. 24111. 20111. 27111. 2510.
Suow, 4th, 6th, 8th, 9th, 14th. Hail, 9th. Frosts, after the 15th—28th.

Barome	ter Red ea Leve	1.		Ten	nperatur	e. Grour	nd Shelte	er.		Hours of Sunshine
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou
1 30.13 30.09 3 30.24 4 30.23 30.04 7 30.11 8 30.08 9 29.64 10 30.12 11 30.24 12 30.06 14 29.87 15 30.17 16 30.27 17 30.08 29.87 18 29.87 19 30.10 21 29.97 22 29.84 23 29.70 24 29.92 25 29.89 26 29.94 27 29.99 27 29.99 28 30.05 29 30.09	29.68 29.69 29.73 29.76 29.95 29.98	29.913 29.924 30.208 30.145 29.973 29.982 29.719 29.472 30.010 30.108 29.935 29.9573 30.004 30.181 29.831 29.831 29.881 29.693 29.881 2	65.0 49.0 55.5 37.0 58.5 45.5 43.0 54.0 52.5 39.0 68.5 46.5 61.5 64.0 59.5 48.0 51.5 63.0 54.0 54.0	1:30 P 5 P 4:30 P 1 A 2 P 3 P 3 P 3:30 P 3 P 4:30 P 6 A 4:30 P 5:30 P 4 P 4 P 1 P 0 P 1 P 1 P 0 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1	36.0 35.5 28.5 32.5 29.5 32.5 29.5 29.5 35.5 30.0 38.5 36.0 38.5 39.0 41.0 35.0 37.5 39.0 41.0	6:30 A 12 P 6:30 A 0 A 3:30 A 12 P 5 A 6 A 5:30 A 8 A 6 A 12 P 0 A 5:30 A 4 A 5:30 A 6 A 12 P 4 A 3 A 6 A 12 P 4 A 3 A 6 A 6 A 12 P	50.5 42.3 41.7 35.3 44.0 38.5 35.7 33.3 39.7 44.3 46.7 43.7 50.0 54.3 48.7 51.0 52.0 44.7 46.3 49.0 46.7 46.5 52.0	48.7 43.8 39.9 34.0 42.4 42.2 37.1 34.1 32.5 39.3 45.1 43.1 50.2 48.5 42.8 47.2 49.8 50.2 44.4 41.3 45.0 48.2 46.0 48.2 46.0	43.7 40.0 33.0 32.3 38.7 39.0 31.3 35.7 40.0 40.3 34.0 40.3 46.5 46.5	6.6.4.1.1 8.7.7.0.0.0 8.6.3.6.0.0.0.0.1 9.2.2.0.1 10.8.1 10.0.0.0.0.0.0.0 10.0.0.0.0.0.0 10.0.0.0.

	ŀ	lumidity	<i>i</i> .		,	Wind.				Precipit	ation.	
	ew	por.	ty.	ng.	. nt	nm e are Ft	je.		ng.			al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum , Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3	39 5 36.5 26.5	.313 .274 .218	80·5 79.0 67.0	S. W.N.W. W.S.W.	138 264 85	5.0 6 o 2.0	32 35 20	8 P 3 P 7 P	11 P		Т	
2 3 4 5 6 7 8	30 0 35.0	.193 .258	85.0 82.0	E. N.W.	106 158	1.0 3.0	14 24	12 P 2 P	2 A	3 P	.11	T
6	33.5 29.0	.271 .186	78.0 75.5	S.W. W.	115	3.5 7.5	26 39	6 Р 2 Р	8 P	11 P	.06	T
	29.0	.185	85.0	E.	168	2.0	20	5 P	8 P	12 P	.24	2 ,
9	30.0 31.5	.180 .236	92 5 75.0	N.N.W. W.	228 204	8.0 4.5	40 30	1 P 4 P	0 A	10 1,	.27	$2\frac{3}{4}$
II	32 0 38.0	.309	59·5 83 5	S S.W. W.	285	5.0 6.0	32 35	5 P	1 A		.04	
12	38.5	.277 .264	88 0	W.	245 55	1.5	35	4 P	HA	7 A 7 P	.03	
14	33.0	.202	93.0	N.	67	3.0	24	11 b	6 A	11 P	.76	T
15	34.0 45.0	.279 .333	69.5 90.0	N.N.W. S.W.	424 78	18.5	61	10 A 6 P				
	45.5	.336	91.5	W.	165	1.5	17	11 A	II A	9 P	.06	
17	37.5	.276	79-5	W.	282	9.0	43	2 P				
19	37.5 42.5	.322 .328	700 860	N.W. W.S.W.	369 38	7 5 1.5	39	1 P 5 P				
21	43.5	.340	830	N.W.	69	0.5	10	4 P	5 A	9 A	.03	
22	37 0	.289	75.0	N.E.	89	0.1	14	10 A	6 A	12 P	.20	
23	38.5	.263	90.0 86 5	N.E. N.N.E.	128	2.5	22	2 P 2 P	0 A 8 A	H P	1.29	
24 25	41.0	.295	82.0	N.E.	67	2.5	22	4 P	OA	IIA	.07	
26	41.5	.309	84.0	\mathbf{E}_{\cdot}	87	0.5	10	2 P	8 A	9 A	Т	
27	43.0	.353	79.5	N.E. N.E.	92	1.5	17	2 P	II P	12 P	T	
28 29	34·5 47·0	.240	85.0 79.0	N.E.	149 87	2 5 2.5	22	10 A 11 A	0 A	9 P	· 5 3	
30	48.5	.419	82 0	E	95	2.5	22	2 P				

The weather during the month was considerably colder than usual, following the wintry conditions that prevailed in March. Much cloudiness, a considerable snowstorm, and a rather large precipitation, all tended to retard the season's progress, so that at the close of the month the seasonal advancement was about two weeks behind normal conditions. The mean hourly temperature was above fifty degrees on only four days of the month.

Comparing the records of the several weather elements with the normals at this station, tha following features are noted: The mean barometer was unusually low and the range considerably less than usual. The small fluctuations in pressure resulted in a total wind movement about ten per cent less than the normal. The wind directions were more variable than usual.

The mean temperature was more than two degrees below the normal and the monthly range the smallest for April since this station was established. The minimum temperature was more than six degrees higher than the normal for this feature. Only a trace of frost was noted after the middle of the month.

The mean dewpoint and relative humidity were both unusually high, owing to the many days on which precipitation occurred.

The total precipitation was about twenty per cent more than normal and included a snowstorm of nearly five inches.

The amount of sunshine was nearly one hundred hours less than usual.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

Meteorological Observations

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

† Reduced to freezing and sea-level.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W.

Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches. Maximum reduced to freezing, 30.02, 14th, 8 A Minimum reduced to freezing, 28.92, 17th, 3 P Reduced† maximum reading, 30.32, 14th, 8 A Reduced† minimum reading, 29.22, 17th, 3 P Mean semi-daily reduced 29.997 Monthly range 1.10 *Air Temperature. In Degrees Fahr. Highest 81.5, 29th, 2:30 P Lowest 36.0, 10th, 4:30 A Mean hourly 55.9 Mean of means of max, and min. 56.2 Mean sensible (wet bulb) 50.4 Monthly range 45.5 Highest mean daily 46.8 18th, 23d Mean maximum 66.7, 29th Lowest mean daily 46.8 18th, 23d Mean minimum 45.7 Mean minimum 45.7 Mean minimum 45.7 Mean daily range 21.0 Greatest daily range 5.0, 23d deast daily range 5.0, 23d deast daily range 5.0, 23d deast daily range 5.0, 23d	Least daily movement
### Humidity. Mean dew point	Rain, 2d, 4th, 6th, 7th, 8th, 15th, 16th, 17th, 23d, 24th, 27th, 28th, 26th, 30th. Thunder and Lightning, 4th. 8th, 28th, 30th. Frosts, 19th. Gales, 35 or more miles per hour: 35m, 2d, N.: 47m, 8th, S.S.W.: 40m, 9th, W.S.W.: 61m, 11th, W.: 62m, 12th, W.N.W.: 42m,
* Temperature in ground shelter.	

	Barome S	ter Red ea Leve			Te	mperatu	re. Grou	nd Shelt	er.		Hours of Sunshine,
Day.	Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou Bright Sun
1 2 3 4 4 5 5 6 6 7 7 8 8 9 100 11 1 12 13 14 15 16 17 18 19 200 21 1 2 2 2 2 3 2 4 4 2 5 5 2 6 6 2 7 7 2 8 8	29 85 29 95 30.08	29.89 29.84 29.69 29.80 29.74 29.65 29.51 29.55 29.48 29.76 30.21 30.10 29.74 29.22 29.48 29.84 29.98 30.01 30.13 30.06 29.85 29.62 29.71 29.83	30 008 29.934 29.885 29.895 29.816 29.751 29.778 29.731 29.888 29.585 30.216 30	69.5 66.5 62.5 66.5 74.5 64.0 74.0 57.5 74.5 60.0 67.0 51.5 54.5 51.5 63.5 64.0 76.0 76.0 76.0 76.0 76.0	3 P 3 P 1:30 P 4 P 5 P 4:30 P 2:30 P 3:30 P 3:30 P 3:30 P 2 P 3:30 P 2 P 3:30 P 2 P 3:30 P 2 P 3:30 P 2 P 3:30 P 4:30 P 2 P 3:30 P	39.5 44.0 39.0 40.5 51.0 51.0 42.0 51.0 42.0 50.0 45.0 45.0 41.5 37.0 46.0 41.5 37.0 46.0 41.5 37.0 41.5 37.0 41.5 37.0 41.5 37.0 41.5 42.0 41.0 41.0 41.0 41.0 41.0 41.0 41.0 41	6 A 4 A 4 A 12 P 4:30 A 7 A A 5:30 A A 10:30 P 12 P 4:30 A 12 P 4:30 A 12 P 4 A A 12 P 5 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A	54.5 55.3 50.7 56.3 62.7 57.5 61.5 50.7 57.5 62.3 52.5 54.3 50.7 49.5 49.5 49.5 49.5 57.7 66.0 63.3 59.5	53.3 54.3 52.0 55.3.1 60.3 56.5 52.1 64.9 51.9 53.6 49.1 48.3 46.9 53.5 59.8 53.5 65.8 65.9 65.8 65.9	46.3 48.7 47.3 49.5 50.0 54.3 51.3 46.3 45.7 45.3 59.5 44.3 40.7 46.3 40.7 40.3 40.7 50.0 51.3 40.3 40.3 40.3 40.3 40.3 40.3 40.3 40	7.3 6.6 0.7 9.1 3.2 7.9 0.1 5.9 4.0 0.8 9.8 9.8 9.9 11.1 5.0 0.0 0.0 1.2 10.4 7.9 11.7 8.6 0.7 6 11.6 12.1 7.9
29 30 31	29.88 29.77	29.77 29.50 29.62	29.845 29.650 29.863	81.5 70.5 71.0	2:30 P 4:30 P 4 P	55 0 58 5 52.5	2 A 12 P 12 P	68.3 64.5 61.7	67.4 63.9 60.8	60 3 59.7 54.5	7.9 0.5 12.1

	F	Iumidity	,.		1	Wind.				Precipit	ation.	
	e w	tpor.	e ty.	ng on.	ent .	um e are Ft	er		ng.		Tot Inc	al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning,	Ending.	Kain.**	Snow.
Red 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	41.5 46.0 44.0 47.5 552.0 47.5 47.5 39.5 40.5 53.0 39.5 40.0 44.0 34.0 34.5 47.5 47.5 47.5	-374 -392 -380 -402 -439 -478 -453 -461 -407 -371 -680 -345 -444 -359 -336 -345 -310 -392 -407 -527 -425 -331 -544	69.5 80.0 75.0 75.0 71.0 83.5 72.0 70.0 56.5 61.0 61.0 71.5 83.5 62.0 74.0 61.5 76.5 88.5 76.5	S.S.W. W. W.N.W. W.S.W. W.N.W. S.S.W. S.S.W. W.N.W. S.S.W. W.N.W. N.W.	147 184 101 180 51 132 123 188 219 449 446 165 227 265 113 64 45 227 265 131 141 187	2.5 6 0 1.5 3.0 2.0 2.0 2.0 11.0 5.5 18.5 19.0 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0	22 35 17 24 10 20 20 47 40 33 61 62 20 10 10 10 10 20 20 47 40 33 20 20 47 10 20 20 20 47 10 20 20 20 20 20 20 20 20 20 20 20 20 20	4 P 11 A 8 P 1 P 6 P 12 M 2 P 2 P 6 A 3 P 1 A 4 P 10 P 11 P 4 P 10 P 11 P 4 P 10 A 3 P 10 P 11 P 10 A 10 A 1	8 A 1 A 0 A 8 A 0 A 1 A 0 A	6 A 7 A 12 P 7 P 12 P 12 P 3 P	T .04 .22 .19 .12 .23 .96 .73	Sus
25 26 27 28 29 30 31	57.5 54.0 53.0 54.0 57.0 58.5 50.5	.618 .570 .532 .465 .622 .565	77.5 73.0 76.5 88.5 75.0 84.5 71.5	W. N. E. S. S.W. S.S.W. N.N.W.	229 145 114 75 50 188 278	6.0 3.0 1.5 0.0 0.0 2.0 3.5	35 24 17 — 20 26	4 P 10 A 6 P — 3 P 8 P	3 P 1 A 0 A 1 A	12 P 7 A 7 P	T .06 .03 .09	

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during the month was considerably cooler than usual and the backward condition of the season which was noted at the beginning of the month was not materially changed. Deficiency in sunshine, combined with relatively low temperatures, materially retarded the season's progress.

The records of the various weather elements show the following features of interest: The mean barometer was the lowest for fifteen years and the range more than twenty per cent greater than usual. Notwithstanding the rather large fluctuations in pressure the total wind movement was only about the normal amount. Winds from the southwest quadrant predominated.

The mean hourly temperature was slightly below the normal. The range of temperature was unusually small, due to a low maximum and a high minimum. The maximum reading was more than five degrees lower than usual and the minimum was a like amount higher than usual. Owing to the high minimum records there was no frost excepting on a single date and that was scarcely more than a trace.

The mean dew point was slightly lower than usual, while the relative humidity was nearly normal.

The total precipitation was about half an inch less than the normal. There was one heavy rainfall about the middle of the month, when sixty per cent of the total for the month was recorded.

The amount of bright sunshine was about eighty per cent of the normal.

J. E. OSTRANDER, Meteorologist.

DAVID POTTER, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	
	Wind.
Maximum reduced to freezing, 29.83, 16th, 11 A	10tal movement
Minimum reduced to freezing, 29.31, 3d, 12 P	Greatest daily movement 229m, 22d
Reduced† maximum reading, 30.13, 16th, 11 A	Least daily movement 23m, 16th
Reduced minimum reading, 29.61, 3d, 12 P	Mean daily movement 108 m
Mean semi-daily reduced 29.945	Mean hourly velocity 4.5 m
Monthly range	Maximum pressure per square foot, 7.0 lbs =
	37 m per hour, 22d, 11 A, N.W.
	Maximum velocity for 5 minutes, 24m per
	hour, 22d, 12 M, N.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, Northeast.
Highest 84.0, 28th, 3 P	
Lowest 40.0, 2d, 4:30 A	Summary.
Mean hourly	North Northwest
Mean of means of max, and min 61.3	North Northeast
Mean sensible (wet bulb) 57.0	
Monthly range 410	Northeast
Highest mean daily 72.0, 28th	West Northwest
Lowest mean daily	Other directions
Mean maximum 71.3	Weather.
Mean minimum 51.2	
Mean daily range 20.1	Mean cloudiness observed 62 per cent
Greatest daily range 40.5, 2d	Total cloudiness recorded by the Sun
Least daily range 5.0, 9th	Thermometer 301 hours = 66 per cent
, , ,	Number of clear days 4
	Number of fair days
	Number of cloudy days
Humidity.	
Mean dew point 53.3	Bright Sunshine.
Mean force of vapor	Number hours recorded, 156 hrs, = 34 per cent
Mean relative humidity	Rain, 3d, 5th, 7th, 8th, 9th, 11th, 12th, 13th, 16th,
mean relative numbers 1.1.1.1.1.1.73.7	17th, 18th, 19th, 21st, 25th.
	Thunder and Lightning, 1st, 5th, 12th,
	13th, 18th.
	Frosts.
Precipitation. In inches.	Gales, 35 or more miles per hour. 36m, 4th,
Total precipitation 5.34	N.W.; 37m, 22d, N.W.
Number of days on which or inch or more	
rain fell	1
* Temperature in ground shelter.	

Baron	eter Red Sea Leve	1.		Temperature. Ground Shelter.								
Day. Maximun.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine		
1 30.0 2 30.1 29.9 4 29.7 5 29.8 30.0 9 30.1 13 30.0 11 30.0 11 30.0 11 30.0 11 30.0 11 30.0 12 29.9 13 29.9 14 30.0 29.9 21 29.9 22 29.9 22 29.9 22 29.9 22 29.9 22 30.0 27 30.0 28 29.9 30.0 30 30.0 30.0	3 30.01 29.92 4 29.61 1 29.93 5 29.81 5 29.92 7 29.94 3 30.05 9 30.05 9 30.05 9 30.05 9 29.83 3 30.02 29.83 3 30.02 29.83 3 30.02 29.83 3 29.83 3 29.83 3 29.83 29.93 29	30.057 30.013 29.748 29.701 29.773 30.023 30.101 30.079 30.003 29.964 29.965 30.071 30.070 29.862 29.830 29.918 29.915 29.918 29.938 29.938 29.959 30.013 30.012 29.973 30.012	76.0 80.5 67.0 72.0 76.0 67.0 60.0 74.5 54.0 67.0 63.0 67.0 67.0 67.0 67.0 67.0 67.0 67.0 67	4:30 P 3:30 P 1 P 3 P 11 A 2:30 P 2:30 P 1:30 P 4:30 P 4:30 P 4:30 P 1:30 P	41.5 40.0 51.5 50.5 50.0 51.5 54.5 54.5 50.0 52.0 52.0 60.0 51.5 52.0 60.0 51.5 50.0 52.0 52.0 53.0 53.0 53.0 53.0 53.0 53.0 53.0 53	5 A 4:30 A 4:30 A 5:30 A 5:30 A 5 A 6 A 6 A 7 5 A 6 A 7 1 A	58.7 60.3 59.3 61.3 61.3 62.0 59.3 57.3 52.0 50.3 64.7 64.3 63.0 58.5 58.5 64.0 68.5 57.5 61.0 69.5 74.5 65.5	60 2 63 0 58.1 61.5 57.5 60.5 56 7 50.6 49.8 62.6 63.7 63.0 57.3 57.6 60.4 57.6 62.7 60.4 57.6 62.7 63.0 61.9 60.4 62.7 64.5 68.5 72.0 66.7 66.7	51-7 53-5 54-0 55-3 57-0 56-0 54-5 49-3 58-5 58-3 57-7 58-5 58-3 57-7 59-7 59-7 63-0 63-0 59-7 63-0 59-7 58-7	13.5 13.6 0.0 11.7 3.5 7.3 0.8 0.0 0.0 0.0 0.0 0.0 4.7 2.2 4.3 7.1 8.3 8.0 9.2 0.0 12.8 6.3 7.5 14.5		

	Н	Iumidity	,. I		Precipitation.							
	we	por.	.y.	n. 39	Ħ.	m are Ft	i.		ρŗ		Total in Inches.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning,	Ending.	Rain.**	Snow.
1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 5 26 7 28	45.0 44.0 50.5 55.0 55.0 51.5 53.5 47.0 56.0 55.0 55.0 57.0 51.0 51.0 52.5 53.0 51.0 51.0 51.0 51.0 51.0 51.0 51.0 51	.511 .586 .490 .593 .552 .526 .537 .455 .565 .485 .484 .593 .602 .586 .533 .498 .528 .578 .612 .597 .699	58.5 49.5 75.0 58.0 58.0 59.5 73.0 89.5 86.0 84.0 77.5 5 77.5 88.5 70.5 78.0 68.0 68.0 77.0 87.0 87.0 87.0 82.5	N.N.W. S. S. W.N.W. N.E. E. E. N.E. N.E. N.E. S.S.E. S.S.E. S.S.E. S.S.E. S.S.E. S.S.E. W.N.W. N.W. N.N.W. S.S.W. W.S.W. W.N.W.	126 43 127 165 87 84 133 126 139 142 23 41 75 51 138 92 201 77 29 150 68 229 137 64 97 63 167 105	4.0 3.0 3.5 6.5 5.0 2.0 3.0 1.5 0.5 1.5 0.5 1.0 2.5 1.0 2.5 1.0 2.5 1.0 2.5 1.0 2.5 1.0 2.5 1.0 2.5 1.0 2.0 1.5 1.0 1.5 1.0 1.5 1.0 1.5 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	28 24 26 36 32 20 24 17 17 10 14 30 22 10 22 14 17 20 22 14 17 20 21 14 17 20 21 14 17 20 16 17 17 17 17 20 17 17 17 17 17 17 17 17 17 17 17 17 17	8 A 6 P 12 M 10 A 12 M 12 P 4 P 6 P 11 A 1 P 7 P 12 M 2 P 14 P 7 P 15 P 16 P 17 P 17 P 18 M 18 P 7 P 18 M 18 P 7 P 18 M 18 P 7 P 18 M 18 M	1 P 11 A 8 P 8 P 0 A 1 P 2 P 2 P 5 A 0 A 3 P 10 A 4 P	12 P 7 P 11 P 12 P 3 P 7 P 9 P	.36 .60 .08 .07 .20 .40 .50 .50 .50 .30 1.16 T .37 .15	
29 30	55.0 52.0	.674 .708	63.5 55.5	N.N.W.	131	3.5	26	5 P				

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during June was unusually cold and stormy, especially the first half of the month. The backward condition of vegetation which existed at the beginning of the month was not materially changed during the month owing to the adverse features which existed. On only a few days was really warm weather recorded.

A comparison of the records of the several weather elements with the normals shows the following features of interest: The mean barometer was practically normal while the range of pressure was only about two-thirds of the usual amount. Owing to the small fluctuations of pressure the total wind movement was comparatively small. The prevailing wind direction in the Northeast was a very unusual feature for this locality.

The mean hourly temperature was about five degrees below the normal and the lowest since 1903. The maximum temperature was more than seven degrees lower than usual and the lowest June record for that feature since this station was established. The minimum temperature was practically normal.

The mean dew point was more than three degrees lower than usual and the relative humidity was more than three per cent higher owing to the large amount of wet weather.

The total precipitation was more than two inches above the normal, making it the wettest June since 1904.

Several heavy thunderstorms occurred during the first half of the month. There was about one hundred hours of cloudiness more than usual.

J. E. OSTRANDER, Meteorologist.

J. S. SIMS, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 29,22, 3d, 3 P Reduced† maximum reading, 30,35, 15th, 9 A Reduced† minimum reading, 29,51, 3d, 3 P Mean semi-daily reduced 29,984 Monthly range 0.84	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, South Southwest.
Monthly range 47° Highest mean daily ,78.8, 12th Lowest mean daily ,61.4 Mean maximum 82.9	Summary. South Southwest
Mean minimum 62.4	Weather.
Mean daily range	$ \begin{aligned} & \text{Mean cloudiness observed} & \dots & 57 \text{ per cent} \\ & \text{Total cloudiness recorded by the Sun} \\ & \text{Thermometer} & \dots & 278 \text{ hours} == 60 \text{ per cent} \\ & \text{Number of clear days} & \dots & \dots & 1 \\ & \text{Number of fair days} & \dots & 18 \\ & \text{Number of cloudy days} & \dots & 12 \end{aligned} $
Humidity.	
Mean dew point 61.9 Mean force of vapor 0.760 Mean relative humidity 81.8	Bright Sunshine. Number hours recorded, 184 hrs, = 40 per cent Rain, 2d, 3d, 4th, 8th, 9th, 10th, 13th, 17th, 20th, 21st, 22d, 23d, 25th, 26th, 27th, 28th, 31st.
Precipitation. In inches.	Thunder and Lightning, 2d, 9th, 17th,
Total precipitation	21st, 22d, 31st. Gales, 35 or more miles per hour, 42m, 8th,

	Barome S	ter Red ea Leve	1.	Temperature. Ground Shelter.							
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
11 22 33 44 55 66 77 88 99 100 11 11 12 13 14 15 51 160 17 18 19 200 21 12 22 23 24 25 26 27 28 8 29 30 31	29.83 30.09 30.12 30.02 29.94 30.08 30.10 30.06 29.98 29.96 30.32 30.25 30.25 30.13 30.15 30.15 30.17 80.27 80.27	29.83 29.61 29.57 29.86 29.88 29.82 29.94 30.03 29.93 29.93 29.93 29.96 30.09 29.76 29.57	29 889 29,778 29,577 30,007 30,052 29,985 29,865 30,057 30,067 29,981 30,185 30,290 30,047 30,017 30,131 30,070 29,963 29,963 30,129 30,070 30,129 30,070 30,129 30,070 30,129 30,070 30,129 30,070 30,129 30,076 30,129 30,076	86.0 85.0 79.0 66.5 74.0 86.5 88.5 74.0 89.0 83.5 81.0 80.0 84.0 90.0 83.5 83.0	3:30 P 3:30 P 4:30 P 3:30 P 2:30 P 2:30 P 2:20 P 3:30 P 3:30 P 2:20 P 3:30 P	46.5 56.5 61.5 57.5 57.0 52.0 68.0 68.0 68.0 53.0 68.0 53.0 69.5 66.0 69.5 70.0 69.5 70.0 57.5 59.0	4:30 A 4:30 A 1:2 P 3 A 2: A 5 A 4:30 A 7 A 4:30 A 1:2 P 1:2 P 4:30 A 3:30 A 5 A 4:30 A 1:2 P 1:2 P 0:30 A 1:2 P 1:30 A 1:30 A 1:	66.3 70.7 70.3 62.0 65.5 69.3 72.7 77.0 67.5 70.5 70.5 70.5 70.5 75.7 75.7 70.0 66.5 76.5 76.5 76.5 76.5 76.5 76.5 76.5	67.5 69.9 68.6 61.4 62.7 69.0 75.0 74.6 67.2 67.7 74.0 70.3 66.1 71.3 77.0 76.4 72.8 74.4 72.8 74.3 75.9 76.0 70.0 70.0	65.0 65.5 61.7 57.3 60.3 63.0 70.0 64.0 65.7 72.0 76.0 62.5 60.5 64.5 68.3 71.0 71.3 71.7 71.7 71.7 64.5 66.5	11.0 5.5 3.5 0.0 0.5 11.0 0.5 1.8 0.3 6.6 10.5 7.0 7.6 9.5 9.2 9.3 10.7 7.6 11.7 10.5 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0

	ŀ	lumidity	٧.]	Precipitation.							
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Kain. *	al in hes.
1 2 3 4 5 6 7 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 4 25 26 27 28 30	59 5 61 5 58 5 53 5 57 5 61 5 67 0 63 0 71 0 71 0 71 0 71 0 71 0 65 0 67 0 68 0 67 0 68 0 67 0 68 0 69 0 70 0 68 0 69 0 69 0 69 0 60 0	.829 .783 .655 .562 .707 .865 .636 .687 .836 .986 .853 .665 .675 .727 .770 .893 .861 .794 .874 .865 .857 .857 .857	62 5 71.5 74.0 74.0 91.0 92.0 80.0 92.0 75.0 77.0 84.5 78.0 94.0 87.0 94.0 87.0 95.0 95.0 95.0 95.0 95.0 95.0 95.0 95	N.W. S.S.W. W.N.W. N.N.W. N. W. W.N.W. E.N.E. S. S.S.W. S.W. S. E.N.E. S.S.W. S. S. S. N.N.E. S. S. N.N.E. S. S. S. N.N.E. S.	123 139 118 153 124 68 98 122 78 60 140 162 185 88 74 185 47 185 57 123 78 60 140	5.0 3.5 0.5 1.5 1.0 0.5 9.0 0.5 1.0 1.0 3.0 0.5 1.0 1.0 0.5 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	32 26 10 17 14 14 10 14 24 10 10 10 10 10 11 11 14 14 17 10 11 11 11 11 11 11 11 11 11 11 11 11	12 M 7 P 4 P 1 P 12 M 1 P 2 P 3 P 4 P 2 P 4 P 10 A 6 P 1 P 5 P 4 P 1 P 5 P 1 P 2 P 3 P 4 P 2 P 3 P 4 P 2 P 3 P 4 P 2 P 5 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P 1	9 P O A 7 P 3 A O A I P O A 7 A 7 P S A O A O A	12 P 4 A 12 P 8 P 12 P 6 A 7 P 12 P 10 P 11 P	.46 .38 .04 1.29 .06 .26 .45 .06 .81 1.32 T .61 .56 .16	
31	70.5	.909	82.0	W.	84	3.0	2.4	8 P	4 P	5 P	.02	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during July was marked by an unusually high humidity and large rainfall. The unusually large percentage of wind from the South caused many oppressive, sultry days and frequent rains, some with unusually large precipitation. The total rainfall was more than fifty per cent above the normal. The disagreeable character of the weather was prevalent during the whole month.

The records of the several weather elements show the following features of interest. The mean barometer was practically normal and the range of pressure slightly larger than usual. The total wind movement was considerably less than the normal, and there were no daily records of any considerable size. Only two gales were noted, and both were of moderate intensity and short duration. South or South Southwest wind was recorded more than one-half the days of the month, the remaining days being divided among most of the other directions.

The mean temperature was about one degree above the normal, while the maximum and minimum were near the usual values. The large amount of cloudiness should be considered with the temperature record in judging the general oppressiveness.

The mean dew point was practically normal, while the relative humidity was more than eight points above the normal, showing the highest humidity for July in ten years.

The total precipitation was two and one-half inches more than the normal, and was well distributed throughout the month.

Only one clear day was noted.

J. E. OSTRANDER, Meteorologist.

J. S. SIMS, Observer.

* Temperature in ground shelter.
† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 29.23, 8th, 1 P Reduced† maximum reading, 30.27, 29th, 9 A Reduced† minimum reading, 29.51, 8th, 1 P Mean semi-daily reduced 29.977 Monthly range 0.76	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, South Southwest.
Highest 95.5, 22d, 3:30 P Lowest 45.0, 29th, 2 A Mean hourly .69.5 Mean of means of max, and min. 70.5 Mean sensible (wet bulb) .64.0 Monthly range 50.5 Highest mean daily .79.3, 22d Lowest mean daily .57.7 28th Mean maximum 82 6 Mean minimum 58.3 Mean daily range 24.3	Other directions 28 " "
Greatest daily range 35.0, 21st	Weather.
Least daily range 9.5, 10th	Total cloudiness recorded by the Sun Thermometer 170 hours = 40 per cent Number of clear days 10
Humidity.	Number of fair days
Mean dew point	
	Bright Snushine.
Precipitation. In inches. Total precipitation 2.49 Number of days on which .or inch or more	Gnles, 35 or more miles per hour. 64m, 23d,
rain fell	S.S.W.: 40m, 27th, S.S.W.

	Barome S	ter Red ea Leve	1.		Ten	nperatur	e. Groun	nd Shelte	er.		House of
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	HON
1	30.19	29 88	30.067	82.0	4 P	58.0	12 P	70.0	69.7	61.7	I
2	30.22	30.08	30.161	83.0	3:30 P	51.0	5:30 A	67.0	66 6	600	I
3	30.12	29.95	30.015	80.0	1:30 P	58. 5	5 A	69.3	69.3	64.3	
4	30.11	30.01	30.047	86 5	4:30 P	64.0	4 A	75-3	74.1	69.5	
	30.13	30.00	30.065	83.5	3 P	70.0	6 A	76.7	74.0	70.7	
5	30.13	30 00	30.082	90 0	3 P	71.0	3 A	So.5	77 2	69.5	ĺ
7	30.12	29 75	29.923	91.0	3:30 P	68.0	7 A	79-5	77.2	70.7	
8	29.75	29 51	29 685	93.0	0:30 P	71.5	12 P	82.3	77.2	74.3	
9	30.02	29 62	29.825	78.0	10:30 A	59.5	12 P	68.7	68.8	650	
Ó	30.19	30.02	30.131	68.0	2 P	58.5	5 A	633	63.5	59.0	
	30.21	29.95	30.112	77.0	4 P	59.5	3 A	68.3	66.7	61.5	
2	29 95	29.78	29 840	8 5 .5	2 P	64.0	3 A	747	72.6	68.5	
13	29.83	29.70	29.801	70.5	4 P	52.0	12 P	61.3	61.5	54.3	
14	29.87	29.73	29 819	76.0	3 P	47.0	5 A	61.5	62.3	57 7	I
15	29.94	29.86	29.918	810	4:30 P	49.0	5:30 A	65.0	66.3	61.7	I
16	30.04	29.93	29.983	83 5	2:30 P	540	6 A	68.7	68.4	64 7	
7	30.17	30 04	30.098	88 0	3:30 P	62.5	6 A	753	74.2	65.0	I
8	30.20	30 08	30.147	87 0	4:30 P	57.5	5 A	72.3	72.4	67.5	I
19	30.17	30.07	30 125	90.0	5 P	60.0	5:30 A	75.0	73.2	67.5	1
0	30.10	29.99	30.065	90.5	3:30 1	59.5	6 A	75.0	7.3 5	66.5	1
2 1	29.99	29.75	29.847	94.0	4:30 l	590	5:30 A	76.5	760	69.0	1
22	29.77	29.78	29 910	95 5	3:30 P	66 5	5:30 A	0.18	79.3	71.0	1
23	29.78	29.57	29 756	92.0	2:30 P	67.5	3:30 A	79.7	75.0	69.7	I
24	29.79	2967	29.750	71.5	3 P	570	12 P	64.3	66 3	62.5	
25	29 94	29.79	29 837	S2 5	3 P	500	4 A	66.3	65.2	59.0	1
26	20.94	29.87	29 921	83 5	3 P	56.5	4:30 A	70.0	68.5	60.7	
27	30.00	29 86	29.921	82.5	4 P	61.0 48.0	6 A	71.7	69.7	63 5	
28	30.17	30.00	30.000	62.5	9 A		12 P	553	57.7	550	١,
29	30.27	30.13	30.204	75.0	2:30 P	450	2 A	60.0	58.1	52.3	1
30		29.98	30 076	80.0	3 P	49.0	6:30 A	64.5	64.3	58.7	1
31	30.12	30 05	30.097	79.5	1:30 P	54 0	12 P	66.7	65.9	59.3	

	ŀ	lumidity	у.		,	Wind.				Precipit	ation.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	al in hes.
1 2 3 4 5 6 7 8 9 10 11 12 13 14	57-5 56.0 60.0 68.0 69.5 68.0 70.0 72-5 62.5 56.0 58.5 65.0 54.0	.690 .638 .734 .800 .816 .832 .819 .963 .711 .580 .638 .797 .504	69 5 70.5 73.0 87.5 89.5 82.0 90.5 82.0 78.5 78.5 78.5 78.5	N. S.S.W. S.S.W. S.S.W. E.S.E. S.S.W. E.S.E. W. N.N.E. E.S.E. W. N.W. W.N.W.	193 117 242 118 122 108 91 125 92 151 113 116 138 182 83	3.0 2.0 2.5 0.0 1.0 0.0 1.5 1.0 0.5 0.0 2.0 1.5 1.0	24 20 22 — 14 — 17 22 14 10 — 20 17 28 14	7 P 6 P 10 A 12 M 6 P 12 M 12 M 8 P 4 P 12 M 2 P 2 P	3 P 0 A 9 P 0 A 5 A	12 P 4 A 12 P 2 A 9 A	.10 .04 .14 .06	
15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31	58.0 63.0 65.0 66.5 64.0 67.0 68.0 69.0 56.5 52.5 50.0 57.0 56.0	.670 .780 .763 .744 .786 .863 .960 .780 .630 .537 .674 .656 .489 .436	73.5 85.5 70.0 81.5 88.5 79.5 71.0 90.5 70.5 84.0 81.0 86.5 79.5	S.S.W. N.E. S.S.W. S.S.W. S.S.W. N.N.E. S. N. W. E.S.E. S. N. S.S.W. S.S.W. S.W. S.W. S.W.	73 68 42 47 44 41 57	0.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	14 10 	2 P 1 P 5 P 2 P 4 P 5 P 5 P	5 P 8 A 6 P 9 A	9 P 7 P 2 P	T .21 .42	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during August, while generally seasonable, was more variable than usual. The first fourth of the month was a period of high temperature and high humidity. The second fourth was considerably cooler and pleasanter. The third quarter was the warmest period, although the relative humidity was less than during the first part of the month. The last quarter of the month was the nearest to normal conditions.

The total precipitation was much below the normal, in marked contrast with these records for the preceding two months. The thunder storm on the 23d was unusually severe in this locality, and considerable damage was done.

The following features of the several weather elements are shown on comparing with the normals for this station. The mean barometer was slightly below the normal and the range a little larger than usual. On more than one-half the days the maximum wind pressure was less than one pound and the daily wind movement small. Wind from the south points of the compass was much more frequent than usual.

The maximum temperature was nearly four degrees above the normal, and the highest record so far this year. The mean hourly temperature was nearly two degrees higher than usual. The minimum record was also rather high.

The mean dew point and relative humidity were both higher than the normals for these elements.

The total precipitation was about 60 per cent of the normal, and more than one-half of it occurred during the severe thunder storm mentioned above.

The total wind movement was practically normal and the amount of bright sunshine considerably more than the average value.

J. E. OSTRANDER, Meteorologist.

J. S. SIMS, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.24, 11th, 10 A	Total movement
Minimum reduced to freezing, 29.38, 8th, 2 P	Greatest daily movement , 320m, 29th
Reduced† maximum reading, 30.53, 11th, 10 A	Least daily movement 35m, 14th
Reduced minimum reading, 29.66, 8th, 2 P	Mean daily movement 124 m
Mean semi-daily reduced 30.036	Mean hourly velocity 5.2 m
Monthly range	Maximum pressure per square foot, 9.5 lbs =
	44m per hour, 29th, 2 P, S.
	Maximum velocity for 5 minutes, 24m per
	hour, 29th, 2P, S.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Southwest.
Highest 89.5, 14th, 3 P	
Lowest	
Mean hourly	
Mean of means of max, and min 61.3	Summary.
Mean sensible (wet bulb) 55.5	North Northwest 10 per cent
Monthly range 53 o	South Southwest
Highest mean daily 74.9, 8th	
Lowest mean daily 50.0, 30th	South
Mean maximum 73-9	Other directions
Mean minimum 48.6	
Mean daily range 25.3	
Greatest daily range	
Least daily range 6.0, 6th	Mean cloudiness observed 45 per cent
	Total cloudiness recorded by the Sun
	Thermometer 118 hours = 32 per cent
	Number of clear days
Humidity.	Number of fair days
Mean dew point 52.6	Number of cloudy days 4
Mean force of vapor	
Mean relative humidity 81.3	
	Bright Sunshine.
	Number hours recorded, 255 hrs, = 68 per cent
	Rain, 5th, 6th, 7th. 8th, 15th, 18th, 19th, 23d,
Precipitation. In inches.	28th, 29th. Thunder and Lightning, 15th, 18th, 29th.
Total precipitation, in inches 5.08	
Number of days on which or inch or more	Gales, 35 or more miles per hour, 44m, 29th,
rain fell	
ramien	K't

- * Temperature in ground shelter.
- † Reduced to freezing and sea-level.

	Baromet Se	er Red	ì.		Tem	peratur	e. Groun	id Shelte	er.		Hours of
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hot
I	30.12	29.86	30.007	86.0	3 P	47.5	6 A	66.7	67.7	647	8
2	30.13	2981	29.934	75.0	I P	47.0	12 P	61.0	66.3	65.0	8.
3	30.30	30.13	30,280	68.5	5:30 P	37.5	5:30 A	53.0	53.5	46.5	12.
4	30.30	30 03	30,158	76.0	3 P	47.0	5 A	61.5	61.6	54.5	10.
5	30.16	30.01	30.096	67.0	3 P	57-5	5 A	62.3	60.6	55 7	0.
6	30.16	30.04	30.106	59 0	12 P	53 0	6 A	56.0	56.0	550	0.
7 8	30.04	29.81	29.936	83.5	4 P	58 o	5 A	70.7	69.7	66.7	7.
8	20.81	2 9 60	29 743	So 5	2:30 P	70.5	6 A	78.5	74.9	70.7	7
9		2974	29 985	74.5		60.0		67 3	64.3	5 3.3	11.
10		30 15	30.329	76.5	2:30 P	44.5	6 A	60.5	597	50.5	12.
[]	30.53	30.38	30.459	75.0	3:30 P	42.0	6:30 A	58.5	57.5	51.3	11.
12		30.16	30.302	77.5	4 P	410	5:30 A	59.3	58.5	51.5	11.
13		29 90	30.078	84.0	3 P	550	6 A	69.5	64 7	57.3	11.
14		29.90	29.977	89.5	3 P	48.0	5 A	68.7	68.2	63 5	10.
15		29.77	39 816	74.0	9 A	62.5	12 P	68.3	68.2	67.7	0.
16		29 80	30.036	68.5	2 P	11.0	12 P	56.3	58.8	52.3	10
17		30.10	30.184	67 0	3 P	37 0	7 A	52.0	52.7	47.3	11
18	9	29.95	30 066	73 0	3 P	41.5	5:30 A	57.3	56.0	50.5	7
19		29 99	30 094	630	3 P	41.0	12 P	52.0	52.6	45 3	11
20		30.01	30.116	73.0	3 P	36.5	6 A	54.7	55.2	49.7	10.
2 1		29 95	20.081	74.5	3 P	43.0	6 A	58.7	59.2	52.0	10
2.2	,	29 92	20.957	750	2 1	56 0	0 A	65.5	63.5	59.7	7.
2 3		20.73	20.850	71.0	4 P	54.0	12 P	62.5	62.5	60.5	
2.3		29.79	29 841	65 0	3 P	47.0	5 A	56.0	56.0	55.5	9. 8
2.5		29.76	29.847	64.0	4:30 P	45.0	12 1	54 5	52.6	46.0	
26	//	29.88	20,063	710	4 P	37.5	5:30 A	54.3	54.0	47.3	8
27		29.03	30.015	83.5	3 P	55.5	0 A	69.5	67.0	59 3	10
20	9 9	29 94	29 999	70.0	2:30 P	59.0	6 A	. 69.0	68 4	63.3	5
20		20.68	20,830	77.0	12 M	52.0	12 P		65.5	60.3	10
30	30.25	29.79	30.085	59.0	2:30 P	39.0	, [2 P	40.0	50.0	42.7	'0
	1										

	Н	lumidity	·.			Wind.] 1	Precipita	ition.	
	M e	por.	.y.	g		nı are Ft			ži.		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Hunidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning,	Ending.	Kain.**	Snow
1	63 o 56.0	.710 .601	84.0 78.0	S.S.W. W.N.W.	87 254	1.5	17 32	8 P				
3	41.0	.383	68.5	N.W.	74	2.0	20	9 A				
	50.5	.509	74.5	S.S.W.	160	3.5	26	4 P				
4 5 6	5 3.5	.496	83.0	E.N.E.	107	0.0	_	_	I P		T	
6	54.0	.456	91.5	N N.W. S.S W.	38 65	0.0	14	3 P	O A	9 A	.24	
7	65 5 69 5	-71 5 -780	90.5	W.	120	0.5	10	II A	4 A 4 P	5 A	.01	
9¦	45.5	.545	56.0	N.N.E.	222	3.0	24	9 A	4.	12,	.04	
5	44.5	.485	65 5	N.N.E.	108	1.0	14	12 M				
1	47 0	427	78.5	S.S.E.	52	0.0						
2	49.5	.440	83.5	S.S.W.	100	1.0	14	3 P				
3	54 5	.531	810	S.S.W. W.S.W.	So	10	14	2 P				
1 5	63.0 67.0	.636 .704	95 o 95 o	S. W.	35	0.0 2.5	22	9 A	5 A	9 P	2.30	
5.	49.0	455	77.0	N.N.W.	139	1.5	17	12 M	3 1	91	2.50	
7	44 0	.305	78.5	S.W.	38	0.5	10	2 P				
8	48.5	.403	86 5	S.S.W.	66	1.0	14	3 1	3 P	12 P	.10	
9	41.0	.351	74.0	N.N W.	102	1.5	17	7 A	0 A	2 A	.01	
C	47.5	.400	84.0	S.S.W.	67	0.5	10	II A				
l	50 5	.420	91.0 88.0	S.S.W. S.S.W.	136	3.5	26 20	1 P 2 P				
2	58 o 59 o	-5+5 -557	92.0	. S. W.	149 1 5 9	2.0	20	4 P	8 A	8 P	1.12	
3	54.0	.482	85.5	w S.W.	109	3.0	24	10 A	O A	0.1	1.12	
5	47.5	.461	72.5	N.W.	111	2.5	26	II A				
5	42 5	.378	74.0	W.S.W.	98	1.5	17	10 A			:	
7	56 o	· 5 94	77.5	S.	128	1.5	17	2 P			1	
8	61.5	.636	87.0	S.	218	3.0	24	2 P	10 P		T	
9,	59.0	.536	88 5	W.	320	9.5	44	2 P	1 P	HP	1.26	
0	36.5	.327	67.0	N.	271	4.0	28	9 A				
					[

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during September was generally seasonable, and more pleasant than any of the summer months preceding it. More than one-half the days were clear and only four were recorded as cloudy. The large amount of sunshine aided the maturing of the fall crops and the absence of heavy frosts extended the growing season to the close of the month, giving corn ample time to mature. A few traces of frost were noted after the middle of the month but they were so light that no damage was done.

An analysis of the weather records for the month shows the following features: All the barometer records were nearly normal and changes in pressure were rather slow. Nearly one-half the time the wind was in the southwest quadrant. The total wind movement was about ten per cent more than the normal, although only one gale was registered on the pressure chart.

The maximum and minimum temperatures were both a few degrees above the normals for these records, while the mean hourly temperature was slightly below the normal for this station, The range of temperature on the 14th was unusually large.

The mean dew point was slightly below the normal and the relative humidity rather high.

The total precipitation was an inch more than usual. Nearly the whole amount fell during three heavy storms,—the one on tho 15th being the most severe.

J. E. OSTRANDER, Meteorologist.

J. S. SIMS, Observer.

Temperature in ground shelter.
 Reduced to freezing and sea-level

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.22, 18th, 10 P	Total movement 4176 m
Minimum reduced to freezing, 29.21, 17th, 4 A	Greatest daily movement 422m, 17th
Reduced† maximum reading, 30.53, 18th, 10 P	Least daily movement 3m, 3d
Reduced† minimum reading, 29.50, 17th, 4 A	Mean daily movement
Mean semi-daily reduced 30.131	Mean hourly velocity 5.6 m
	Maximum pressure per square foot, 20.01lbs =
,	63m per hour, 17th, 11A, W.N.W.
	Maximum velocity for 5 minutes, 42m per
	hour, 17th, 2P, W.N.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Northwest.
	revailing direction, west Northwest.
Highest 84 o, 8th, 3:30 P	
Lowest 25.5, 18th, 6 A	Summary.
Mean hourly 50.9	North Northwest
Mean of means of max, and min 51.7	West
Mean sensible (wet bulb) 44.9	West Southwest
Monthly range 58 5	South Southwest
Highest mean daily 67.8, 20th	Northwest
Lowest mean daily 39.6, 18th	North
Mean maximum 65.2	Other directions
Mean minimum	Viller directions
Mean daily range 27.1	
Greatest daily range 8th	Weather.
Least daily range 9.5, 20th	Mean cloudiness observed 43 per cent
	Total cloudiness recorded by the Sun
	Thermometer 113 hours = 33 per cent
	Number of clear days
Humidity.	Number of fair days
	Number of cloudy days 6
Mean dew point 41.3	
Mean force of vapor	Bright Sunshine.
Mean relative humidity 78.4	Number hours recorded, 228 hrs, = 67 per cent
	Rain, 9th, 13th, 19th, 20th, 21st, 25th, 29th,
	31st.
	Frosts, 2d, 3d, 12th, 18th, 23d, 24th, 27th.
Precipitation. In inches.	Gales, 35 or more miles per hour. 41m, 13th,
Total precipitation, in inches 1.01	S.W.; 39m, 14th, N.W.; 63m, 17th, W.N.
Number of days on which .or inch or more	W.; 36m, 19th, E.S.E.: 46m, 20th, S.: 38m,
rain fell	26th, N.W.
	200111 211111

		ter Red ea Leve		Temperature. Ground Shelter.							
Day.	Maximum	Minimum.	Mean. Senn-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No Hours of
I	30.39	30.25	30.390	65.5	3:30 P	34.5	6 A	50.0	47.6	42.7	10
2	30.45	30 27	30.388	69. 5	4 P	34.0	6:30 A	51.7	49.1	43.0	10
3	30.29	30.20	30.279	74.5	3:30 P	35.0	6:30 A	54.7	52.6	47.5	9
4	30.36	30.25	30 352	71.0	3:30 P	45.0	0 A	58.0	54.5	50.3	
5	30.39	30.15	30.295	80.0	3 P	42.0	3:30 A	61.0	580	51.3	}
	30.15	29 94	30 065	79.5	2 P	5 5-5	5:30 A	67.5	64.6	59.3	(
7	30.19	30.06	30.167	75.0	4 P	47.0	6:30 A	61.0	57.0	510	10
8	30.11	29 84	30 004	84.0	3:30 P	410	6 A	62.5	60.8	54 3	
9	30.00	29 60	29.851	77.0	2 P	43.0	12 P	60.0	62.7	55.0	
10	30.23	30.00	30.196	53.0	2 P	34.5	6:30 A	43.7	46.5	36.5	10
I	30.18	30.11	30.147	58.0 67.0	3:30 P	37 0	1 A 6 A	47 5	45.9	42.3	
12	30.32	30.18	30.279		3 P	31.0		49.0	47.7	40.3	
13	30.18	29 63	29.845	63 o 54.0	10:30 A	43.0	1:30 A	53.0	53.8	51.7	
14	30.13	29 73	30.057	62.5	3 P 2 P	33 0 32 5	12 P	43.5	433	36.7	1
15	30.13	29 81	29 9 9 0 29.782	65.0	3 P	49.0	6:30 A 7 A	47.5 57.0	48.1	37.0 50.0	
	30.24	29.50	29.702	62.0	6 A	33.5	7 A 12 P	47.7	55.9 50.0	45.0	
17 18	30.53	30 24	30 486	56.0	2:30 P	25-5	6.1	47 7	39.6		
19	30.51	29.76	30,121	65.0	12 P	33.5		49.3	46.5	35.7	
20	29.80	29.70	29 723	74.5	2:30 P	65 0	3 A 6 A	69.7	67.8	66.0	
2 U 2 I	29.91	29.02	29.770	69.0	2 P	420	12 P	55.5	60.4	50.3	
22	30.37	29.01	30.205	50.5	2:30 P	33.0	7 A	44 7	43 8	37.3	
23.	30.52	30.37	30.459	58.0	3:30 P	300	7 A	44.0	42.9	35.5	
- 3, 24	30.37	30.25	30 307	56.5	4 P	28.0	7 A	42 3	42.0		
25	30.27	29.84	30.100	62.5	1:30 P	31.0	6 A		47.4	41.5	
26 26	30.12	29.75	29.967	56.0	2 P	35.5	12 P	45.7	49.8	40.5	
27	30.19	30 04	30 134	56 5	3 P	26.5	7 A	41.5	41.0	34 0	
- / 28	30.37	30.10	30.327	62.5	3:30 P	34 5	4 A	48 5	45.9	42.5	,
29	30.44	30.24	30.392	60 5	1:30 P	32.0	5:30 A	40.3	46.2	41.5	
30	30.24	30 05	30.152	65.0	3 P	47.5	4:30 A	56.3	54.7	52.3	
31	30.05	29.91	29 985	62.5	2:30 P	46.5	3 A	51.5	51.5	48.7	

	F	lumidity	<i>i</i> .		,	Wind.	_			Precipit	ation.	
	e w	por.	ty.	n n n n n n n n n n n n n n n n n n n					ρί			alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 28 29 30	36.0 41.5 45.5 48.0 58.5 48.5 52.0 51.5 30.0 39.5	.318 .299 .364 .401 .428 .525 .406 .492 .550 .243 .298 .253 .205 .409 .263 .240 .263 .240 .233 .311 .321 .233 .311 .302 .411	69.5 86.5 85.0 85.0 86.0 84.0 78.5 73.0 68.0 78.0 68.0 78.0 64.0 71.5 77.0 64.0 71.5 77.0 74.5 72.0 72.0	N. N. N. N. W. W. W. N.W. W.S.W. N.W. S.S.W. S.S.W. N.N W. W.N.W. E.N.E. N.E. S.S.W. N.W. N.W. W.N.W. E.N.E. S.S.W. N.W. S.W. S.W. N.W. S.W. S.W. N.W. S.W. S	185 37 3 6 47 123 23 58 198 267 107 48 307 79 305 1193 1178 422 28 79 353 3112 58 18 120 274 70 84 77 73 73 74 75	3.0 0.0 0.0 0.5 1.0 0.5 5.5 5.0 0.0 8.5 7.5 3.0 2.5 20.0 0.5 6.5 15.0 2.0 0.0 4.5 7.0 1.0	24 ————————————————————————————————————	9 A 7 P 3 P 11 A 3 P 9 A 2 P 5 P 2 A 6 P 11 P 11 A 8 P 12 P 12 M 8 P 1 P	12 M 2 P 8 A 5 P 6 A	7 P	T .07 .02 T .02 T	
31	47.0	.364	90.0	S.	18	0.0			9 P	12 P	Т	

^{**}Rain or meltedsnow at base of tower.

^{*}Included in following day.

During the month ideal autumn weather was in evidence almost the whole time. With only three days showing a measurable amount of rainfall and nearly one-half the days recorded as clear, and more than one-third of the days fair, there was but little room left for improvement. The large amount of sunshine, mild temperature and rather low humidity, combined to make weather conditions most agreeable,

The various weather elements show a number of features of interest when their records are compared with the normals at this station.

The mean barometer was considerably higher than the normal, and the range of pressure slightly smaller than usual. While the maximum and minimum records were both nearly normal, the interval between the two records was unusually short. The total wind movement was a little more than usual, and several gales of moderate intensity were registered on the pressure chart. The wind direction was more nearly normal than during the last few months.

The maximum temperature was five degrees higher than the normal and the minimum about two degrees higher, giving a slightly greater range than usual. The mean temperature was slightly above the normal.

The mean dew point and relative humidity were both nearly normal.

The total precipitation was practically one inch, making it the dryest month so far this year. Owing, however, to the large precipitation which occurred during the summer, the absence of much rain was not particularly felt.

J. E. OSTRANDER, Meteorologist.

J. S. SIMS, Observer.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT

STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 28.72, 23d, 12 P Reduced† maximum reading, Reduced† minimum reading, Mean semi-daily reduced 30.101 Monthly range 1.53	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, West,
Highest 64.0, 9th, 4 P Lowest 12.5, 22d, 7 A Mean hourly 37.4 Mean of means of max. and min. 38.1 Mean sensible (wet bulb) 33.9 Monthly range 51.5 Highest mean daily 52.8, 9th Lowest mean daily 22.9, 27th Mean maximum 48.0 Mean minimum 28.1	Summary. West Southwest 10 per cent West 23 " " West Northwest 17 " " South 13 " " North 10 " " Other directions 27 " "
Mean daily range 19.9	747
Greatest daily range	Weather. Mean cloudiness observed 51 per cent Total cloudiness recorded by the Sun Thermometer 152 hours = 52 per cent Number of clear days 5
** ***	Number of fair days
Humidity. Mean dew point	Number of cloudy days
Precipitation. In inches.	30th.
	N.W.; 67m,23d,S.S.W.; 39m,24th, W.; 41m,

	Barome S	ter Red ea Leve			Ten	nperatur	e. Groui	nd Shelt	er.		9
Day.	Maximum	Minimum.	Mean. Senn-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb,	No House of
1	29.98	29.82	29.903	60.0	2:30 P	43.0	12 P	51.5	50.8	47.3	
2	30 03	29.98	30 025	59.5	3 P	37.0	7 A	48.3	46.7	37.5	
3	30.17	29 96	30,094	51.0	1 P	32 0	6 A	41.5	41.6	390	
4	30.19	30.11	30.158	55.0	3 P	31.0	7 A	43.0	42.4	41.0	
5	30.43	30.11	30.292	49.0	O A	35.5	7 P	42.3	37.4	37.3	,
6	30.51	30 43	30 489	52.5	4 P	30.5	8:30 A	41.5	38.2	31.0	,
7	30.55	30 40	30 496	56.5	3 P	24.0	7:30 A	40.3	38.1	32.7	
8	30.40	30.08	30 234	61.0	3 P	34.0	6 A	47.5	45.6	40 7	
9	30.08	2960	29.804	64.0	4 P	415	7 A	52.7	52.8	48.7	
ó	29.91	29.72	29 957	55.5	12 M	36 o	12 P	45.7	46.4	38.3	
1	30.46	2991	30.310	505	2 P	29.0	12 P	39.7	40.9	36.5	
2	30.54	30 24	30 433	35.0	12 P	27.5	7:30 A	31.3	31.9	30.3	
13	30.24	2972	30.058	42.5	3 P	34.0	3 A	38.3	37.4	36.0	
14	30.14	29.70	29 912	40.0	o A	22.0	12 P	31.0	32.6	30.5	
15	30.16	30 04	30.108	38.5	3 P	210	5 A	29 7	27.3	23.7	-
6	30.23	30.03	30.157	35 5	1 1	20.5	7 A	28.0	27.6	23.7	
7	30 2 3	29 92	30.109	280	3 P	170	3 A	225	23.9	23.7	
8	29 95	29 86	29 926	41.0	2 P	23.5	5:30 A	32.3	31.3	290	
19	29 86	29.75	29.767	49.5	3 P	27.0	12 P	38 3	36.0	31.3	
20	30.13	2 9. 7 7	29 927	460	1 P	26 0	12 P	36.0	34.9	32.3	
2 [30 41	30 13	30.356	37.5	3:30 P	18.0	12 P	27 7	26.2	22.3	
22	30.40	30 03	30.188	47 0	3 P	125	7 A	29.7	28.2	233	
23	30.03	29.02	29670	57.5	12 P	235	6 A	40.5	36.0	40.5	
24	29.75	29 02	29 527	57 5	0 A	33 0	12 P	45.3	44.6	40.3	
25	30,21	29.75	30 085	33 0	0 A	190	10 P	26.0	27.0	24 5	-
26	30.48	30 21	30.438	29.0	3:30 P	195	10 P	24.3	22.9	19.0	
27	30.46	30 21	30.332	51.0	2 P	200	0 A	35.5	36.5	30 5	(
28	30.32	30.15	30.263	47.5	3:30 P	29 5 38 0	7:30 A	38.5	39.9	34.3	
29	30 25	30.00	30.174	56 5	1:30 P		1 A	47·3 46.5	47.9 48.1	46.0 48.3	
30	30.00	29 77	29.835	54.0	5 A	30.0	12 P	40.5	40.1	40.3	(

$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		H	Iumidity	7.			Wind.			Precipitation.			
1 46.0 .336 94.5 W. 116 3 0 24 3 P		we) y. y. it it					L.		25			
2 32 0 .260 70.5 W. 181 3.5 26 11 A 4.00 .265 92.0 N. 87 1.0 14 11 P 10 P 12 P .13 N.E. 116 0.5 10 3 P 6A 1 P .37 62 7 28 5 .213 78.5 E. 36 0.0 — — 8 P 12 P .13 N.W. 131 1.5 17 9 P 9 P 10 P 11 P .07 10 33.0 .261 74.5 W.N.W. 229 3.0 .24 11 A 8.1 31.5 .257 73.5 W.N.W. 233 6.5 36 10 A 10 A .20 13 34.0 .222 88 5 N.W. 10 0.0 — — 8 P 12 P .13 N.W. 134 2.5 22 3 P 0 A 10 A .20 15 20.0 .136 81.5 N.W. 10 0.0 — — 8 P 12 P .13 N.W. 134 2.5 22 3 P 0 A 10 A .20 15 20.0 .135 84 5 W.N.W. 157 0.5 10 11 A 11 P 12 P T T 16 21.0 .135 84 5 W.N.W. 157 0.5 10 11 A 11 P 12 P T T 18 20 .15 .134 87.5 W.N.W. 157 0.5 10 11 A 11 P 12 P T T 18 20 .20 .169 84.5 W.N.W. 157 0.5 10 11 A 11 P 12 P T T 18 20 .20 .169 84.5 W.N.W. 157 0.5 10 11 A 12 P .05 11 W.N.W. 157 0.5 10 11 A 12 P .05 11 W.N.W. 157 0.5 10 11 A 12 P .05 11 W.N.W. 157 0.5 10 11 A 11 P 12 P T T 19 20 20 20 20 20 20 20 20 20 20 20 20 20	Day.	Mean De Point.	Mean Force va	Mean Relative Humidit	Prevailir Direction	Total Moveme in Miles	Maximu Pressure Per Squa	Miles pe Hour.	Time.	Beginnin	Ending.	Kain.**	Snow.
26 10.5 .116 66.0 W.S.W. 210 5.0 32 11 A 27 23.5 .198 64.5 W.S.W. 225 3.0 24 5 A 28 28 0 .228 69.5 S. 160 1.5 17 3 P	1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	46.0 32 0 36 5 40.0 35 5 27.5 28 5 39.5 46.5 33.0 31.5 28.0 34.0 20.0 21.0 21.0 27.5 28.5 17.0 18 5 38 0 37 5	.336 .260 .255 .265 .230 .186 .213 .272 .386 .261 .257 .181 .257 .136 .135 .134 .169 .200 .131 .147 .300	94.5 70.5 84.0 92.0 92.5 78.5 94.0 84.0 74.5 73.5 82.5 82.5 82.5 84.5 84.5 84.5 84.5 84.5 84.5 84.5 84	W. W. W. N. W. N. E. N. E. S. S. S. W. W. N. W. N. W. N. W. N. W. N. N. E. W. N. W. W. N. W. W. N. W.	116 181 182 87 116 92 36 113 151 110 229 233 10 40 40 134 107 157 1 135 47 38 192 25 43 43 43 43 43 43 43 43 43 44 44 45 47 47 47 47 47 47 47 47 47 47 47 47 47	3.0 3.5 5.0 0.5 0.0 0.5 7.0 3.0 6.5 0.0 2.5 0.5 6.5 2.0 5.0 3.5 0.0 2.5,0 2.5,0 3.5	24 26 32 14 10 	3 P 11 A 2 P 11 P 3 P 9 P 11 A 10 A 12 M 10 P 12 M 10 P 7 A 8 P 1 P	10 P 6 A 10 P 0 A 11 P 0 A 7 A	12 P 1 P 11 P 12 P 10 A 12 P 3 A 12 P	.13 .37 .07	T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
29 45 5 .326 96 5 S. 83 4.5 30 12 P 6 P 12 P 09 30 44.0 .340 87.5 W.S.W. 140 5.0 32 6 A 0 A 3 P .89	26 27 28 29	10.5 23.5 28.0 45.5	.116 .198 .228 .326	66.0 64.5 69.5 96.5	W.S.W. W.S.W. S. S.	210 225 160 83	5.0 3.0 1.5 4.5	32 24 17 30	11 A 5 A 3 P 12 P				

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather conditions during November were generally seasonable, and features of unusual interest were but few. A small amount of snow occurred about the middle of the month, which was rather early, and ice of some little thickness was formed about a week later. More than two-thirds of the total precipitation occurred during the last third of the month.

An examination in detail of the records of the several weather elements shows the following features of more or less interest: The mean dew point was rather high, while the maximum was practically normal. The minimum pressure was recorded at midnight of the 23d, following the heaviest rainstorm of the month, which occurred while the barometer was falling rapidly. The recovery of pressure the next day was almost as rapid as the fall had been. The total wind movement was more than ten per cent less than the normal, and the largest daily movements were from the West.

Both the maximum and minimum temperatures were nearly normal, while the mean for the month was about one degree lower than usual. The greatest daily range was on the date of lowest temperature.

The mean dew point was normal, while the relative humidity was more than six points higher than usual.

The total precipitation was slightly more than the normal, and more than three times the amount of the preceding month. The snowfall was more than usual so early in the season.

The amount of cloudiness recorded and the amount obtained by estimation at the 8 A M and 8 P. M. observations were unusually concordant. The percentage of sunshine was slightly more than the average.

J. E. OSTRANDER, Meteorologist.

J. S. SIMS, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches. Maximum reduced to freezing, 30.15, 26th, 3 P Minimum reduced to freezing, 28.65, 22d, 2 P Meduced† maximum reading, 30.47, 26th, 3 P Reduced† minimum reading, 28.96, 22d, 2 P Mean daily movement
Minimum reduced to freezing, 28.65, 22d, 2 P Greatest daily movement 387m, 23d Reduced† maximum reading, 30.47, 26th, 3 P Least daily movement om, 4th Reduced† minimum reading, 28.96, 22d, 2 P Mean daily movement 130 m Mean semi-daily reduced 29.932 Mean hourly velocity 5.4 m Maximum pressure per square foot, 15.5 lbs = 56m per hour, 22d, 12 P, W.N.W.
Reduced† maximum reading, 30.47, 26th, 3 P Least daily movement om, 4th Reduced† minimum reading, 28.96, 22d, 2 P Mean daily movement 130 m Mean semi-daily reduced 29.932 Mean hourly velocity 5.4 m Maximum pressure per square foot, 15.5 lbs = 56m per hour, 22d, 12 P, W.N.W.
Reduced† minimum reading, 28.96, 22d, 2 P Mean daily movement 130 m Mean semi-daily reduced 29.932 Mean hourly velocity 5.4 m Monthly range 1.51 Maximum pressure per square foot, 15.5 lbs = 56m per hour, 22d, 12 P, W.N.W.
Reduced† minimum reading, 28.96, 22d, 2 P Mean daily movement 130 m Mean semi-daily reduced 29.932 Mean hourly velocity 5.4 m Monthly range 1.51 Maximum pressure per square foot, 15.5 lbs = 56m per hour, 22d, 12 P, W.N.W.
Mean semi-daily reduced 29.932 Mean hourly velocity 5.4 m Monthly range 1.51 Maximum pressure per square foot, 15.5 lbs = 56m per hour, 22d, 12 P, W.N.W.
56m per hour, 22d, 12 P, W.N.W.
istaxiniting velocity for 5 infinites 32m per
hour, 22d, 9P, W N.W.
*Air Temperature. In Degrees Fahr. Prevailing direction, West Northwest.
Highest
Lowest o.o, 31st, 6 A Summary.
Mean hourly
Mean of means of max, and min 26.5 West
Mean sensible (wet bulb) 24.0 North 10 " " Monthly range 54 5 Northwest 19 " "
Highest mean daily 47.5,5th West Northwest
Lowest mean daily 10.4, 30th Other directions 19 " "
Mean maximum
Mean minimum 19.5
Mean daily range
Greatest daily range
Least daily range 3.0, 23d Total cloudiness recorded by the Sun
Thermometer 156 hours = 55 per cent
Number of clear days 6
Humidity. Number of fair days
Mean dew point
Mean force of vapor
Mean relative humidity 81.7 Bright Sunshine.
Number hours recorded, 127 hrs, $=$ 45 per cent
Rain, 4th, 5th, oth, 22d, 27th, 28th.
Snow, 11th, 12th, 15th, 21st, 25th, 28th.
Precipitation. In inches. Hail, 27th, 28th.
Total precipitation, in inches 2.85 Gales, 35 or more miles per hour, 45m, 6th,
Total snow, in inches \dots $0\frac{1}{2}$ N.N.W.; 35m, 12th, W.N.W.; 39m, 13th,
Number of days on which to inch or more W.N.W.; 43m.16th,N.W.; 50m,22d.W.N.W.;
rain fell
Days of Sleighing 20 35m, 29th, W.N.W.

^{*}Temperature in ground shelter.

[†] Reduced to freezing and sea-level.

	eter Red Sea Leve	el.		Te	mperatu	re. Grou	nd Shelt	er.		Hours of Sunshine
Day.	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou Bright Sun
1 29.85 2 29.99 3 30.26 4 30.26 5 29.92 6 29.74 7 30.03 8 30.10 9 30.06 10 30.16 11 29.86 14 30.12 15 30.03 16 29.60 17 29.84 18 29.91 19 29.90 20 30.08 21 30.66 22 29.98 23 29.99 24 30.10 25 30.25 26 30.47 27 30.44 28 30.01 29 30.32 30.32 31 30.37	29.59 29.99 29.99 29.56 29.60 29.74 30.83 29.86 29.94 29.86 29.22 29.20 29.60 29.90 29.90 29.90 29.90 29.90 29.90 29.97	29.769 29.837 30.144 29.669 29.646 30.078 29.953 30.099 29.977 29.380 29.798 29.3708 29.798 29.3703 29.437 29.905 30.091 30.033 29.437 29.905 30.0452 30.303 29.437 29.305 30.241 30.291	41.5 42.0 44.0 44.5 54.5 47.0 43.0 50.5 37.5 34.0 30.0 19.0 23.0 27.5 18.5 29.0 38.0 38.5 37.5 38.0 27.5 18.5 29.0 38.5 28.0 38.5 38.5 38.5 38.5 38.5 38.5 38.5 38.5	2 P 0:30 P 2 P 3 P 0 A 3:30 P 1 P 1:30 P 2:30 P 4 P 3 P 1:30 P 2:30 P 2:30 P 1:2 M 3 P 1:2 M 2:30 P 1:2 M 2:30 P	33.5 30.0 31.0 38.0 36.5 27.0 28.0 22.5 25.0 14.5 14.5 14.5 4.0 24.5 25.0 21.5 17.0 25.0 25.0 21.5 17.0	7 A 1 A 1 A 1 2 P 11 P 0 A 3 P 12 P 6 A 4:30 A 7:30 A 5:30 A 4:30 A 12 P 6 A 11 P 7:30 A 0 A 12 P 8 A 5:30 A 12 P 8 A 6 A 12 P 8 A 6 A	37.5 36.0 37.5 40.7 46.3 37.5 32.7 32.5 30.0 29.5 18.5 16.7 17.7 21.0 11.3 21.5 36.5 26.0 26.7 16.7 16.7	36.0 36.4 36.1 38.0 47.5 39.4 36.8 33.9 31.5 30.1 31.7 23.8 19.1 17.4 18.3 16.5 23.7 26.0 24.3 16.6 23.2 31.9 19.5 10.4	32.3 35.3 37.0 46.5 37.3 32.7 28.7 29.5 26.5 31.7 15.3 17.0 11.7 19.0 11.7 22.7 29.0 24.0 23.3 10.5 10.5	5.3 2.0 6.9 0.2 1.7 7.7 7.6 0.0 4.0 0.2 0.0 7.0 0.0 7.2 7.8 0.0 7.2 4.8 0.0 0.1 1.7 7.3 3.0 0.0 1.2 8.6 6.6 6.7

_												
	F	Iumidity	7.		7	Wind.			1	Precipit	ation.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	alin hes.
1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 30 31	28 5 31.5 28.5 33.5 28.5 33.5 34.0 27.5 23.5 26.5 26.5 20.0 15.0 15.0 16.5 6 5 20.0 26.0 17 5 20.0 13.0 6.0 15.0 7.0	.196 .224 .197 .226 .350 .239 .206 .175 .204 .172 .153 .183 .119 .098 .082 .109 .083 .129 .161 .133 .117 .078 .169 .166 .077	81.0 78.5 81.5 85.5 85.5 74.5 92.5 74.5 92.5 72.5 91.0 80.0 74.5 84.0 70.0 78.0 78.0 80.0 78.0 80.0 78.0 80.0 78.0 80.0 78.0 80.0 80	N.W. W.N.W. S.S.W. S.S.W. N.W. N.W. N.W.	1666 1377 8 0 98 2766 362 477 3 3 2299 57 51 688 327 1110 244 164 1387 78 151 161 161 260 63 65	3.5 3.0 0.5 0.0 3.0 10.0 2.5 5.0 3.0 6.0 2.5 2.5 2.0 9.0 2.5 4.0 0.5 1.5 4.0 0.5 1.5 5.5 1.5 7.0 6.0 2.5 5.5	26 24 10 24 45 32 22 23 22 24 35 20 43 20 43 20 56 56 56 56 56 57 77 73 73 73 73 73 73 73 73 7	12 M 12 M 1 P 12 M 5 P 1 P 7 A 12 P 7 A 7 P 12 P 7 A 3 P 10 P 1 P 7 A 4 P 12 P 10 A 4 A 2 P 10 A 4 A 2 P 10 A 1 P 11 A	7 P O A P O	12 P 8 A 9 P 12 P 9 P 10 P 2 A 12 P 1 P	.05 .05 .03 1.03 .42 .04 .86	3 4 4 i 4 i T

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

Annual Summary for 1916.

Pressure. In inches.

Minimum reduced to freezing Maximum reduced to freezing and sea-level, Minimum reduced to freezing and sea-level, Mean reduced to freezing and sea-level,	
*Air Temperature. In degrees Fahr. Highest, 95.5, Aug. 22d, 3;30P.	Maximum pressure per square foot, 25.0 lbs.=71 m. per hour, Jan 23, 1 Å., W.
Lowest,	Maximum velocity for 5 minutes, 48 m. per hour, Apr. 15th, 10 A., N.
Mean of means of max. and min., 46.4	Precipitation. In inches.
Mean sensible (wet bulb),	Total precipitation, rain or melted snow, . 45.61
Highest mean daily, 79.3, Aug. 22	Number of days on which .or or more rain
Lowest mean daily, 1.3, Feb. 15	or melted snow fell, 59.5 Snow total in inches,
Mean maximum, 56.6	Show total in thenes,
Mean minimum,	Weather.
Greatest daily range, 43.5, Mar. 26	Mean cloudiness observed, 53 per cent.
Least daily range, 3.0, Dec. 23	Total cloudiness recorded by Sun Thermom-
	eter, 2418 hrs.=53 per cent.
Humidity.	
Humidity. Mean dew point,	Number of clear days,
Mean dew point, 38.4 Mean force of vapor, 370	Number of clear days,
Mean dew point,	Number of clear days,
Mean dew point, 38.4 Mean force of vapor, 370	Number of clear days,
Mean dew point, .38.4 Mean force of vapor, .370 Mean relative humidity, .80.3 Wind.	Number of clear days,
Mean dew point,	Number of clear days,
Mean dew point	Number of clear days,
Mean dew point. 38.4 Mean force of vapor. 370 Mean relative humidity. 80.3 Wind. Prevailing direction, West. Summary. Northwest, 9 per cent South Southwest 14	Number of clear days, 121 Number of fair days, 129 Number of cloudy days, 136 Bright Sunshine. Number of hours recorded,2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow.
Mean dew point, 38.4 Mean force of vapor, 370 Mean relative humidity, 80.3 Wind. Prevailing direction, West. Summary. Northwest, 9 per cent South Southwest 14 "" West, 14 ""	Number of clear days,
Mean dew point. 38.4 Mean force of vapor. 370 Mean relative humidity. 80.3 Wind. Prevailing direction, West. Summary. Northwest, 9 per cent South Southwest 14 " West. 14 " South 11 "	Number of clear days, 121 Number of fair days, 129 Number of cloudy days, 136 Bright Sunshine- Number of hours recorded, 2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow. Last, April 14th
Mean dew point. 38.4 Mean force of vapor. 370 Mean relative humidity. 80.3 Wind. Prevailing direction. West. Summary. Northwest. 9 per cent South Southwest. 14 " West. 14 " South 11 " West Northwest 10 "	Number of clear days, 121 Number of fair days, 129 Number of cloudy days, 136 Bright Sunshine. Number of hours recorded, 2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow. Last, April 14th First, Nov. 15th
Mean dew point, 38.4 Mean force of vapor, 370 Mean relative humidity, 80.3 Wind. Prevailing direction, West. Summary. Northwest, 9 per cent South Southwest 14 " " West, 14 " " South 11 " " West Northwest 10 " " North 9 " " Other directions, 33 "	Number of clear days, 121 Number of fair days, 129 Number of cloudy days. 136 Bright Sunshine. Number of hours recorded,2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow. Last, April 14th First, Nov. 15th Total days of sleighing, 99 Gales of 50 or More Miles Per Hour, Jan. 22d, 59m., W.: Jan. 23d, 71m., W.: Feb.
Mean dew point, 38.4 Mean force of vapor, 370 Mean relative humidity, 80.3 Wind. Prevailing direction, West. Summary. Northwest, 9 per cent South Southwest 14 " " West, 14 " " South 11 " " West Northwest 10 " " North 9 " " Other directions, 33 " Total movement, 52.450 m	Number of clear days, 121 Number of fair days, 129 Number of fair days, 136 Bright Sunshine. Number of hours recorded,2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow. Last, April 14th First, Nov. 15th Total days of sleighing, 99 Gales of 50 or More Miles Per Hour. Jan. 22d, 59m, W.: Jan. 23d, 71m., W.: Feb. 7th, 54m, W.N.W.; Feb. 19th, 51m., W.; Feb.
Mean dew point. 38.4 Mean force of vapor. 370 Mean relative humidity. 80.3 Wind. Prevailing direction, West. Summary. Northwest. 9 per cent South Southwest. 14 " " West. 14 " " South 11 " " West Northwest 10 " " Other directions. 33 " " Total movement. 52.450 m Greatest daily movement. 519m. Feb. 28	Number of clear days, 121 Number of fair days, 129 Number of cloudy days, 136 Bright Sunshine. Number of hours recorded,2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow. Last, April 14th First, Nov. 15th Total days of sleighing, 99 Gales of 50 or More Miles Per Hour. Jan. 22d, 59m., W.; Jan. 23d, 71m., W.; Feb. 7th, 54m. W.N.W.; Feb 19th, 54m., W.; Feb. 28th, 57m., W. N.W.; April 15th, 61m, N.; May
Mean dew point, 38.4 Mean force of vapor, 370 Mean relative humidity, 80.3 Wind. Prevailing direction, West. Summary. Northwest, 9 per cent South Southwest 14 " " West, 14 " " South 11 " " West Northwest 10 " " North 9 " " Other directions, 33 " Total movement, 52.450 m	Number of clear days, 121 Number of fair days, 129 Number of fair days, 136 Bright Sunshine. Number of hours recorded,2036 hrs.=47 per cent. Dates of Frosts. Last, May 10th First, Sept. 17th Dates of Snow. Last, April 14th First, Nov. 15th Total days of sleighing, 99 Gales of 50 or More Miles Per Hour. Jan. 22d, 59m, W.: Jan. 23d, 71m., W.: Feb. 7th, 54m, W.N.W.; Feb. 19th, 51m., W.; Feb.

J. S. SIMS,

Observer.

* Femperature in ground shelter.

J. E. OSTRANDER,

Meteorologist.

† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTHE	
Pressure. In inches.	Wind.
	Total movement
	Greatest daily movement 391m, 19th
	Least daily movement 7m, 14th
	Mean daily movement 152 m
	Mean hourly velocity 6.3 m
Monthly range	Maximum pressure per square foot, 16,0 lbs = 57m per hour, 14th, 9 A, S.S.W.
	Maximum velocity for 5 minutes 36m per
	hour, 14th, 9A, S.S.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West.
Highest	Summary.
Mean hourly	North Northwest ro per cent
Mean of means of max, and min 23.5	
Mean sensible (wet bulb) 21.3	Northwest
Monthly range 51 0	West Northwest
Highest mean daily 36.4, 9th	Southwest
Lowest mean daily 5.4, 12th	Other directions
Mean maximum 31.7	Waathar
Mean minimum 15.3	Weather.
Mean minimum	Mean cloudiness observed 64 per cent
Mean minimum . 15.3 Mean daily range . 16.4 Greatest daily range . 32.5, 27th	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun
Mean minimum	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer
Mean minimum . 15.3 Mean daily range . 16.4 Greatest daily range . 32.5, 27th	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days 9
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days 9 Number of fair days 6
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity.	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days 9
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity Mean dew point 17.6	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor 133	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity Mean dew point 17.6	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days 9 Number of fair days 6 Number of cloudy days 16 Bright Sunshine. Number hours recorded, 131 hrs, = 45 per cent
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor 133	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor 1.33 Mean relative humidity 82.4	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days 9 Number of fair days 6 Number of cloudy days 16 Bright Sunshine. Number hours recorded, 131 hrs, = 45 per cent
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor 133	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor 133 Mean relative humidity 82.4 Precipitation. In inches. Total precipitation, in inches 3.64	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor 133 Mean relative humidity 82.4 Precipitation. In inches. Total precipitation, in inches 3.64 Total snow, in inches 15	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor .133 Mean relative humidity 82.4 Precipitation. In inches. Total precipitation, in inches 3.64 Total snow, in inches 15 Number of days on which or inch or more	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer 163 hours = 55 per cent Number of clear days
Mean minimum	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer
Mean minimum 15.3 Mean daily range 16.4 Greatest daily range 32.5, 27th Least daily range 3.0, 5th Humidity. Mean dew point 17.6 Mean force of vapor .133 Mean relative humidity 82.4 Precipitation. In inches. Total precipitation, in inches 3.64 Total snow, in inches 15 Number of days on which or inch or more	Mean cloudiness observed 64 per cent Total cloudiness recorded by the Sun Thermometer

	Barome S	ter Red ea Leve	1.		Tei	nperatui	e. Grou	nd Shelt	er.		Hours of
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hou
1 2 3 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	30.17 30.04 30.03 30.14 30.10 30.09 29.99 29.74 29.51 29.83 30.60 30.66 30.51 30.74 30.27 29.89 30.19 30.20 30.18 30.37	29 72 29 74 29 72 29 81 29 45 29 45 29 74 29 36 29 36 29 47 29 38 30 27 29 55 29 74 20 38 20 76 20 76 20 81	29.865 29.927 29.867 30.061 29.788 29.910 29.871 29.880 29.495 29.435 29.435 29.435 30.584 30.681	31.0 38.5 33.0 35.0 34.0 43.5 37.0 42.0 27.0 14.5 22.0 27.5 22.5 26.5 33.0 25.5 24.5 24.5 24.5 25.5 26.0 27.0 27.0 27.0 27.0 27.0 27.0 27.0 27	6 P 6:30 A 2 A 4 P 8:30 P 3 P 3:0 P 6:30 P 0 A 3 P 2 P 6:30 P 0 A 3 P 2 P 1:30 P 0 A 4 P 1:30 P 1:30 P 3:30 P 1:30 P	16.0 29 0 24.0 27.5 32 0 22.0 23.0 22.5 32.0 27.0 3.0 -1.5 14.0 13.0 14.0 19.5 7.0 9.0 13.0 14.0 14.0 14.0	5 A 0 A 6:30 A 8:30 A 11 P 1 A 7 A 12 P 12 P 7 A 4:30 A 10 P 12 P 130 A 7:30 A 6:30 A 7:30 A 6:30 A 7:30 A	23.5 33.7 28.5 32.7 33.5 28.0 33.3 29.7 36.5 15.0 6.5 13.3 32.3 18.7 19.7 26.0 17.3 18.7 28.7 21.5 11.5 11.5 11.5 11.5 11.5 11.5 11.5	24 0 34.7 24.1 31.4 33.5 32.2 30.7 36.4 13.5 5.4 13.5 28.3 18.9 22.3 26.5 15.8 15.8 16.0 14.3 22.6 13.6	23.3 34.3 27.0 29.7 33.5 28.0 29.7 27.7 34.7 33.7 9.3 3.3 14.0 32.0 18.3 16.5 17.3 25.0 14.7 17.3 18.7	1.22 o 6 o c o c o c o c o c o c o c o c o c
28 29 30 31	30.34 30.26 29.96 30.08	30,20 29.78 29.65 29.79	30,2 5 0 30,123 29,786 29,972	24.5 26.0 42.0 36.5	3:30 P 3:30 P 1:30 P	180 13.0 17.0 25.0	0:30 A 6 A 0:30 A 5:30 A	21.3 19.5 28 3 30.7	21.1 19.7 31.6 31.5	20.5 19.0 29.7 28.3	0.2 0.0 8.7 3.3

	H	lumidity	<i>7</i> .		Wind.						tion.	
	M	por.	y.	n	t .	m are Ft			b <u>i</u> c		Tota	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending,	Rain.**	Snow.
1 2 3 4 5 6	20 5 32.5 24.0 27.5 31.5	.135 .207 .154 .172	87.5 88 o 86 5 90 o 95.0	S.W. W.N.W. E.N.E. N.N.E. E.	163 88 48 7	2.0 0.5 3 0 0.0	20 10 24 —	2 P 6 A 12 M — 8 A	II A	10 P	·55	5½
6 7 8 9	24.5 27.5 24.0 34.0 30.5 4.5	.167 .180 .165 .212 .208	80.5 86.5 81.0 93.0 86.0 76.0	N.N.W. W.N.W. W.S.W. S.W. W S.W. N.N.W.	259 176 298 262 155 346	6.5 10.0 4.0 4.5 5.0 6.0	36 45 28 30 32 35	12 M 10 P 2 P 5 A 4 P 1 P				
12 13 14 15 16	-05 11.5 29.0 14.5 10.0	.055 .088 .211 .108 .104	80.5 89.5 87.5 82.0 73.5 68.0	N.W. W. W. N.N.W. N.W. W.N.W.	254 22 235 199 126 283	6.0 0.0 16.0 0.5 1.5 6.0	35 57 10 17 35	9 A 11 A 5 P 5 P	9 A 0 A	12 P 11 A	.10	1 1
18 19 20	13.0 5.5 10.5	.147 .08 5 .092	76.5 73.5 83 0	W.N.W. N.W. W.	293 391 62	5.0 8 5 0.0	32 41	11 P 0 A	7 A		Т	T
21 22 23 24	15 5 12.5 5.0 9.0	.101 .112 .080	88.0 75.5 71.5 87.5	S.S.E. W.N.W. W S.W. S.S.W.	32 183 192 40	0.0 10.5 1.0 0.0	46 14	3 P 8 P	4 P 0 A	12 P 4 A	.56	* 3½
25 26 27 28	17.5 8.5 6.5 18.5	.127 .078 .086	81.0 90.0 73.5 89.0	S.W. N.W. S.W.	40 104 80 58	7.0 2.5 1.0 0.0	37 22 14	9 P 9 P 7 P	8 P 12 M 8 P 0 A	10 P 3 P 12 P 10 A	.04 T *	† T *
29 30 31	17.0 26.5 25.5	.109 .177 .165	88.5 82 0 84.0	S. N.W. N.W.	16 148 130	0.5 1.0 0.5	10 28 10	8 A 10 A 5 A	8 A 7 P	10:30P	.02	3

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during the month was generally seasonable, and abnormal features were wanting. While the last half of the month was somewhat colder than the first half there was but little zero weather. On the other hand, there were only five days when the mean hourly temperature was above the freezing point and these were all during the first third of the month. More than one-half the total precipitation was in the form of rain. While the snowfall was moderate, sleighing was possible during most of the month.

The records of the several weather elements show the following as the more important features: The mean barometer was comparatively low for this season of the year and the range about one-fifth of an inch less than usual. The fluctuations of pressure, however, were larger than usual. The maximum and minimum pressures for the month were both above the normals for these features at this station.

The maximum temperature was nearly four degrees lower than usual and the minimum more than three degrees higher than usual, giving a small range for the month. The mean hourly temperature was 1.6 degrees lower than the normal. The temperature was below zero on but two days of the month.

The mean dewpoint was practically normal, while the relative humidity was more than five points higher than the normal. The total precipitation was slightly more than usual and was well distributed throughout the month.

The total wind movement was less than normal, although there were more gales than usual. Most of the gales were from the northwest quadrant.

The amount of sunshine was comparatively small, more than half of the days being either cloudy or overcast.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Acting Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTHLY SUMMARY.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.09, 13th, 8 A	Total movement
	Greatest daily movement 488m, 10th
Reduced† maximum reading, 30.43, 13th, 8 A	Least daily movement 21m, 15th
Reduced† minimum reading, 28.93, 5th, 11 A	Mean daily movement 174 m
	Mean hourly velocity 7.3 m
Monthly range	Maximum pressure per square foot, 15.0 lbs = 55m per hour, 5th, 10 A, S.W.
	Maximum velocity for 5 minutes 30m per
	hour, 5th, 2P, S.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West.
Highest	
Lowest16.0, 13th, 7 A	
Mean hourly	Summary.
Mean of means of max, and min 19.9	South Southwest
Mean sensible (wet bulb) 17.4	West
Monthly range 62 c	
Highest mean daily 38.5, 27th	
Lowest mean daily o.8, 12th	
Mean maximum 29.6	
Mean minimum	
Mean daily range	,
	Mean cloudiness observed 45 per cent
Least daily range 10.0, 10th	Thermometer 116 hours = 39 per cent
	Number of clear days 10
	Number of fair days
Humidity.	Number of cloudy days
Mean dew point	
Mean force of vapor	
Mean relative humidity 82.;	Bright Sunsbine.
	Number hours recorded, 180 hrs, = 61 per cent
	Rain, 1st, 9th, 23d, 24th, 26th.
Precipitation. In inches.	Snow, 1st, 4th, 5th, 9th, 10th, 20th.
	Gales, 35 or more miles per hour. 43m. 2d,
Total snow, in inches	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Number of days on which or inch or more	36m,6th,S.; 38m, 9th,S.W.; 52m,10th,N.W.;
rain fell	
Days of Sleighing	8 W.; 35m, 26th, S.
*Temperature in ground shelter.	

† Reduced to freezing and sea-level.

		ter Red ea Level			Ter	nperatur	e. Groui	nd Shelte	er.		Hours of
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. flou
1	29.79	29.43	29.590	32.0	1:30 P	16.0	12 P	24.0	28.1	26.3	0.0
2	29.74	29.66	29.693	16.0	0 A	2.0	12 P	9.0	7.3	3.7	9.
3	29.80	29.69	29.738	10.0	8 P	-2.0	5:30 A	4.0	4.3	4.0	7.
4	29 69	29 32	29.550	28.0	4 P	7.0	2 A	17.5	18.1	17.2	6
5	29.64	28.93	29.269	29.0	S:30 A	12.0	12 P	20.5	18.9	17.7	0
5	30.08	29.64	29 921	28.0	2:30 P	12.0	0 A	20.0	17.9	15.5	9.
7	30.10	2981	30.000	310	8:30 P	12.0	3:30 A	21.5	22.0	21.7	4
8	29.81	29 68	29.738	425	2:30 P	25.0	3 A	33.7	33.1	30.8	6.
9	29.68	29.13	29.365	29.0	5:30 A	12.0	12 P	20.5	26.1	21.8	0
ιó.	30 04	29.37	29.893	I 2.0	0 A	2.0	12 P	7.0	6.9	4.4	9
ı,	30.30	30.04	30.229	10.0	3:30 P	-8.0	6:30 A	4.0	5.1	1.2	9
12	30.40	30.30	30.390	8.0	2:30 P	-100	7:30 A	-1.0	0.8	-3.3	9
13	30.43	30.08	30.312	22.0	4 P	-16.0	7 A	3.0	5.0	0.6	9
14	30.13	29 92	29 970	28.0	4 P	7.0	7:30 A	17.5	17.5	10.7	S
15	29.97	29.53	29.807	32.0	5:30 P	-2.0	7 A	15.0	14.9	100	8
16	29.62	29.37	29 584	32.0	4 P	7.0	8:30 A	19.5	21.1	17.1	7
17	29.86	29.62	29.822	30.0	3:30 P	16.0	7:30 A	26.0	27.1	23.8	7
ıś.	30.20	29.76	30.040	42.0	II A	23.0	12 P	32.5	34.3	29.1	9
19	30.37	30,12	30.313	30.0	4 P	13.0	S A	21.5	21.7	19.5	7
20	30.12	29.76	29.885	40.0	4 P	20.0	0 A	33.0	30.2	28.0	- 6
21	30 24	29.89	30.153	30.0	4 P	13.0	7:30 A	21.5	22.8	19.3	10
22	30.35	30.03	30.268	25.0	3:30 P	7.0	5 A	160	13.4	11.7	5
23	30.35	29.78	30 181	38.0	3:30 P	5.0	7:30 A	21.5	25.2	20.3	6
2.4	30.10	29 66	29.853	42.0	3 P	23.0	12 P	32.5	33.7	19.3	7
25	30.42	30.10	30.348	280	3:30 P	11.0	7 A	19.5	190	16.2	7
26	30.28	29 60	29.844	43.0	7:30 P	230	o A	33.0	356	36.0	0
27	30.16	29 60	29 947	46 0	2:30 P	300	12 P	38.0	38.5	35.0	6
28	30.37	30.16	30.333	33.0	4:30 P	21.0	12 P	27.0	27.8	28.3	1

-	H	lumidity	<i>i</i> .		,	Wind.				Precipita	ition.	
	M 4	por.	.y.	9 .u	l t .	m are Ft	la		ρŗ			al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	23 5 -0.5 -0.5 13.0 13.0 12.0 20.5 28.0 20.0 -7.0 -4.0 8.5 5.5 13.5 20.0 27.5 15.0 9.0 19.0 26.0 27.5 15.0 27.5 28.0 29.5 29.	.153 .056 .058 .108 .094 .125 .186 .058 .050 .040 .058 .076 .139 .179 .113 .078 .135 .175 .135	85.0 80.0 76.0 78.5 78.0 91.0 84.0 91.0 84.0 70.5 80.0 75.5 87.0 78.0 84.5 86.5 81.5 87.0 88.5 91.0 83.5 83.5	N.W. N.N.W S.E. E.S.E. S.S.W. E.S.E. E.N.E. W.N.W. N.W. N.W. N.W. N.W. N.	121 176 178 2257 276 200 128 1107 488 1141 42 52 211 196 105 66 105 66 201 175 201 175 342	5.5 9.0 12.0 3.5 15.0 6.5 3.0 1.0 7.0 13.5 3.5 2.5 0.5 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	33 43 49 26 55 55 36 24 14 38 52 26 22 10 17 36 28 22 22 10 39 42 11 10 39 42 34 34 35 36 36 36 36 36 36 36 36 36 36 36 36 36	6 P 9 P 2 P 2 P 10 A 8 P 11 A 3 P 11 A 9 P 12 P 10 P 4 P 12 A 9 P 3 A 2 P 7 P 0 A 6 P 6 P 6 P 6 P 6 P 6 P 6 P 6 P 6 P 6	9:30 P 0 A 8 A 8:30 P 0 A 7 P 0 A 8 A	9:30 A 12 P 2 P 12 P 2 A 12 P 7 A 11 P	.24 ** .34 .28 ** .15	2 ½
27	33 0	.154	90.5 69.0	W.	105	2.5	1.4	0 A				

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

During the month of February unusually cold weather was much in evidence; the first half of the month, especially having a number of days showing temperatures below zero. The precipitation was comparatively light, but the absence of any warm days allowed the sleighing to continue in fair condition up to the close of the month. While the amount of sunshine was rather large, it did not appear to have any effect on the general temperature.

The records of the several weather elements show a number of features of interest when compared with the normals for this station.

The mean barometer was about one-tenth of an inch below the normal, while the range was practically normal. The fluctuations in pressure were generally large, and extended over considerable periods. Both the maximum and minimum pressures were more than two-tenths lower than usual. The number of gales was large, and two showed pressures indicating velocities in excess of 50 miles per hour; several of the gales were from the south compass points.

The mean temperature was three and one-half degrees below the normal, and minimum was about eight degrees lower than the average minimum for February. On the 12th the average of the hourly temperatures was nearly zero. The maximum temperature was about five degrees lower than usual for this feature, and occurred near the end of the month.

The mean dew point was quite low, while the relative humidity was considerably above the normal

The total precipitation was not more than one-half the normal, and was about equally distributed between rain and snow. No storms of marked severity were noted.

The number of hours of sunshine was large, and only five cloudy and overcast days were noted.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Acting Observer.

† Reduced to freezing and sea-level,

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

	Wind. Total movement
Reduced t minimum reading, 29.44, 29th, 1 P Mean semi-daily reduced 30.063	Mean daily movement
*Air Temperature. In Degrees Fahr.	Maximum velocity for 5 minutes 33m per hour, 6th, 1A, W.N.W. Prevailing direction, West.
Highest	
26th, 4 P.	Summary.
Lowest —2.0, 7th, 7 A Mean hourly 33.3 Mean of means of max. and min 33.4 Mean sensible (wet bulb) 29.7 Monthly range 60 o Highest mean daily 44.2, 27th	West Southwest .13 per cent West .13 " " West Northwest .19 " " Northwest .13 " " Southwest .10 " " Other directions .32 " "
Lowest mean daily , 19.8, 19th	Wenther.
Mean daily range	Mean cloudiness observed 50 per cent Total cloudiness recorded by the Sun Thermometer 139 hours = 37 per cent Number of clear days 13 Number of fair days
Humidity.	
Mean dew point	Bright Sunshine. Number hours recorded, 232 hrs, = 63 per cent Rain, 4th, 8th, 11th, 12th, 17th, 20th, 24th 27th, 28th, 29th. Snow, 3d, 4th, 5th, 11th, 14th, 15th, 17th, 18th.
Precipitation. In inches.	Hail, 5th.
Total precipitation, in inches	Gales, 35 or more miles per hour. 46m, 6th, N.; 39m, 12th, W.N.W.; 35m, 15th, N.W.; 35m, 15th, N.W.; 35m, 26th, S.; 43m, 23d, W.S.W.; 35m, 24th, N.W.;

	Barome S	ter Red ea Leve	l.		Ter	nperatui	e. Grou	nd Shelte	er.		s of
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 2 3 3 4 4 5 5 6 6 7 7 8 8 9 100 11 1 12 1 13 11 14 1 15 11 16 17 18 19 10 2 1 1 2 2 2 3 3 2 4 4 2 2 5 5 6 6	30.35 30.48 30.33 30.21 30.10 30.41 30.53 30.24 30.07 30.24 30.27 30.26 30.29 29.69 30.12 30.12 30.33 30.34 30.30 30.30 30.30	30.27 30.35 30.21 30.10 29.53 29.69 30.24 29.68 30.07 30.86 29.88 29.54 29.53 29.59 29.87 29.92 29.87 29.92 29.87 29.92 29.87 29.92 29.87	30.321 30.448 30.282 30.173 29.776 30.259 30.458 29.839 29.874 30.170 30.203 29.952 30.231 29.953 29.953 30.012 29.983 29.953 30.122 29.953 30.248 30.192 29.878 30.203	36.0 34.0 36.0 30.0 31.0 41.0 39.0 41.0 39.5 39.5 42.5 34.0 39.5 48.0 48.0 49.0 49.0 58.0	3:30 P 3:30 P 3:30 P 4 A 4:30 P 4:30 P 2:30 P 3:30 P 4 P 5:50 P 2:30 P 4 P 5 P 5 P 2 P 4:30 P 4:30 P 4:30 P 4:30 P 4:30 P 4:30 P	18.0 23.0 28.0 29.0 17.0 28.0 31.0 26.5 29.0 27.0 21.0 26.0 25.0 14.0 30.0 29.5 23.0 27.0 26.0 27.0 26.0 27.0 26.0 26.0 26.0 26.0 26.0 26.0 26.0 26	3:30 A 6 A 4:30 A 12 P 6:30 A 7 A 1:30 A 6:30 A 4 A 12 P 6:30 A 6 A 12 P 1:30 A 5 A 12 P 1:30 A 6 A 4:30 A 9 A 7 A	27.0 28.5 31.0 32.5 23.5 23.0 19.5 33.5 36.0 34.5 32.0 37.3 32.0 37.3 37.3 37.3 37.3 37.3 37.3 37.3 37	27.0 28.3 30.8 31.4 23.4 20.7 20.8 32.5 35.3 33.0 32.0 33.7 31.6 29.3 33.8 36.7 37.0 43.2 41.2	24.7 24.3 29.5 19.7 17.0 16.6 32.5 31.3 29.5 30.0 30.0 27.5 27.5 30.3 32.5 27.7 14.7 25.3 34.0 40.7 35.5 34.0	6.7 6.00 3.3 3.8 8 2.2 2.2 2.2 2.10.8 9.5 0.0 10.3 0.3 0.3 0.0 10.6 1.3 7.7 7.9 11.1 1.1 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.
27 28 29 30 31	29.70	29.50 29.54 29.44 29.61 29-83	29.805 29.749 29.529 29.869 29.929	56.0 44.0 49.0 45.0 51.5	11 A 2 P 12 M 3 P 4:30 P	32.0 34.0 32.0 32.0 31.0	5 A 5 A 12 P 0 A 3:30 A	44.0 39.0 40.5 38.5 41.3	44.2 37.6 39.4 37.2 40.5	43 ° 34.5 36.5 3°.3 35.3	0.0 12.5 11.6 12.0 11.2

	I	Iumidity	,		Precipitation.							
	Dew vapor.		ty.	ng. n.	nt nm are Ft		i.		33		Total in Inches.	
Day.	Mean Do	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 4 5 5 6 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	19.5 17.0 27.5 27.5 27.5 17.5 9.0 12.5 30.5 24.0 26.5 27.5 27.5 22.5 24.0 29.5 22.0 6.0 17.5 28.5	.149 .150 .168 .167 .112 .105 .113 .189 .204 .176 .178 .163 .184 .190 .195 .160 .221	76.0 66.5 95.0 95.0 87.0 89.5 92.5 92.5 89.5 83.0 85.0 64.0 75.0 75.0 69.0 69.5 75.0	W.S.W W. N.N.W N.N.E. W.N.W. S. W.S.W. W.N.W. S. N.W. N.E. W.N.W. S.S.E. W.N.W.	35 34 14 62 252 288 55 38 2256 172 227 105 172 128 134 462 130 140 173 224	1.0 0.5 0.0 2.0 2.0 5.0 10.5 1.5 0.0 3.5 2.0 0.5 7.5 6.0 1.5 6.0 9.0 6.5 1.5 9.0	14 10 20 32 46 17 27 10 39 27 23 35 17 30 35 42 42 43 46 17 47 48 49 49 49 49 49 49 49 49 49 49 49 49 49	6 P 9 P 2 P 12 M 0 A 5 P 12 M 1 P 12 M 5 P 9 A 6 P 3 P 12 M 6 P 10 A 12 M 1 A 2 P 2 P	5 A 0 A 0 A 5 A 4 A 0 A 1 P 6:30A 11 A 10 A	12 P 12 P 7 P 11:30A 10:30A 1 A 7:30 P 8 A	* * * 1.05 .42 .28 .04 .05 .67 T	* * * 11 2 2 2 3 1 T
23 24 25 26	31 0 39.0 32.5 31.0	.267 .233 .216	90.0 84 0 81.5	N.W. S.S.W. S.W.	370 98 190	6.0 4.0 4.5	43 35 28 30	8 A 12 M 12 M	5 A	10 А	.10	
27 28	40.5 31.5	.296	86.0 82.5	W.S.W. N.W.	189 325	6.0 6.5	35 36	8 P 12 M	3:30 P 0 A	12 P 5 A	1.20	
29	31.0	.246	72.5	W.N,W.	310	3.5	26	6 A	7 A	3 P	.03	
30	19.0 29.0	.210	50.0 66.5	N.W. S.W.	280 52	5.0 0.0	32	11 A				

^{**}Rain or melted snow at base of tower. *Included in following day.

During the the month of March the transition from winter to spring weather was practically completed. Early in the month one of the heaviest snowstorms of the winter occurred and zero temperature was registered, while by the last week of the month nearly all of the snow had disappeared and mild, sunny days were prevalent. The melting of the snow was gradual so that the streams were less swollen than is often the case. At the close of the month the season's advance was slightly ahead of normal conditions, and much of the frost was out of the ground.

The records of the several weather elements show the following interesting features: The mean barometer was considerably higher than the normal and the range less that usual. While the wind movement was rather large it was due to many moderate gales rather than extremely high velocities.

The maximum temperature was about four degrees lower than the normal while the minimum was more than six degrees lower than usual, giving a rather large range. The mean temperature was less than a degree below the normal.

The mean dew point was rather low and the relative humidity about three points above the normal for this station.

The total precipitation was about ninety per cent. of the normal. The most severe storms were a heavy snowfall of more than two days duration, shortly after the opening of the month and a heavy rainstorm, mostly during the night of the 27th.

The amount of sunshine was considerably more than the normal and about three-fourths of the days were either clear or fair.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Observer.

*Temperature in ground shelter.
† Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.03, 17th, 8 A	Total movement
Minimum reduced to freezing, 28.93, 6th, 5 P	Greatest daily movement 611m, 11th
Reduced maximum reading, 30.33, 17th, 8 A	Least daily movement 14m. 1st
Reduced† minimum reading, 29.24, 6th, 5 P	Mean daily movement 128 m
Mean semi-daily reduced 29.925	Mean hourly velocity 5.3 m
Monthly range 1.09	Maximum pressure per square foot, 35.0 lbs =
	84m per hour, 10th, 3 P, N.W. Maximum velocity for 5 minutes 40m per
	hour, 10th, 3 P. N.W.
*Air Temperature. In Degrees Fahr,	Prevailing direction, West Northwest.
Highest 71.0, 19th, 4 P	arotton, rest troitinest.
Lowest	Summary.
	Northwest
Mean of means of max. and min 42.1	West Northwest
Mean sensible (wet bulb) 39.1	South
Monthly range	Other directions
Highest mean daily 58.3, 22d	
Lowest mean daily 31.0, 9th Mean maximum 530	
Mean maximum	i e
Mean minimum	
Mean minimum	Weather.
Mean minimum	Mean cloudiness observed 46 per cent
Mean daily range 18.8	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days 16
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days 16 Number of fair days
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days 16 Number of fair days
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days 16 Number of fair days
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days 16 Number of fair days 10 Number of cloudy days 4 Bright Sunshine. Number hours recorded, 294 hrs, = 73 per cent Rain, 18t, 6th, 7th, 12th, 18th, 20th, 21st, 26th, 27th, 29th, 30th. Snow, 12th, 27th.
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days 16 Number of fair days 10 Number of cloudy days 4 Bright Sunshine. Number hours recorded, 294 hrs, = 73 per cent Rain. 1st, 6th, 7th, 12th, 18th, 20th, 21st, 26th, 27th, 29th, 30th. Snow, 12th, 27th. Thunder and Lightning, 21st.
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days
Mean daily range	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 108 hours = 27 per cent Number of clear days

	Baromet Se	ter Red ea Leve	1.	Temperature. Ground Shelter.								
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of	
a I	29.97	29.81	29.900	66 o	2:30 P	37.0	5:30 A	51.5	49-5	44.5	9	
2	30.01	29.91	29.974	47.0	4 P	37.0	12 P	42.0	40.9	37 0	7	
3	30.21	29.94	30.126	510	3:30 P	35.0	5:30 A	43.0	41.5	36.7	9	
4	30.28	30.23	30.281	54.0	5 P	32.5	3 A	43.3	42.0	36.3	12	
5	30.22	29.73	30.020	53.0	3 P	27.0	5 A	40.0	40.8 38.7	37.7	10	
	29.73	29.24	29.347	420	2 P	33.0	3:30 A 4 A	37·5 40.5		37 ° 35.5		
78	29.80 29.91	29 26	29 544 29.890	45.5 46.0	11:30 A 3 P	35.5 30.0	4 A 6 A	38.0	39.2 37.3	29.0	ı	
	29.79	29.79 29.62	29.890	46.0	3 P	30.0	6 A	38.0	31.0	27.7	1	
9	29.79	29.56	29.686	40.0	3 P	28.0	HP	34.0	32.1	27.7	1	
[]	29.85	29.56	29.736	59.0	3 P	30 0	6 A	44.5	42.1	34.7	1	
12	29.85	29 65	29.733	44.0	4:30 P	33.0	6 A	38.5	37.7	35.0	١.	
13	29.68	29 59	29.664	44.0	4:30 P	32.0	12 P	38.0	39.0	33 5	1	
14	29.77	29.65	29.738	50 0	3 P	27.0	5 A	38.5	38.4	34.5	: ا	
15	29.90	2977	29.834	47.0	3:30 P	25.0	6 A	36.0	36.5	31.3	1.	
16	30.19	20.90	30.117	44.5	4 P	34.0	1 A	39.3	39.1	36.0	1	
17	30.33	30.19	30.305	62.0	5 P	35.0	6 A	48.5	47.0	42.7	1	
18	30.28	30.10	30.180	55.0	5 P	32.0	5:30 A	43.5	44.0	410	1	
19	30.12	30.00	30.065	71.0	4 P	43.0	5 A	57.0	54.0	48.5		
20	30.16	30 oS	30.122	50.0	2 P	42.5	6 P	46.3	46.6	44.3	Ŀ	
21	30.03	29 70	29.858	62,0	5:30 P	43.0	3 A	52.5 56.0	51.5 58.3	50.7 58 7	I	
22	29.94	29 84	29 896	70 0 66.0	3 P	420	5:30 A 2 A		52.8	51.7	1	
23	29.98	29-82 29-86	29.925	60,0	8:30 A	43.0 35.0	1:30 A	54·5 47·5	46.4	41.3	1	
24	30.06	30.03	29 9 5 1 30.114	62.0	4:30 P 5 P	27.0	5:30 A	44.5	43.7	37.7	1	
25 26	30.14	30.03		45.5	2 P	3 5 5	2:30 A	40.5	39.5	36.5	1	
27	30.08	29.99	30.092	43.0	3:30 P	3 5 .0	7 A	39.0	39.0	37.7		
28	30.01	29.99	29.940	58.0	3 P	34.0	5:30 A	46.0	46.0	40.5	1	
29	30.00	29.94	30.010	58.0	12 M	31.0	4:30 A	44.5	47.8	46 3	1:	
30	30.04	29.97	30.011	48.0	1 P	41.0	7 A	44.5	410	40.0		

	Н	lumidity	<i>.</i>	Wind.					Precipitation.			
	ж	oor.	, ×	. 90 H	l t	m rre Ft	L		ņć		Total in Inches.	
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4	42.5 35.0 30.0 29.5 34.0	.322 .234 .256 .242	85.5 85.5 67.0 69.5 78.5	S.W. E. N.W. N.W. N.W.	14 38 64 163 230	0.5 3.0 4.0 8.0 3.0	10 24 28 40 24	7 P 11 A 7 P 6 P 10 P	3 A	6 А	.23	
4 5 6 7 8 9	35.5 31.5 19.5 26.0 16.0	.239 .239 .196 .158 .182	89.5 76.5 54.0 89.0 59.5 56.5	N.N.E. N.W. N.W. N.N W. N.W. W.N.W.	118 153 196 300 306 611	3.5 6.5 3.5 7.5 35.0	26 36 26 39 84 24	6 A 2 P 2 P 4 P 3 P 2 P	0 A 0 A	12 P 8 A	.87	
12 13 14 15 16	30.5 27.5 28.5 24.5 31.5 35.5	.230 .224 .232 .207 .236 .346	74.5 66.0 66.5 64.5 76.5	W.N.W. S.W. W.N.W. W. W.	309 17 67 71 87 125	0.5 2.0 2.0 2.5 3.0	10 20 20 22 24 14	3 P 3 P 1 P 2 P 2 P	6 A	I P	Т	Т
17 18 19 20 21 22 23 24	35.5 37.0 45.5 42.5 50.0 57.0 50.0	.346 .298 .392 .263 .388 .513 .434	74-5 77.0 89.0 95.0 95.5 85.5 59.0	W.N,W. N.W. E.S.E. S.S.E. N.W. N.W.	16 59 121 45 83 81 140	0.5 1.5 3.0 1.0 4.0 3.0	10 17 24 14 28 24 32	12 M 3 P 2 P 6 P 12 M 1 P 5 A	11 A 2 A 0 A	1 P 12 P 11 P	.01 * .48	
25 26 27 28 29 30	31.5 32.5 36 0 34.0 41.5 37 0	.316 .238 .236 .305 .370 .268	56.0 77.0 90.0 64.5 71.0 82.5	N.W. S.W. S.W. N.N.E. E. S.	84 75 17 170 46 47	4·5 3·5 0.0 2.0 1.0	30 26 20 14	8 P 3 P 9 A 4 P 2 P	5 A 0 A 1 P 0 A	12 P 6 P 12 P 6 P	* .20 * .04	Т

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during April was a disappointment from the standpoint of seasonal progress. At the beginning of the month conditions were somewhat in advance of the normal, but so little progress was made during the month owing to abnormally cool weather that the month closed with the season's progress more than a week backward. The last five days of the month averaged nearly the same temperature as the first five days. The precipitation was comparatively small and without any storms of much severity.

The records of the several weather elements compared with the normals, show the following more important features of the month. The mean barometer was considerably below the normal and the maximum and minimum pressures were both comparatively low records. The range of pressure was practically normal. The total wind movement was about three-fourths of the usual amount notwithstanding the unusually large daily movements from the 9th to the 12th inclusive. The record of the 11th was exceptionally large for this station.

The mean temperature was about three and one-half degrees below the normal, making it one of the coldest Aprils on our records. The maximum temperature was more than eight degrees lower than usual, while the minimum was rather high, making a very small range for the month.

The mean dew point was slightly below the normal, while the relative humidity was several points above the normal.

The total precipitation was about sixty per cent of the normal and a trace of snow was noted near the end of the month. The sunshine record was comparatively high.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Observer.

Erratum: Total precipitation on first page of bulletin No. 339, for March, should read 4.08.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N.

*Temperature in ground shelter.
**Reduced to freezing and sea-level.

Longitude 72° 31' 10" W.

Height of barometer above ground, 51 ft. Above sea level, 273.5 ft.

Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 29.17, 11th, 1 P Reduced† maximum reading, 30.27, 31st, 8 A Reduced† minimum reading, 29.47, 11th, 1 P Mean semi-daily reduced 29.809 Monthly range o.80 *Air Temperature. In Degrees Fahr.	Total movement
Highest . 81.0, 19th, 4:30 P Lowest 28.5, 4th, 6 A Mean hourly . 49.3 Mean of means of max and min. . 49.5 Mean sensible (wet bulb) . 44.4 Monthly range . 52.5	
Highest mean daily 62.7, 19th Lowest mean daily 38.6, 5th Mean maximum 59.3 Mean minimum 39.7 Mean daily range 19.6 Greatest daily range 37.0, 18th Least daily range 5.5, 27th	Weather. Mean cloudiness observed 50 per cent Total cloudiness recorded by the Sun Thermometer 136 hours = 30 per cent Number of clear days
	Bright Sunshine.
Mean dew point	22d, 23d, 24th, 27th, 28th, 29th. Snow, 5th. Thunder and Lightning, 28th. Hail, 5th, 12th. Frosts, 4th, 16th, 18th.
Precipitation. In inches. Total precipitation, in inches 4.1. Number of days on which or inch or more rain fell	N.N.W.; 37m, 19th, S.W.; 41m, 25th, N.W.;

		ter Red ea Leve			Ter	nperatur	e. Groui	nd Shelt	er.		shine.
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 2 3 4 4 5 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 19 22 23 24 22 25 26 27 28 8 20 20	30.00 29.82 29.98 30.01 29.94 30.11 30.14 30.06 29.76 20.53 20.69 29.65 29.78 29.78 29.78 29.78 29.78 29.78 29.78 29.78 29.78 29.78 29.78 29.78 29.78 20.78	29.78 29.70 29.81 29.90 29.85 29.91 30.07 29.70 29.57 29.47 29.53 29.48 29.54 29.54 29.54 29.55 29.72 29.72 29.78 29.82 29.82 29.82 29.82 29.72 29.72 29.72 29.72	29.904 29.764 29.910 29.975 29.892 30.054 30.101 29.917 29.542 29.558 29.528 29.568 29.729 29.642 29.744 29.847 29.844 29.847 29.926 29.928 30.680 29.680 29.680 29.680 29.794 29.794 29.794 29.794 29.794 29.794 29.794	44.0 51.5 46.0 62.0 42.0 50.0 50.5 53.0 57.0 57.0 67.0 67.0 67.0 69.0 55.0 69.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0 67.0 69.0 56.0 57.0 69.0 56.0 56.0 57.0 69.0 56.0 56.0 57.0 69.0 56.0 56.0 56.0 57.0 69.0 56.0 56.0 56.0 57.0 69.0 56.0 56.0 56.0 57.0 69.0 56.0 56.0 56.0 56.0 56.0 69.0 56.0 56.0 56.0 56.0 69.0 56.0	1 A 2:30 P 4 P 3 P 3 P 2:30 P 12 M 12 M 12 M 2:30 P 10:30 A 1 P 2:30 P 10:30 A 1 P 2:30 P 4:30 P 4:30 P 2:30 P 4:30 P 4:30 P 2:70 A 5 P 4 P 4 P 4 P 4 P 4 P 4 P 4 P 4 P	37.0 35.0 37.0 28.5 36.0 36.0 37.5 40.0 38.0 39.5 40.0 39.0 41.0 35.0 45.0 45.0 45.0 45.0 45.0 45.0 45.0 4	12 P 6 A 12 P 6 A 6:30 A 5:30 A 3:30 A 3 A 1 O P 4:30 A 1 I A 4 A 1:30 A 5:30 A 5:30 A 5:30 A 5:30 A 5:30 A 5:30 A	40.5 43.3 41.5 45.3 39.0 47.0 46.7 49.5 45.5 47.5 53.0 50.0 50.0 50.0 55.5 51.7 47.5 51.7	39.5 41.7 41.3 38.6 46.5 46.4 47.2 44.9 45.1 46.5 53.8 55.2 62.7 57.3 49.0 40.6 48.7 57.4 49.6	37.0 38.0 36.7 40.7 38.0 42.7 42.5 39.3 41.7 46.0 50.5 37.3 36.7 49.7 54.7 53.5 46.3 45.3 45.3 45.3 45.3 45.3 43.5	0.0 8.9 6.8 8.9 6.8 8.2 12.5 8.2 10 00 11.5 12.1 11.7 13.6 12.0 13.2 1.3 1.3 1.3 1.3 1.3 6.4 6.1 13.1 13.1 13.1 13.1 13.1 13.1 13.1
30 31	30.19 30.27	29.80 30.15	30.162 30.218	72.0 76.0	4 P 1:30 P	40.0 40.0	2:30 A 5 A	56.0 58.0	54.0 59.1	50.3 51.7	13.0 13.6

	Н	lumidity	·.		,	Wind.			l I	recipita	tion.	
	M.	por.	y.	n.	t .	m ire Ft			ρi.			alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 28 29 30 31	35.0 33.5 30.5 34.5 34.5 34.5 39.5 34.5 33.0 42.0 42.0 42.0 42.0 42.5 46.5 46.5 49.0 41.5 46.5 47.0	.238 .261 .253 .314 .230 .252 .298 .302 .238 .344 .284 .297 .350 .506 .278 .292 .420 .426 .588 .512 .442 .341 .317 .352 .353 .444 .415 .332 .312 .433 .463	84.0 75.0 68.0 65.0 68.0 68.0 69.5 78.5 75.5 52.5 53.0 62.5 84.5 63.0 61.5 68.0 82.5 70.5	S.S.E. W.N.W. W.N.W. N.E. N.N.E. N.N.W. W.N.W. W.N.W. N.N.W. N.N.W. N.N.W. N.N.W. N.N.W. N.N.W. W.S.W. S.S.W. W. N.N.W. W.N.W. N.N.W.	43 187 237 25 148 312 25 55 92 257 270 184 168 162 115 50 70 140 242 209 140 242 209 160 173 119 209 148 148 148 148 148 168 168 168 168 168 168 168 16	1.5 3.0 2.5 1.0 3.0 2.5 1.0 3.0 8.5 4.5 6.5 6.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 4.5 6.0 0.5 4.5 6.0 0.5 1.0 0.0 1.0 0.0 1.0 0.0 1.0 0.0 1.0 0.0 1.0 0.0 1.0 0.0 1.0 0.0 1.0 0 0.0 1.0 0 1.0 0 1.0 0 1.0 0 1.0 0 1.0 0 1.0 0 1.0 1.	17 24 22 14 22 14 24 24 24 41 30 36 35 38 44 30 30 28 37 33 41 10 35 11 10 10 10 10 10 10 10 10 10 10 10 10	10 P 11 A 8 A 7 P 3 P 9 A 2 P 12 M 1 P 2 P 11 A 7 A 3 P 10 A 2 A 7 P 4 P 9 A 3 P 10 A 2 A 6 P 7 P	6:30 A O A II P O A O A IO A IO A O A	12 P 5 A 12 P 12 P 5 A 8 P 4 P 12 P 8 A	* .42 T * .90 .02 .03 .10 .01 .559 .96 .17	T

The one predominating feature of the weather during May was the abnormal temperature which prevailed throughout the month. The mean hourly temperature was more than eight degrees below the normal at this station and two and one-half degrees below the record of 1907 which was the coldest May up to that time since this station was established. Using the maximum and minimum records of Professor Snell of Amherst College, which go back to 1837, we find no records which indicate a colder May than 1907, up to this year. It is therefore evident that the month was the coldest May for at least eighty years. There were only four days in the month when the mean hourly temperature was higher than normal May weather.

As a result of the unseasonable temperature, seasonal progress was almost at a standstill during the month, and at its close vegetation was more than three weeks backward. The persistency of the wind from the northwest quadrant during much of the month undoubtedly had much to do with the low temperature.

A comparison of the records of the several weather elements with the normals shows the following features: The mean barometer was the lowest since this station was established and the range was slightly smaller than usual. The barometer chart showed a comparatively steady pressure. The maximum temperature was six degrees lower than the normal but was higher than the 1915 record and almost the same as the 1916 record. While the maximum temperature was a few degrees lower than usual, it was not as low as in 1907, 1911, and 1914 of recent years.

The mean dew point was about as much below the normal as the mean temperature and made a new low record here. The relative humidity was nearly normal.

The total precipitation was four-tenths of an inch more than the normal. The total wind movement was practically normal. The cloudiness observed was about the usual amount.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.04, 13th, 7 A Minimum reduced to freezing, 29.46, 29th, 8 P Reduced† maximum reading, 30.33, 13ht, 7 A Reduced† minimum reading, 29.75, 3rd, 3 P, 29th, 8P Mean semi-daily reduced 29.995 Monthly range	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, Northwest.
Highest	Summary.
Lowest 50.0, 18th, 2 A Mean hourly 65.3 Mean of means of max and min 66 3 Mean sensible (wet bulb) 60.1 Monthly range 38.0 Highest mean daily 72.6, 20th Lowest mean daily 55.4, 18t	North Northwest .20 per cent South .17 " " Southwest .17 " " West Southwest .10 " " South Southwest .10 " " Other directions .26 " "
Mean maximum	Weather.
, , , , , , , , , , , , , , , , , , , ,	Mean cloudiness observed 49 per cent Total cloudiness recorded by the Sun Thermometer 207 hours = 45 per cent Number of clear days 6 Number of fair days 15 Number of cloudy days 9
Mean dew point 57.4	Bright Sunshine.
Mean force of vapor	Number hours recorded, 250 hrs, = 55 per cent. Rain. 3d, 5th, 6th, 7th, 8th, 10th, 11th, 12th, 14th, 15th, 16th, 17th, 22d, 24th, 25th, 26th,
Precipitation. In inches. Total precipitation, in inches 5.27 Number of days on which or inch or more rain fell	27th, 29th. Thunder and Lightning, 7th, 8th, 14th, 22d, 24th, 26th, 27th, 29th. Gales, 35 or more miles per hour, 40m, 3d, N.W.

В	Saromet Se	ter Red ea Leve			Ten	nperatu	re. Groui	nd Shelt	er.		s of
Day.	Maximum	Minimum.	Mean. Semt-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	30.21 30.02 30.03 30.03 30.04 30.04 30.02 29.92 29.94 29.95 30.13 30.31 30.33 30.10 29.97 30.18 30.02 30.04 30.02 30.04 30.02 30.04 30.02 30.04 30.02	30.02 29.94 29.75 30.03 29.88 29.86 29.85 29.80 29.85 29.90 29.77 29.95 30.02 30.05 29.97 29.92 29.93	30.087 29.983 29.997 30.107 29.982 29.982 29.986 29.856 29.856 29.870 30.259 30.259 30.259 30.0548 30.075 30.0548 30.075 30.036 29.971 29.992 29.953 30.149 29.929 29.951 29.929 29.951 29.929 29.954 29.966	58.0 70.0 83.0 83.0 80.0 79.5 78.0 62.0 64.0 66.0 76.0 76.0 85.0 85.0 85.0 85.0 85.0 85.0 85.0 85	12 M 1 P 3:30 P 3:30 P 3:30 P 3:30 P 3 P 5 P 10:30 A 4 P 3:30 P 3:30 P 3:30 P 3:30 P 4 P 3:30 P 4 P 3:30 P 2:20 P 4 P 3:30 P 4 P 3:30 P 3:30 P	51.0 56.0 59.0 50.5 56.0 54.0 55.0 53.0 57.5 58.0 59.0 57.5 58.0 50.0	3 A A O A A O A A A A A A A A A A A A A	54.5 63.0 71.0 68.0 65.0 67.0 58.0 66.0 70.0 64.5 66.7 65.0 65.0 70.5 71.5 71.5 71.5 66.0 66.0 66.0	55.4 62.3 65.7 63.5 65.2 59.4 65.1 69.3 60.2 56.3 61.0 64.8 64.5 64.3 70.9 72.6 70.9 71.1 65.2 64.0 71.1 65.2 64.0 71.1 65.2	54 5 59 7 57 7 57 7 57 7 57 7 60 0 58 7 55 0 61 7 60 0 62 3 53 0 62 3 63 4 5 61 5 60 0 60 5 60 0 60 0 60 0 60 0 60 0 60	4.7.7 5.7.7 9.4 13.8 10.4 11.1 0.3 11.0 0.0 0.0 8.5 9.6 4.5 11.4 11.2 9.8 12.6 8.7 9.9 9.9 12.2 12.2 12.3 0.7 12.5 12.2

	H	lumidity	<i>'</i> .		Precipitation.							
	ew	por.	ty.	n.	: nt	un e are Ft	per		ng.			al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles pe Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 5 6 7 8 9 100 11 12 13 14 15 16 17 18 18 19 20 21 22 23 24 25 26 27 28 29 30	52-5 59-0 53-0 53-5 57-0 58-5 57-5 57-5 60-0 58-5 61-0 56-5 59-5 56-5 59-5 56-5 56-5 56-5 56-5	.461 -552 -538 -625 -555 -634 -516 -600 -689 -518 -465 -527 -621 -586 -578 -602 -458 -602 -766 -738 -604 -720 -763 -574 -586 -678 -717 -642 -608	85.5 89.5 89.5 74.0 93.0 82.5 74.0 80.5 88.5 85.5 85.5 85.5 85.5 72.0 72.0 62.0 75.5 76.0 86.5 77.0 69.5 72.5 76.0	S. S.W. W.N.W. S.W. S.W. S.S.W. S.E. N.E. S.S.W. S.E. S.S.W. W.S.W. S. W.S.W. S. W.S.W. S. W. S. W. S. W. S. W. W.S.W. S. S. W. W.N.W. W.N.W. W.N.W. W.N.W. S.W. W.S.W. W.N.W. W.	150 17 145 90 176 176 41 116 48 22 5 6 6 7 7 11 13 21 129 98 44 137 92 32 48 42 18 16 16 16 16 16 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	2.0 0.0 8.0 2.0 5.5 4.0 1.5 0.0 0.0 0.5 1.5 4.0 0.5 1.5 1.5 1.0 1.5 1.5 1.0 1.5 1.5 1.0 1.5 1.5 1.0 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	20 40 20 33 28 14 32 17 10 	12 M 6 A 2 P 10 P 4 A 4 P 12 M 10 A 6 P 2 P 6 P 4 P 12 M 1 P 3 P 3 P 3 P 3 P 7 P 1 A 7 P 6 P	8 A 6 P 0 A 1 A 0 A 7 A 0 A 0 A 2 P 2 A 10 A 0 A 7 A 7 A 7 A 7 A	10 A 12 P 6 A 12 P 4 P 12 P 8 A 7 P 8 A 12 P 5 P 6 A 11 A 12 P 1 A	.03 .24 .13 .60 .06 .29 .60 1.10 .21 .05 .12 .41 T	

The weather during June was much nearer normal than that of the preceding month and furnished but few features of special interest. The backwardness of the season which was so pronounced at the beginning of the month was much less noticeable when the month closed, although some maturing crops were still more than two weeks behind their normal progress. The precipitation was much greater than usual and the range of temperature unusually small.

A comparison of the records of the several weather elements with the normals of our twenty-five year summary, shows the following features of more or less interest: The mean barometer was slightly higher than the normal and the range unusually small. Owing to the steady pressure of the atmosphere the wind movement was but little more than one-half the usual amount and but a single gale was recorded on the pressure chart.

The mean temperature was practically normal, and the range the smallest of any June on our records. The maximum temperature was about three degrees lower than normal and the minimum was more than ten degrees higher than usual, making it our highest June minimum.

The mean dew point was practically normal and the relative humidity a few points higher than usual.

The total precipitation was more than sixty per cent above the normal and was well distributed,—a measurable amount occurring on more than half the days of the month.

The amount of sunshine was slightly less than normal.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 29.93, 25th, 8 A Minimum reduced to freezing, 29.36, 12th, 4 A Reduced† maximum reading, 30.22, 25th, 8 A Reduced† minimum reading, 29.66, 12th, 4 A Mean semi-daily reduced 29.948 Monthly range	Total movement
*Air Temperature. In Degrees Fahr. Highest	
Lowest	Summary.
Mean hourly 71.7 Mean of means of max, and min. 72.5 Mean sensible (wet bulb) 66 2 Monthly range 47.0 Highest mean daily 86.4, 31st	South Southwest
Lowest mean daily 60.4, 11th	Weather.
Mean maximum 83.1 Mean minimum 61.9 Mean daily range 21.2 Greatest daily range 33.5, 6th Least daily range 9.0, 11th	Mean cloudiness observed 48 per cent Total cloudiness recorded by the Sun Thermometer 177 hours = 38 per cent Number of clear days
Humidity.	
Mean dew point 63.9 Mean force of vapor	Bright Sunshine. Number hours recorded, 285 hrs, = 62 per cent. Rain, 2d, 9th, 11th, 12th, 13th, 14th, 15th, 17th, 18th, 19th, 21st, 24th, 29th. Thunder and Lightning, 15th, 17th, 21st, 24th.
Total precipitation, in inches 3.36 Number of days on which or inch or more rain fell	Gales. 35 or more miles per hour. 35m, 17th.

	Barome S	ter Red ea Leve	1.		Ter	nperatu	e. Groui	nd Shelte	er.		s of
Day.	Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 6 17 18 19 20 21 22 23 24 25 26 27 28	30.04 29.89 29.94 30.05 30.12 30.14 30.17 30.13 30.02 29.92 29.86 29.77 29.87 29.89 29.90 30.03 30.13 30.14 30.10 30.00 29.91 30.12 30.12 30.12 30.12 30.12 30.12 30.12 30.13	29.89 29.78 29.99 30.04 30.11 30.07 30.02 29.89 29.84 29.67 29.73 29.81 29.82 29.90 30.02 30.05 30.05 30.05 30.05 30.15 29.87 29.87 29.87 29.69	29.976 29.818 29.891 29.968 30.082 30.127 30.132 30.975 29.940 29.882 29.742 29.865 29.962 30.049 30.062 30.07 30.104 30.052 29.916 30.060 30.187 30.020	78.0 89.0 88.0 83.5 85.0 84.5 81.0 71.0 66.0 78.0 83.0 78.0 82.0 81.0 82.0 82.0 83.0 83.0 84.0 85.0 85.0 85.0 85.0 85.0 85.0 85.0 85	3 P 3:30 P 0:30 P 3 P 5 P 4 P 3:30 P 11 A 11 A 0:30 P 2 P 3:30 P 1 P 4 P 12 M 3:30 P 12 M 3:30 P 12 M 3:30 P 2:30 P 2:30 P 2:30 P 4 P 12 M 3:30 P 12 M 3:30 P 12 M	\$5.5 65.0 62.0 54.0 51.5 55.5 57.0 58.0 57.0 56.0 62.0 62.0 66.5 66.5 66.0 62.0 62.0 62.0 65.0	2:30 A 5:30 A 5:30 A 4 A 5 A 4:30 A 4:30 A 4:30 A 4:30 A 5	66.7 77.0 76.5 72.0 68.7 68.3 70.0 69.5 61.5 63.3 73.5 70.0 69.5 73.5 73.5 73.5 77.5 81.0 77.0 77.0 68.7	69.6 75.3 70.5 69.3 68.8 70.0 68.9 64.5 60.4 63.7 71.1 67.7 70.0 68.3 73.6 74.6 70.4 76.2 78.5 74.5 77.4 77.0	65.3 67.7 63.5 61.5 61.7 62.5 60.3 57.7 61.0 65.3 7 62.7 62.7 69.0 69.0 69.7 72.0 69.7 71.0 69.5	11.4 9.33 12.6 11.5 9.6.2 10.2 10.2 10.2 10.2 10.2 10.2 10.3 10.3 10.3 10.3 10.3 10.3 10.3 10.3
29 30 31	29.05 29.78 29.86	29.73 29.68 29.70	29.847 29.744 29.817	79.0 96.0 98.5	4 P 4 P 5 P	63.0 68.0 75.0	3 A 3 A 12 P	71.0 82.0 80.7	70.9 83.4 86.4	67.0 76.5 75 .5	4.9 12.7 12.5

	H	lumidity	,		1	Vind.			Precipitation.				
	Dew	por,	ty.	ng D. G	int .	nt m are Ft		۶. ا			Tota Incl		
Day.	Mean D Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.	
EG 1 2 3 4 4 5 6 7 7 8 9 10 11 12 13 14 4 15 16 17 18 19 20 21 22 23 24 25 26	63.5 60.5 60.5 60.5 56.5 58.0 59.0 57.0 50.5 50.5 50.5 60.0 63.5 64.5 62.5 59.0	.753 .770 .718 .722 .723 .675 .712 .675 .624 .643 .520 .696 .637 .774 .702 .805 .794 .802 .720 .851 .763 .824	79.0 84.0 75.0 72.5 63.5 72.0 70.0 85.0 85.5 84.5 88.5 88.5 88.5 88.5 88.5 88.5	S.W. S.S.W. S.W. N.W. W.N.W. S.S.W. S.E. E. S.S.E. S.W. S.W. S.W.	71 866 399 477 47 155 455 799 711 25 377 83 30 70 944 1022 1000 855 444 20 357 271 108	2.5 2.5 1.0 0.5 0.0 0.0 2.0 2.0 2.0 0.0 1.5 0.0 1.5 0.0 6.5 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0 2.0	22 22 14 10 —————————————————————————————————	5 P 5 P 4 P 10 A — 1 P 12 M — 9 P 12 M 9 P 10 P 11 2 M 3 P 2 P — 11 A A A A A A A A A A A A A A A A A	5 A 10 A 10 A 10 A 10 A 10 A 10 A 11 A 12 M 12 M	6 A 4 P 8:30 P 5 P 5 P 11 P 5 P 12 P 3 P 2 P 5 P	.06 T .95 T .01 .02 74 T T T .1.42	S	
27 28 29 30 31	66.5 63.0 65.0 73.5 71.5	.841 .812 .754 1.190	78.5 71.5 83.5 70.0 65 0	W.N.W. N.N.W. S.W. W. N.W.	83 100 60 101 50	2.0 1.5 1.0 2.5 0.5	20 17 14 22 10	11 A 10 A 10 A 10 A 12 M	8 A	4 P	Т		

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during July, while generally normal, presented a few features of more than passing interest. The most noticeable feature was the storm of the 21st instant. While this storm was only moderately severe at the station—its principal feature being the excessive precipitation—in the immediate vicinity it was of exceptional severity. Only a few miles away the wind approached a hurricane in velocity, and hail did much damage to the growing crops, especially tobacco. The precipitation was also much greater than here and caused washouts on the railroads and much damage to the highways. Only an occasional hailstone was noted here.

The other abnormal feature was the excessive heat and high humidity of the last two days of the month. Both days were exceedingly oppressive, and the month closed without any immediate change in sight.

The records of the several weather elements showed the following features: The mean barometer was practically normal and the range quite small. The total wind movement was only about sixty per cent of the normal, and an unusual amount was from the southwest quadrant. Only a few moderate gales were noted.

The mean hourly temperature was a degree higher than the normal, and the maximum and minimum temperatures were both about five degrees higher than usual.

The mean dew point and relative humidity were both considerably higher than the normal.

The total precipitation was one inch less than the normal. Nearly the whole amount occurred during the three storms on the 11th, 17th, and 21st. The first and last thirds of the month were practically free from rain.

The amount of sunshine was slightly more than normal.

J. E. OSTRANDER, Meteorologist.

W. P. SAUNDERS, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.00, 31st, 12 M Minimum reduced to freezing, 29.31, 24th, 3 P Reducedt maximum reading, 30.29, 31st, 12 M Reducedt minimum reading, 29.59, 24th, 3 P Mean semi-daily reduced 30.005 Monthly range	Greatest daily movement
Highest	
Lowest 46.0, 27th, 4 A Mean hourly 70.9 Mean of means of max, and min 72.3 Mean sensible (wet bulb) 65.6 Monthly range 52.0 Highest mean daily \$3.2, 1st Lowest mean daily 62.2, 26th	Summary. South Southwest 10 per cent South 19 " " North Northwest 16 " " West 13 " " Other directions 42 " "
Mean minimum	Weather.
Mean daily range	Mean cloudiness observed 50 per cent Total cloudiness recorded by the Sun Thermometer 142 hours = 33 per cent Number of clear days
Humidity.	
Mean dew point 63.2 Mean force of vapor .738 Mean relative humidity 80.0	Bright Sunshine. Number hours recorded, 287 hrs, = 67 per cent. Rain. 8th, 9th, 10th, 14th, 15th, 16th, 17th, 18th, 21st, 22d, 23d, 24th, 29th, 30th, 31st.
Precipitation. In inches.	Hnil, 21st.
Number of days on which or inch or more	Thunder and Lightning,9th,10th,15th,17th, 21st, 24th, 29th, 30th. Gales, 35 or more miles per hour. None.

	Barome	ter Red ea Leve			Те	mperatu	re. Grou	nd Shelt	er.		90
Day.	Maximum	Minimum.	Mean. Senn-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No House of
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	29.93 29.88 29.95 30.12 30.17 30.22 30.23 30.04 29.95 30.16 30.20 30.19 30.17 30.17 29.91 29.99 30.06 30.02 30.02	29.83 29.74 29.83 29.95 30.08 30.04 29.80 29.72 29.95 30.07 30.14 30.14 30.14 29.98 29.88 29.98 29.88 29.98 29.86 29.86	29.878 29.861 29.918 30.068 30.116 30.069 30.164 29.865 29.850 30.125 30.180 30.167 30.969 29.965 29.960 30.015 29.951 29.951 29.951	98.0 97.0 84.0 86.0 85.5 85.0 81.5 85.0 88.5 85.0 88.5 85.0 88.5 85.0 88.5 85.0 79.0 83.0 80.5 86.0	4 P 4 P 5 P 2:30 P 6 P 4:30 P 3:30 P 3:30 P 3:30 P 2 P 1:30 P 2 P 1:30 P 4 P 3:30 P 4 P	69.0 72.5 64.0 55.0 53.0 64.0 65.0 61.0 54.5 57.0 65.0 65.0 65.0 65.0 63.5	\$ A A 6 A A 5 A A 5 A A 6 A A 5 A A 5 A A 5 A A 5 A A 5 A A 5 5 A 5 A 5 5 A 5 5 A	83.5 84.7 74.0 68.5 69.5 70.7 71.0 71.3 69.7 72.0 74.0 74.0 74.0 75.3 75.3 75.3	83.2 80.8 73.1 68.8 69.7 72.2 74.6 70.3 75.3 69.7 68.8 70.8 70.8 70.8 70.9 66.0 67.0 73.3 71.3 69.1	74.0 73.5 64.0 62.5 63.5 66.3 67.5 64.3 64.0 65.7 66.3 67.5 64.0 67.5 64.5	111 100 113 113 111 100 68 81 100 111 111 111 111 111 111 111 111
23 24 25 26 27 28	29.99 29.74 29.86 30.15 30.18 30.09	29.74 29.59 29.65 29.86 30.09 29.96	29.890 29.638 29.740 30.088 30.148 30.051	75.0 88.5 86.5 77.0 85.5 83.5	4 P 1:30 P 4 P 5 P 3 P 3 P	64.5 70.0 62.0 50.0 46.0 62.0	6 A 3 A 12 P 6:30 A 4 A 5 A	69.7 79.3 74.3 63.5 65.7 72.7	70.5 76 0 73 7 62.2 66.3 72.0	67.5 72.3 67.0 54.5 59.3 65.0	2 4 10 12 11
29 30 31	30.09 30.15 30.29	29.96 30.00 30.15	30.074 30.082 30.284	83. 5 78.0 80.5	2 P 12 M 5 P	64.0 59.0 5 4. 5	12 P 12 P 6 A	73.7 68.5 67.5	68.9 68.0 65.2	64 5 66.0 59.0	10

1 70.5 1.096 68.5 W. 44 2.0 20 6 P		F	lumidit	у,		,	Wind.				Precipit	ation.	
To.5		M O	por.	, x	ng. n.	ti .	m are Ft	_		př.			
2	Day.	Mean Do Point.	Mean Force va	Mean Relative Humidit	Prevailir Directio	Total Moveme in Miles	Maximu Pressure Per Squa	Miles pe Hour.	Tíme,	Beginnin	Ending.	Rain.**	Snow,
29 63.0 .663 87.5 N.E. 116 2.5 22 2 P I P TO P 1.80 30 65.5 .660 96.0 N. 67 2.0 20 11 A I A 6 P .28 31 56.5 .562 83.0 W. 62 0.0 — O A 2 A .01	1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 28 29 30	71.5 60.5 58.0 60.5 63.0 65.5 70.0 62.0 61.5 63.5 60.5 65.0 66.0 61.5 65.0 65.0 65.0 65.0 65.0 65.0 65.0 65	1.096 .993 .750 .720 .711 .785 .855 .707 .844 .868 .682 .699 .718 .710 .685 .644 .802 .730 .717 .726 .850 .770 .499 .611	68.5 78.0 76.0 68.0 91.5 87.5 87.5 87.5 90.5 94.0 82.5 73.0 90.0 90.0 77.0 90.0 77.0 90.0 77.0 90.0	W. W. N.N.W. N.N.W. N.N.W. S.E. S. S. S.W. N.N.W. E.S.E. N.W. S.S.W. S. W.N.W. S.S.W. S. W.N.W. E.N.E. E. S.E. E. N.E. N.E. N.E. N.E.	444 611 412 422 866 644 1799 433 288 255 1100 75 533 1844 72 1599 84 142 63 2511 116 67	2.0 3.5 0.5 0.0 0.0 1.5 1.5 1.0 0.0 0.5 2.0 2.5 3.5 2.0 0.0 0.5 2.0 2.5 3.5 2.0 2.5 3.5 2.0 2.5 3.5 2.0 2.5 3.5 2.0 2.5 3.5 2.0 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5	20 26 10 ———————————————————————————————————	5 P I P	6:30 A 5 P 8 A 6 A 2 A 3 P 8 P 8 A 0 A	8 P 12 P 8 P 8 P 4 A 12 P 10 P 6 P	.60 2.34 T .26 .04 .88 .22 .21 T .03 .26	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during August was marked by an unusual number of thunder storms of more than ordinary severity with heavy precipitation. One of the storms was accompanied by much hail in the immediate vicinity of the station and considerable damage was done to tobacco and fruit. The storm on the night of the 9th and 10th was one of the heaviest downpours here in many years, nearly three inches of rain falling in about three hours. High temperatures were in evidence most of the month, the thermometer registering 80 degrees or more on 26 days. The highest temperature of the month was reached on the 1st during the hot wave which started the latter part of July, and continued the first two days of this month.

Comparing the records with the normals for this station the following features are noted: The barometer record was practically normal in every respect. The total wind movement was considerably less than normal and not a single gale was recorded on the wind-pressure chart. The wind direction was more variable than usual.

The mean temperature was more than three degrees above the normal and the range a little larger than usual. Both the maximum and minimum were several degrees higher that their respective normals. There was no approach to the temperature for frost at any time.

The mean dew point and relative humidity were both several points above their normals.

The total precipitation was about seventy per cent more than the normal.

Notwithstanding the large precipitation the amount of sunshine was considerably more than usual, and only three days were recorded as cloudy.

J. E. OSTRANDER, Meteorologist.

H. B. MILLARD, Acting Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONIALI	SUMMARY.
Pressure. In inches. Maximum reduced to treezing, . 30.24, 23d. 8 A	Wind.
Minimum reduced to freezing, 29.20, 30th, 4 p Reduced maximum reading, 30.54, 23d, 8 A Reduced† minimum reading, 29.49, 30th, 4 p Mean semi-daily reduced 30.107 Monthly range 10.5	lillean hourly velocity
*Air Temperature. In Degrees Fahr.	·
Mean of means of max. and min. 58.4 Mean sensible (wet bulb) 52 1 Monthly range 54.5 Highest mean daily 67.9, 2d Lowest mean daily 45.9, 11th Mean maximum 72.8 Mean minimum 44.0 Mean daily range 28.8 Greatest daily range 41.0, 19th Least daily range 6.5, 1st	Summary. East
	Number of fair days 6 Number of cloudy days 6
	Bright Sunshine.
rain fell 5	

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level,

Baromet	ter Red ea Leve	1.		Tei	nperatui	e. Groui	nd Shel t	er.		fours of Sunshine,
Day. Maximum	Minimum.	Mean. Semi-daily.	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours Bright Sunsh
I 30.31 2 30.20 3 30.03 4 30.18 5 30.24 6 30.06 7 30.13 8 30.17 9 30.14 10 30.17 11 30.23 12 30.31 13 30.31 14 30.33 15 30.37 16 30.39 17 30.33 18 30.00 19 29.95 20 29.89 21 29.97 22 30.41 23 30.52 24 30.52 25 30.30 26 30.18 27 30.13 28 29.93 29 29.89 30 29.70	30.20 29.96 29.96 30.03 30.06 29.74 29.92 30.11 30.21 30.21 30.24 30.32 30.33 30.00 29.83 29.83 29.84 29.97 30.41 30.30 30.93 29.93 29.93 29.93 29.70 29.49	30.194 30.519 30.403	61.0 82.5 78.0 72.5 73.5 72.0 65.5 71.0 63.0 74.0 82.0 75.0 64.0 75.0 81.0 85.0 81.0 68.5 76.0 68.5 76.0 79.0 69.5 69.5	1 P 3 P 2:30 P 2:30 P 4 P 3:70 P 2:30 P 4 P 3 P 2:70 P 3 P 2:70 P	54.5 58.5 57.0 43.0 42.0 42.0 43.5 30.0 30.5 34.0 30.5 44.0 41.0 50.5 48.0 42.0 41.0 50.5 48.0 40.0	6 A 4 A 12 P 12 P 6 A 6 A 6 A 12 P 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6	57.7 70.5 67.5 61.7 58.3 59.0 57.5 55.3 46.7 54.3 59.5 55.5 66.7 62.0 52.5 50.3 61.5 60.7 62.0 58.7 56.5 55.3	58.6 67.9 67.9 67.2 56.3 59.3 56.0 52.7 55.2 50.4 45.9 53.0 57.2 58.9 62.6 62.7 64.6 62.7 64.6 48.9 57.8 54.9 57.8 54.9 57.8 57.8 57.8 57.8 57.8 57.8 57.8 57.8	57.5 64.7 60.0 55.0 50.0 50.0 48.5 49.0 49.7 51.5 52.7 55.3 55.3 55.3 55.3 55.3 55.3 55.3 55	0.0 8.3 11.0 9.7 11.5 2.3 11.4 7.3 8.0 10.6 11.7 10.9 9.5 4.0 7.9 9.8 10.5 6.8 8.0 11.0 9.5 6.8 8.0 11.1 9.5 6.8 8.0 11.1 10.0 10.0 10.0 10.0 10.0 10.

	Н	Iumidity	7.		1	Vind.				Precipita	tion.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour,	Time.	Beginning.	Ending,	Rain.**	al in hes.
1 2 3 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 30	56.5 64.0 55.5 51.5 48.5 44.5 51.5 52.5 54.5 51.5 52.5 53.5 52.5 53.5 53.5 53.5 53.5 54.5	.504 .653 .630 .598 .399 .385 .311 .287 .342 .378 .485 .451 .415 .484 .530 .352 .320 .332 .401 .387 .463 .515	90.5 92.5 67.5 75.0 87.0 90.0 90.5 87.0 87.0 87.5 81.5 80.0 95.5 81.5 83.0 81.5 87.0 95.5 79.0 87.0 95.5 79.0 87.0	N.N.W. N. S.S.E. S.S.W. E. S.W. N.W. N.E. W.S.W. E. E.N.E. S.W. S.S.S.E. E.N.E. N.E. E.S.E. N.N.E. N.E.	422 677 422 106 67 130 31 377 455 163 39 7 7 19 13 35 163 775 31	0.0 1.0 0.5 3.5 0.0 0.5 1.0 2.5 1.0 0.5 0.0 0.5 0.0 0.5 0.0 0.5 0.0 0.5 1.0 2.5 1.0 0.5 1.0 0.5	14 10 26 14 10 10 10 10 10 10 10 11 14 17 17 22	I P IO A 8 A 7 A I P IO A I P I 2 M IO A I P I 2 M I O A I P I 2 M I O A I P I 2 M I O A I P I 2 M I O A I P I O A I O B I O	2:30 P 8:30 A	2 P 8 P 9:30 A 9 A 7:30 P	.22 .46	
					 				l			

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during September while generally pleasant was considerably cooler than usual, and the precipitation was comparatively light. While the first frost was about a week earlier than the average date for this locality, it was much more severe than the ordinary first frost of a season, and the resulting damage caused, especially to corn on account of the generally backward condition of growth, was much greater than is usually the case. Other crops were damaged to some extent, but the loss was much less than that of the corn. A comparatively small wind movement with many calm periods caused an unusually abnormal wind direction and a much varied record of daily prevailing directions. The precipitation record showed a period of nearly three weeks without a measurable amount of rain.

The records of the several weather elements compared with their respective normals show the following features of more or less interest: The mean barometer was higher than the normal and the range considerably more than usual. During much of the period of high barometer the wind movement was very small, resulting in a total wind movement of but little more than one-half the usual amount.

The mean hourly temperature was more than four degrees lower than the normal, and the maximum and minimum were both about two degrees lower than their normals.

The mean dew point was about four degrees lower than usual, and the relative humidity considerably higher than the average value.

The total precipitation was about sixty per cent. of the normal and nearly all of it occurred during three showers of moderate intensity.

The amount of sunshine was considerably more than normal, and only six cloudy days were noted.

J. E. OSTRANDER, Meteorologist.

H. B. MILLARD, Acting Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Mean semi-daily reduced 30.052 Monthly range	Total movement
*Air Temperature. In Degrees Fahr.	·
Highest	Summary,
Lowest 27.0, 21st, 6 A Mean hourly 47.0 Mean of means of max, and min. 47.4 Mean sensible (wet bulb) 43.0 Monthly range 43.0 Highest mean daily 60.1, 19th Lowest mean daily 37.7, 31st	South
Mean maximum 57.9	
Mean ninimum	Mean cloudiness observed 55 per cent Total cloudiness recorded by the Sun
Humidity.	Number of fair days
Mean dew point 49.5	
Mean force of vapor	
Mean relative humidity 79.6	Bright Sunshine.
Precipitation. In inches. Total precipitation, in inches 6.60 Total snow, in inces Number of days on which or inch or more rain fell	Number hours recorded, 142 hrs, = 41 per cent. Rain, 5th, 8th, 6th, 10th, 12th, 15th, 19th, 20th, 24th, 27th, 20th, 30th. Thunder and Lightning, 5th, 15th, 27th. Frosts, 7th, 13th, 17th, 21st, 23d, 29th, 31st. Gales, 35 or more miles per hour, 4tm, 19th, 5th, 5tm, 24th, 5th, 44m, 28th, 5th, 5th, 30th, 30th, 5th, 30th, 3
1 1 1	

^{*}Temperature in ground shelter.

^{**} Reduced to freezing and sea-level.

		eter Re Sea Lev			Tem	Temperature. Ground Shelter.								
Day.	Maximum	Minimum.	Mean. Semi-daily	Махітит	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine			
2 3 4 5 6 7 8	30.04 30.26 30.23 29.94 30.18 30.28 30.18 30.14 30.10 30.14 30.07 30.10 30.19 30.03 30.18 30.20 30.38 30.40 30.20 30.30 30.25 30.40 30.25 30.29 29.99 30.15 30.22 20.73 30.22	29.59 30.04 29.91 29.62 29.86 29.91 30.10 30.10 30.11 30.00 29.67 30.03 29.74 29.84 30.24 29.80 30.24 29.80 30.01 30.25 29.54 29.61 29.99 29.83 29.74 29.99 29.79	29.823 30.246 30.086 29.773 29.900 30.030 30.193 30.193 30.193 30.193 30.337 29.926 30.337 29.979 30.215	60.0 67.0 69.0 53.0 60.0 61.0 58.5 46.5 57.5 63.0 61.0 55.5 57.0 62.0 69.0 55.5 57.0 46.5 57.0 61.0 58.5 57.0 61.0 58.0 61.0 58.5 61.0 58.0 61.0 61.0 61.0 61.0 61.0 61.0 61.0 61	3 P 3 P 3 P 2 P 2 P 3:30 P 4 P 4 P 3:30 P 2 P 3 P 12 M 2 P 4 P 2 P 4 P 2 P 3 P 2 P 4 P 2 P 3 P 2 P 4 P 2 P 3 P 2 P 3 P 2 P 3 P 2 P 3 P 2 P 3 P 2 P 3 P 4 P 2 P 3 P 4 P 2 P 4 P 4 P 2 P 4 P 4 P 4 P 4 P 4 P 5 P 5 P 6 P 6 P 6 P 6 P 6 P 6 P 6 P 7 P 8	42.0 35.5 37.5 42.0 37.0 41.0 39.0 39.0 39.0 39.5 32.0 39.5 32.0 41.0 47.0 33.0 27.0 41.5 37.5 41.0 41.5 37.5 41.0	12 P 6 A 5 A 12 P 2 A 6:30 A 7 A 6:30 A 12 P 5 A 12 P 6 A 6 A 12 P 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	51.0 51.3 53.3 53.5 50.5 46.3 42.8 42.8 42.8 42.8 43.8 47.3 54.7 51.0 41.5 58.0 41.5 41.5 56.7 47.0 41.5 52.7 30.7	50.9 50.2 52.7 53.8 46.4 50.1 46.2 42.1 42.4 41.0 43.0 44.2 46.7 51.7 50.9 43.7 44.0 43.3 41.0 45.2 42.1 43.7 44.8 43.2 55.7 55.7 57.7	47.3 48.5 49.0 48.7 46.3 46.5 40.3 39.8 41.3 39.8 41.0 40.0 50.0 44.7 38.0 45.0 40.5 50.0 41.3 37.7 38.7 38.7 38.7 38.7 38.7 38.7 38	3.3 6.5 8.0 1.8 0.6 6.7 9.4 3.9 0.7 0.1 1.2 6.7 9.5 1.7 9.5 9.5 1.9 1.1 9.5 8.8 0.0 3.5 9.1 1.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0			

	ŀ	Iumidity	у.			Wind.				Precipit	ation.	
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Kain.	malin ches.
1 2 3 3 4 4 5 5 6 7 8 9 10 11 12 13 14 4 15 15 16 17 18 19 20 22 23 24 25 5 26 29 30 31	43.5 46.0 47.0 45.5 44.5 44.5 42.0 33.5 33.5 33.5 33.5 33.5 34.0 28.5 33.5 33.5 34.0 28.5 33.5 33.5 33.5 34.0 28.5 33.5 33.5 33.5 33.5 33.5 33.5 34.0 28.5 33.5 33.5 33.5 33.5 34.0 28.5 33.5 33.5 33.5 33.5 33.5 33.5 33.5 3	.357 .374 .362 .378 .318 .338 .296 .292 .244 .270 .284 .292 .388 .338 .248 .337 .556 .245 .232 .263 .304 .274 .304 .274 .304 .274 .316 .314 .445 .214	77.0 86 5 84.5 84.5 87.5 80.5 78.5 91.5 69.5 81.5 71.0 81.0 78.5 80.0 67.0 74.5 94.0 83.0 79.5 83.0 79.5 84.5	W.N.W. S.W. S.S.W. N.W. S.S.W. N.E. N.E. N.E. N.E. N.E. S.S.W. S.W. S.W. S.W. S.W. S.W. S.W.	98 30 142 196 33 375 73 144 101 387 64 103 23 110 85 247 133 23 36 164 47 78 44 224 236 121 128 295 78 469 166	2.0 0.0 4.0 3.0 0.0 1.5 1.5 3.5 2.0 0.5 5.5 5.5 0.0 2.5 8.5 1.0 13.0 2.5 1.5 1.0 13.0 2.5 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0	20 28 24 17 17 26 20 14 10 33 33 20 20 33 31 17 14 17 14 17 14 15 12 26 20 41 17 17 17 17 17 17 17 17 17 1	3 P 2 P 9 A 2 P 5 P 2 P 2 P 3 P 6 P 12 M 4 A 2 P 3 P 7 P 5 P 8 A	8 A 6 P 3 P 9:30 P 3 P 12:30 P	10 P 8 P 10:30P 11 P 12 P 9 A 11:30P 12 P 1 A	.35 .09 .01 .78 .15	

The weather during October was less pleasant than usual, owing to the large number of cloudy days and comparatively cool temperature. The precipitation record was also unusually large, which added to the general discomfort. The rainstorm on the 30th was unusually heavy for this locality and was accompanied by a very high wind and low barometer.

A comparison of the records of the several weather elements with their normals for this station shows the following as the more important features: The mean barometer was practically normal while the maximum and minimum records were both considerably lower than their normals. The range of pressure was about the usual amount. The total wind movement was nearly the normal amount, but the prevailing direction was much nearer the south point than usual.

The mean temperature was about three degrees lower than normal and the maximum was nine degrees lower than usual, and came unusually late in the month. The minimum temperature was nearly four degrees higher than usual, giving an unusually small range. Several frosts were noted, but, owing to the killing frost which occurred in September, they did no especial damage.

The mean dew point was slightly lower than usual and the relative humidity comparatively high.

The total precipitation was about three inches more than the average value for October—the storm of the 30th furnishing nearly all of this surplus.

The amount of sunshine was less than 80 per cent of the normal amount.

J. E. OSTRANDER, Meteorologist.

H. B. MILLARD, Observer.

*Temperature in ground shelter.
**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.25, 4th. 8 P Minimum reduced to freezing, 29.15, 22d, 11 P Reduced maximum reading, 30.54, 4th, 8 P Reduced† minimum reading, 29.46, 22d, 11 P Mean semi-daily reduced 30.065 Monthly range 1.08	Total movement
*Air Temperature. In Degrees Fahr.	Maximum velocity for 5 minutes 24m per hour, 26th, 9 A, N.N.W.
Highest 62.0, 6th, 2 P Lowest 7.0, 29th, 7 A	Prevailing direction, Northwest.
Mean hourly	-
Mean of means of max, and min. 34.6 Mean sensible (wet bulb) 28 4 Monthly range 55.0 Highest mean daily 41.7, 6th Lowest mean daily 16.4, 27th Mean maximum 45.5 Mean minimum 23.6 Mean daily range 21.9 Greatest daily range 38.0, 6th, 15th Least daily range 7.0, 22d	North
Humidity.	
Precipitation. In inches.	Bright Sunshine.
-	Number hours recorded, 170 hrs, = 58 per cent. Rain , 21st, 22d, 23d, 24th. Snow , 24th, 28th. Gnles , 35 or more miles per hour, 36m, 25th W.N.W.: 50m, 20th.N.N.W.

В		er Rec			Tem	perature.	. Ground	l Shelter	•		of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
2 3 3 3 3 4 3 3 5 5 6 3 3 7 8 8 3 3 7 8 8 3 3 10 3 3 11 1 3 3 3 11 1 1 1 1 1 1 1	0.28 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	30.09 30.18 30.05 30.05 30.16 30.16 30.16 30.02 30.02 30.02 30.02 30.02 30.03 30	30.227 30.263 30.200 30.200 30.345 30.013 30.013 30.085 29.963 30.085 30.085 30.285 30.285 30.285 30.285 30.285 30.285 29.971 29.961 29.971 29.9681 29.539 29.539 29.539 29.539 30.487 30.487 30.487 30.487 30.487 30.487 30.487 30.487 30.487	49.0 48.0 44.5 55.0 62.0 43.0 56.0 56.0 56.0 49.0 49.0 49.0 49.0 40.0 48.5 43.0 43.0 43.0 54.5 527.5 527.5 527.5 539.5	3:30 P 2:30 P 3 P 3:30 P 2 P 2:30 P 2:30 P 2:30 P 3:30 P 1:30 P 1:30 P 0:30 P 2:30 P 2:30 P 2:30 P 2:30 P 3 P 3:30 P 0:30 P 2:30 P 3 P 3:30 P 0:30 P 0:30 P 0:30 P	25.5 27.0 25.5 29.5 25.0 24.0 30.0 30.5 30.5 24.0 24.0 24.0 24.0 22.5 23.5 23.5 25.0 27.5 25.0 28.0 35.0 27.5 27.5 27.5 27.5 27.5 27.5 27.5 27.5	7 A 6:30 A 12 P 6:30 A 7:30 A 12 P 6:30 A 7:30 A 12 P 7 A 7 A 9 A 7:30 A 12 P 7:30 A 12 P 7:30 A 7:3	36.3 37.5 35.0 40.0 43.0 36.5 34.0 36.5 33.7 39.5 42.5 38.3 39.3 40.5 38.0 20.3 24.0 20.3 19.0 19.7 23.3 21.3	35.4 34.9 34.9 35.9 38.4 41.7 34.6 35.1 31.3 33.8 38.1 38.9 35.9 35.9 38.5 38.6 38.6 38.6 38.6 38.6 38.6 38.6 38.6	26.5 30.0 30.5 32.0 34.0 29.7 32.5 33.7 36.5 31.0 29.0 30.3 33.3 32.0 25.5 30.7 36.7 36.7 36.7 36.7 36.7 36.7 36.7 36	8.0 8.2 1.7 8.3 7.3 8.0 6.7 8.0 8.9 8.0 7.0 7.0 0.7 0.0 0.0 8.0 8.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1

	I	lumidity	у.			Wind.				Precipita	tion.	
ay.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour,	Time.	Beginning.	Ending.		al in hes.
1 2 3 4 4 5 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 26 27 28 29 30	26.0 26.0 26.5 26.5 26.5 24.0 28.0 28.0 26.5 27.0 26.5 27.0 29.0 30.0 24.0 32.0 38.0 35.0 24.0 35.0 24.0 35.0 25.5 27.0 29.0 30.0 20.5 29.0 30.0 20.0 20.0 20.0 20.0 20.0 20.0 20	170 175 186 205 211 244 180 212 220 252 140 177 148 162 203 175 253 157 224 257 227 175 109 080	56.0 79.5 54.0 79.5 54.0 62.0 69.5 68.5 74.0 64.5 61.0 89.5 71.5 74.5 64.5 63.5 77.5 64.5 63.5 73.0 53.5	W. N.W. W. N. W. N. W. N. W. N. W. N. W. N. N. W. S. S. E. S. E. S. E. S. E. N. N. E. N. N. W. N. N. N. W.	19 66 158 272 218 292 218 122 218 14 46 46 256 60 96 161 356 290 167 8 29 1	Was a series of the series of	14 26 28 22 28 32 20 24 26 28 17 28 17 28 20 22 2	4 P 3 P 11 A 9 P 10 A 11 A 3 P 12 M	10 P O A O A 7 A	12 P 12 P 3 P 3 P	.05 .54 .02 T	T 31
	**Rain or melted snow at base of tower. *Included in following day.											

The weather during November was characterized by the large amount of sunshine and small precipitation. During the first three weeks of the month not a trace of rain was noted and the remainder of the month had only one storm of any consequence. Notwithstanding the large amount of sunshine, the weather was considerably colder than usual and the last week was good winter weather. Some days showed unusually low mean temperatures for so early in the winter season.

The record of the several weather elements shows the following as the principal features: The mean barometer was higher than the normal and the range less than usual. The minimum pressure was considerably higher than the normal for this feature. During the last few days of the month a period of high pressure with considerable wind from the north points was concurrent with the low temperature. The total wind movement was, however, considerably less than normal and only two gales were noted.

The mean temperature was more than three degrees lower than usual, and the minimum for the month was more than six degrees below the normal for this feature, giving a comparatively large range.

The mean dew point and relative humidity were both several points below their normals. The total precipitation was only about one-fifth of the usual amount. A light fall of snow occurred near the end of the month. At the close of the month small ponds were frozen over and safe for skating.

J. E. OSTRANDER, Meteorologist.

T. H. REUMAN, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.53, 17th, 10 A Minimum reduced to freezing, 28.89, 9th, 2 A Reduced maximum reading, 30.86,17th,10 A Reduced minimum reading, 29.20, 9th, 2 A Mean semi-daily reduced 30.222 Monthly range 1.66	Total movement
	hour, 14th, 4 P, W.N.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Northwest.
Highest 40 5, 5th, 3:30 P Lowest22.5, 3oth, 7:30 A	Summary,
Mean hourly .16,9 Mean of means of max, and min. .17.1 Mean sensible (wet bulb) .14 ° Monthly range .63 ° Highest mean daily .33.3, 1st Lowest mean daily 12 7, 30th Mean maximum .26,5 Mean minimum .7,7	North
Mean daily range	Weather.
Greatest daily range 29.0, 22d	
Humidity. Mean dew point 9.3	Mean cloudiness observed 46 per cent Total cloudiness recorded by the Sun Thermometer 147 hours = 45 per cent Number of clear days 9 Number of fair days 10 Number of cloudy days
	Bright Sunshine.
Precipitation. In inches. Total precipitation, in inches	Snow, 1st, 8th,1oth, 13th, 14th, 28th. Gales, 35 or more miles per hour. 35m, 2d,

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

1 30 01 29.63 29.692 37.0 9 P 29 0 10 A 33.0 33.3 34.3 0.0 29.99 29.710 37.0 0 A 23.0 12 P 30.0 29.0 25.3 6.5 32.9 87 29.908 38.5 2:30 18.5 7 A 28.5 25.8 22.5 8.5 25.8 22.5 8.5 30.00 29.90 29.944 40.5 3:30 P 18.0 5 A 29.3 20.8 23.5 6.5 6.5 30.00 29.90 29.944 40.5 3:30 P 18.0 5 A 29.3 20.8 23.5 6.5 6.5 30.28 30.03 30.399 32.0 3 P 18.0 12 P 25.0 24.3 20.3 7.6 7.5 7.30.28 30.03 30.399 31.0 10:30 P 2.5 7:30 P 16.3 15.0 15.5 1.2 29.900		Barom	eter Re Sea Lev			Tem	perature	. Ground	d Shelter	•		of shine
I 30 01 29.63 29.692 37.0 9 P 29 0 10 A 33.0 33.3 34 3 0.0 2 29 93 29.62 29.710 37.0 0 A 23.0 12 P 30.0 29.0 25.3 6.5 3 29.95 29.86 29.908 38 S 2:30 P 18.5 7 A 28.5 25 S 22 S 1.7 5 30.00 29.90 29.944 40 S 3:30 P 180 S 5 A 24.7 24.5 22.3 1.7 8 30.28 30.03 30 139 27.5 3 P 18.0 12 P 25.0 24.3 20.3 7.6 8 30.28 29.23 29.901 31.0 10:30 P 2.5 7:30 P 16.3 15.0 15.5 1.5 9 29.902 29.633 34.5 4 A 11.5 8 P 22.5 7:30 P 16.3 15.0 15.5 15.5 17.30 P 10.5 12 P 10.0 10.9 9 S 7.6 10.2 10.2 10.2	Day.	Maximum	Minimum.	Mean. Senn-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
30 30.58 30.44 30.544 1.5 2:30 P -22.5 7:30 A -10.5 -12.7 -16.5 8.2	2 3 4 4 5 5 6 7 8 8 9 9 11 12 13 16 17 18 19 20 21 22 23 4 25 26 27 28 8 29 30	29 93 29.95 29.97 30.00 30.11 30.28 30.28 29.90 30.55 30.61 30.49 30.58 30.82 30.86 30.79 30.56 30.25 30.25 30.25 30.25 30.25	29.62 29.87 29.86 29.90 30.00 30.03 29.23 29.22 30.18 30.49 30.56 30.56 30.25 30.28 29.23 29.23 30.56 30.25 30.28 29.23 30.28	29.710 29.908 29.904 30.090 30.139 29.901 29.633 29.9440 30.555 30.440 30.325 30.798 30.828 30.669 30.414 30.214 30.214 30.338 30.669 30.407 30.670 30.256	37.0 38.5 32.5 40.5 31.0 34.5 14.5 20.0 18.0 25.5 31.0 26.0 27.5 31.0 34.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 26.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.5 31.0 27.0 27.0 37.0 27.0 27.0 37.0 27.0 27.0 37.0 27.0 37.0 27.0 27.0 37.0 27.0 37.0 27.0 37.0 27.0 27.0 37.0 27.0 27.0 37.0 27.0	9 P O A 2:30 P 3:30 P 4 A 3:30 P 4 A A 3:30 P 2 P 4 P 2:30 P 7:30 P 6 A 2:30 P 3 P 1:30 P O A 2:30 P	23.0 18.5 17.0 18.0 18.0 10.5 2.5 11.5 2.5 1.0 17.0 -13.0 8.0 9.0 23.0 -2.0 13.0 20.0 -1.5 -1.5 -1.5 -1.5 -1.5 -1.5 -1.5 -1.5 -1.0 -2.5 -1.0 -2.5 -1.0 -2.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0 -2.0 -1.0	12 P 7 A 7 A 5 A 12 P 12 P 7:30 P 8 P 7:30 A 0 A 12 P 7:30 A 0 A 10:30 P 0 A 6 A 7:30 P 12 P 7:30 A 12 P 7:30 A 12 P 7:30 A 12 P 7:30 A	30.0 28.5 24.7 29.3 25.0 16.3 22.5 10.0 11.3 9.7 13.3 24.0 17.0 18.3 22.5 11.5 25.0 29.7 14.3 21.5 14.3 22.5 11.5 25.0 31.3 22.5 11.5 25.0 31.3 21.5 11.5 25.0 31.3 21.5 2	33.3 29.0 25.8 24.5 26.8 24.3 16.7 5.3 13.8 24.5 13.9 2.2 18.6 27.5 31.8 32.6 9.7 31.1 14.3 2.5 12.3 -6.1 -12.7	25.3 22.5 22.3 23.5 20.3 12.3 15.5 17.3 9.5 2.5 14.3 22.0 9.0 -1.0 *11.5 18.3 26.3 30.5 31.0 24.0 5.0 29.5 26.3 8.0 -1.7 10.3 -1.7	0.0 6.5 8.0 1.5 7.6 7.9 6.9 7.0 8.0 6.7 5.1 6.5 7.3 8.0 0.0 0.3 7.5 0.4 2.3 7.0 0.2 2.3 7.0 0.2 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2.3 2

	I	Iumidit	у.			Wind.				Precipita	tion.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	al in thes.
1 2 3 4 5 6	31.0 21.0 19.5 17.5 20 0 16.0 6.0	.199 .148 .129 .132 .140 .120	86.5 80.0 83 5 77 5 80.5 70.5 71.5	N N.W. N.N.W. N. N.N.W. S.S.W. N.	112 438 152 18 29 62 203	3.0 6.0 3.0 0.5 0.0 2.5 3.0	24 35 24 10 —	9 P 6 P 8 A I P — 12 P 9 A	o A	5 P	1.10	2 1
7 8 9	85	.105	73.5 78.5	N. W.	62 295	5.5 8 o	33 40	7 P 8 A		11:30 P	.28	34
11	7.5	.072 .067 .053	90.5 72.5 80.0	W.N W. W. N.	261 148 8	6.5 5 0 0.0	36 32	1 P	5 P	6 Р	Т	Т
12 13 14 15 16 17 18 19 20 21	3.0 11 5 19 5 5 0 -7.0 14.5 23.0 28.0 29 5 17.5	.095 .124 .073 .050 .078 .108 .150 .178 .176	86.5 86.5 79.5 72.5 80.0 83.0 86.0 87.0 95.0	N. N.W. N.W. N. N. N.N.E. S.S.W. S.S.W.	26 337 247 5 120 183 30 86 70 198	2 5 9 0 5 0 1 0 4.0 1.5 1.0 0.0 2 5	22 43 32 14 28 17 14 14 14	11 P 4 P 9 A 11 P 2 P 10 P 10 P 11 A	5 A 0 A	12 P 7:30A	.38 .75	2 6
23 24 25 26	27.5 19.5 -1.5	.062 .176 .167	62.5 82 0 66.5 60.5	S S.W. S. N.W. N.	16 185 260	0 0 4.0 3 5 2.5	28 26 22	2 P 8 A 1 P	11 A	8 P	Т	
27 28 29 30 31	-8.5 4 5 -18 5 -26.0 -16.5	.044 .077 .031 .019	69 0 76 0 59 0 63 0 67.0	N.N.W. W. N. N.	85 129 341 283 363	2 0 5.0 4 5 4.5 5.0	20 32 30 30 32	1 A 3 P 3 A 12 M 12 M	7 A	2 P	.05	34

Annual Summary for 1917.

Pressure. In inches.

III IIICIICS.
30.53, Dec. 17th, 10 A 28.61, Feb. 5th, 11 A 30.86, Dec. 17th, 10A 28.93, Feb. 5th, 11 A 30.010
Precipitation. In inches.
Total precipitation, rain or melted snow, 43.56 Number of days on which of or more rain or melted snow fell,
Weather.
Mean cloudiness observed, 48 per cent. Total cloudiness recorded by Sun Thermometer, 1770 hrs.=40 per cent. Number of clear days, 129 Number of fair days,
Bright Sunshine. Number of hours recorded,2684 hrs.=60 per cent-
Dates of Frosts.
Last, May 18th First, Sept. 11th
Dates of Snow.
Last,
Gales of 50 or More Miles Per Hour. Jan. 14th, 57m., S.S.W.; Feb. 5th, 55m., S.W.; Feb. 10th, 52m, N.W.; April 10th, 84m., N.W.; Oct. 24th, 51m., S.: 30th, 58m, S.W.

^{*} l'emperature in ground shelter.

A. L. CHANDLER, Observer.

J. E. OSTRANDER,

Meteorologist.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 28.52, 15th, 1 P Reduced maximum reading . 30.54, 28th, 6 A Reduced† minimum reading, 28.84, 15th, 1 P Mean semi-daily reduced 29.875	Total movement
Highest	Northwest 22 " " West Northwest 10 " " West Southwest 16 " " West 10 " " Other directions 13 " "
Mean minimum 4.9 Mean daily range 18.0 Greatest daily range 33.0, 31st Least daily range 6.0, 13th Humidity	Weather. Mean cloudiness observed 44 per cent Total cloudiness recorded by the Sun Thermometer 121 hours = . 41 per cent Number of clear days
Mean dew point 5.9 Mean force of vapor	Bright Sunshine. Number hours recorded, 173 hrs, = 50 per cent. Rain, 7th, 12th. Snow, 7th, 8th, 10th, 11th, 12th, 15th, 17th.
Precipitation. In inches. Total precipitation, in inches	18th, 19th, 22d, 24th, 25th, 28th, 29th, 18th, 29th, 18th, 28th, 2

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

Day.		eter Re Sea Lev			Temperature. Ground Shelter.						
	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of
ı	30.28	29 97	30.067	10.0	4 P	-11.0	12 P	-0.5	-4.3	-7.5	7
2	30.14	30.01	30.097	5.0	4 P	-20.0	7:30 A	-7.5	-6.4	-10.3	6
3	30 14	29.91	30.039	9.0	4 P	-10.0	6 A	-0.5	-1.0	-2.3	4
4	29 94	29.66	29.747	13.5	3 P	-2.0	1 A	5.7	5.0	1.3	8
	29.72	29.62	29.631	23.5	3 P	14.0	12 P	18.7	14.9	12.5	8
5 6	29.96	29.72	29 910	31.5	3 P	11.0	4 A	21.3	18.3	135	8
7	. 29 95	29.45	20.002	31.5	1 P	13.0	0 A	22.3	26 o	27.0	0
8	29.55	29.42	29.435	30.0	2 A	20.0	12 P	25.0	25.9	235	I
9	29.50	29 45	29.485	27.0	1:30 P	17.0	4:30 A	22.0	21.9	19.5	4
10	29.66	29.45	29.546	28.0	0:30 P	16.0	7 A	22.0	22.0	19.0	4
11	29.90	2 9. 6 6	29.862	36.0	2 P	20.0	7:30 A	28.0	26.4	20.7	8
12	29.82	29 14	29.283	44.0	2:30 P	190	12 P	31.5	33.7	31.0	3
13	29.94	29.45	29.753	10.0	4:30 P	4.0	12 P	7.0	7.9	4.7	7
14	29.99	29.89	29.957	25 5	4 P	4.0	o A	14.7	14.5	11.5	5
15	29.89	28 84	29.309	27.5	5 P	14.5	5 A	21.0,	19.8	18.7	С
16	29 96	29.49	29 828	32.0	4 P	0.11	12 P	21.5	19.9	13.7	8
17	29.98	29.82	29 891	20.0	4:30 P	3.5	2:30 A	11.7	12.2	12.3	1
18	30.01	, 29.83	29 927	22.0	3:30 L	3.5	7:30 A	12.7	11.1	165	6
19	30.03	2981	29.874	26.5	1 P	1.0	12 1	13.7	15.9	125	4
20	30.12	29 94	30 107	15.5	3:30 P	-6.5	7 A	4 5	60	2:3	7
2 1	30.26	30.11	30.177	27.5	3 P	3.5	5 A	155	140	9.7	8
22	30.20	29.61	29.820	155	4 P	0.5	3:30 A	S.o	7.8	8.7	C
23	29.87	29.61	29.738	21.0	2 P	1.5	4 A	11.3	11.2	7.7	8
24	29.87	29.71	29 799	22.0	2:30 P	40	2:30 A	130	122	8.5	7
25	29.74	20 61	29.676	25.5	1:30 P	11.5	4:30 A	18.5	16.0	14.2	5
26	30.22	29.74	30.068	29.5	4:30 P	110	12 P	20.3	16 4	14.3	- 8
27	30.44	30.19	30 363	19.0	3 P	1.5	6 A	10 3	6.8	2.7	8
28	30 54	30.15	30.383	().0	8:30 P	-2.5	7 A	33	2.8	2.0	0
29	30 28	30 03	30.131	20 5	3:30 P	7.0	0 A	18.3	14-8	12.0	7
30	30.45	30.27	30.384	20.0	2 P	00	12 P	10.0	10.0	70	- 6
31	30.35	30.19	30.259	25.5	3 P	-7.5	3:30 A	00	9.3	10.0	6

	ŀ	lumidit	у.	Wind.					Precipitation.			
	ew	por.	· .	n.	ut .	m are Ft	ħ.		pic .		Total in Inches.	
Day.	-Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 30 31	-10.5 -14.0 -6.0 -1.0 6.0 24.0 18.5 13.0 12.0 13.5 25.5 -1.5 35 16.0 7.5 11.0 7.5 11.5 2.5 4.5 0.5 4.5 0.5 4.5 0.5 4.5 0.5 4.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 1.5 0.5 0.5 0.5 0.5 0.5 0.5 0.5 0	.033 .031 .043 .050 .089 .155 .139 .117 .126 .197 .058 .081 .076 .081 .075 .085 .075 .066 .066 .075 .088	84.0 81.0 79.5 88.5 68.5 74.0 86.0 75.5 69.5 68.0 73.0 67.5 87.0 87.0 80.5 72.0 79.5 93.0 70.5 80.5 72.0 79.5 80.5 80.5	N. W.S.W. N.N.E. N. N.N.W. N.W. N.W. N.W. W.N.W. W.S.W. W.S.W. W.S.W. W.S.W. W.N.W. W.N.W. W.N.W. W.N.W. N.W.	1444 22 246 391 326 168 90 150 231 202 282 357 212 1184 43 1170 47 208 29 246 229 215 1144 72 26	2.5 0.0 8.0 5.5 6.5 2.0 0.5 2.5 5.0 6.5 4.0 0.0 0.0 0.0 2.5 0.5 6.5 4.0 0.0 0.0 0.5 2.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	22 40 33 36 20 10 22 32 36 41 39 24 22 23 28 	6 A 9 P 1 P 3 P 12 M 2 P 6 P 12 M 2 A 9 P 12 M 2 A 9 P 1 A — 3 P 1 A — 6 A 7 P — —	7 A 6 A 9:30A 11:30P 0 A 10:30P 0 A 4:30P 3 A 2:30P 0 A	2 P 7 A 4 P 12 P 8:30A 3 P 12 P 5:30A 6 P 11 A	.70 T T 1.05 1.06 .07 .05 .12 .18 T .03	T 1 1 04 3 1 2 3 2 T 2

The predominating feature of the weather for the month was the extreme cold which prevailed with practically no cessation during the entire period. The month opened with the first three days averaging below zero for each day, and taken with the last three days of December when the same conditions prevailed, gave a period of six consecutive days when the mean hourly temperature was below zero—an unprecedented record for this locality. Just as the preceding month was the coldest December on our records, so the month just closed proved to be the coldest January of which we have any record at this station. In fact it was the coldest month of which there is any authentic record for Amherst, dating back to 1836.

There was but one day during the month when the mean temperature was above freezing, and since the last of November there have been but three days with a mean hourly temperature above 32 degrees. While the minimum temperature for January was not quite so low as the December minimum, the mean temperature for January was about three and one-half degrees lower than the December mean. The usual January thaw did not put in an appearance. The month closed with zero weather on the last day.

The mean barometer was extremely low in contrast with the unusually high record for December. The range of pressure was much greater than usual, due to the very low record made near the middle of the month. The total wind movement was considerably more than the normal and nearly the whole time was from the Northwest quadrant.

The total precipitation was about one-half inch more than normal and the snowfall of more than eighteen inches was much greater than usual.

The mean dew point was extremely low, due to the low temperature which prevailed. The mean relative humidity was about the only normal feature for the month.

The hours of bright sunshine recorded were considerably more than usual.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 28.58, 26th, 6 A Reduced maximum reading 30.70, 21st,12 P Reduced† minimum reading, 28.88, 26th, 6 A Mean semi-daily reduced 30.063	
Lowest mean daily9.1, 5th Mean maximum 31-4 Mean minimum	North Northwest 14 " " Northwest 11 " " West 11 " " Southwest 11 " " Other directions 14 " " Weather.
Greatest daily range 43.5, 2d Least daily range	Total cloudiness recorded by the Sun Thermometer 142 hours = 48 per cent Number of clear days 9
Humidity.	Number of fair days 9 Number of cloudy days
Mean dew point	Bright Sunshine. Number hours recorded, 154 hrs, = 52 per cent Rain, 15th, 10th, 25th, 26th, 28th.
Precipitation. In inches.	Snow, 3d, 6th, 9th, 10th, 17th, 22d, 28th. Hail, 9th, 28th.
Total precipitation, in inches 2 00 Total snow, in inches	Gales, 57m, 4th, W.N.W.: 46m 5th, W.N.W.: 42m, 44th, S.S.W.: 239m, 15th, N.W.: 39m, 19th, S.W.: 57m, 20th, N.W.: 44m, 21st, S.S.W.: 53m, 25th, S.W.: 63m, 26th, W.N.W.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

Dai	Sea Le			Temperature. Ground Shelter.								
Day.	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of		
1 30. 2 30. 3 30. 4 29 5 30. 6 30. 7 30. 8 30. 9 30. 10 29. 11 30. 12 29. 13 30. 14 30. 15 30. 16 30. 17 30. 20 30. 21 30. 22 30. 23 30. 24 29. 27 30. 28 30.	30.1634 30.1632 29.633 29.634 29.9639 29.974 29.975 29.975 29.975 29.833 29.434 30.163 29.433 29.433 29.533 30.123 30.	30.281 29.897 29.776 30.258 30.120 30.053 30.436 30.053 29.903 29.915 29.615 29.928 30.217 29.725 30.306 30.80 29.870 30.610 30.398 29.940 29.6737 29.737 29	19.0 21.0 13.5 23.0 -1.0 28.0 36.5 30.0 43.0 39.5 48.5 24.5 30.0 47.0 10.0 29.0 43.0 51.0 38.0 35.0	2 P 3 P 12 P 3:30 A 3:30 P 12 P 3:30 P 8:30 P 1:30 P 4:30 P 2 A 3 P 0:30 P 4:30 P 5 P 12 P 9 A 0 A 5 P 5:30 P 1:2 P 9 A 0 A 5 P 1:30 P 1:2 P	-8.0 -22.5 -11.0 -7.5 -14.5 -10.0 26.0 23.5 16.0 20.5 16.0 20.5 16.0 20.5 16.0 21.0 21.0 21.0 21.0 21.0 21.0 21.0 21	12 P 6 A 6 A 12 P 7:30 A 0 A 0 A 7:30 A 7:30 A 7:30 A 7:30 A 12 P 7 A 12 P 8 A 12 P 7:30 A 2 A 12 P 7:30 A 13 A 7 A 6 A 1:30 A 7 A 7 A 6 A	5.5 -0.7 1.3 7.7 -7.7 8.0 33.0 21.0 34.5 36.3 27.7 34.5 20.3 16.5 20.3 16.5 20.3 16.5 20.3 16.5 20.3 16.5 20.3 16.5 20.3 16.5 20.3 16.5 20.3 20.3 16.5 20.3	9.3 -0.3 3.1 -9.1 10.6 30.9 17.5 16.3 22.1 24.5 34.5 37.5 29.3 36.5 17.2 16.1 31.5 32.2 4.8 5.3 14.0 28.4 42.5 32.6	5.5 -2.0 3.7 4.7 -12.0 12.2 28.0 12.7 17.5 19.5 21.7 31.0 25.2 37.7 16.0 13.7 11.7 33.3 28.7 11.7 25.5 37.0 25.2 37.7	8.8.8.0.0.8.8.8.0.0.4.4.8.3.6.6.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0		

	ł	Humidit	у.			Wind.			Precipitation.			
Day.	Mean Dew Point,	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.		wou s
1 2 3 3 4 5 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 3 24 25 5 26 7 28	-1.5 -9.0 0.0 -3.0 -17.0 5.0 14.0 18.5 28.0 26.5 20.5 31.5 8.0 9.0 7.0 25.5 -7.5 -4.0 23.0 31.5 23.0 19.0	.064 .050 .059 .062 .027 .092 .164 .088 .135 .112 .131 .199 .190 .104 .089 .090 .198 .051 .057 .057 .055 .165 .165 .165 .165 .165 .165 .165 .1	68.0 65.5 80.5 66.5 72.5 72.0 66.0 82.5 84.5 83.0 78.5 92.5 74.5 92.5 74.5 92.5 71.5 92.5	N.W. W.N.W. W.N.W. N.N.W. S.S.W. N.W. S.S.W. S.S.W. S.S.W. N.W. S.S.W. N.W. S.S.W. W.S.S.W. S.S.W.	137 53 325 316 312 193 84 167 108 8 146 238 91 1232 196 193 380 431 415 124 483 360 89	4.5 6.5 0.0 10.5 5.5 1.5 5.0 2.0 4.5 2.5 4.5 9.0 7.5 3.5 4.5 1.6 9.5 3.5 1.0 14.0 20.0 4.0	30 10 57 46 33 17 32 20 30 22 30 42 39 26 39 26 39 17 44 24 24 26 14 26 39 42 26 39 42 26 42 44 44 44 44 44 44 44 44 44 44 44 44	9 A 3 A 4 A 10 A 8 A 8 A 8 A 11 P 2 P 6 A A 11 A 8 P 2 P 10 A 6 A 6 P 11 P 3 P 1 P 1 P 1 P 1 P 1 P 1 P 1 P	7:30A 11:30A 3 A 2:30P 2 A 3 A 11:30A 1 P 10:30P 0 A 11 A	7:30 P 9 P 5 P 4:30A 4:30A 11 P 12 P 8 A	.12 .15 .44 .02 .08 .07 .65	134 3 2 1

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during February was more nearly normal, especially the temperature record, than that of the preceding two months. Abnormally low temperature, however, continued through the first third of the month. The mean for that period was less than ten degrees above zero, making it one of the coldest periods of the entire winter. For thirty-six consecutive hours, on the 4th—6th, the thermometer did not register above zero—a most unusual occurrence here. Large and rapid changes in barometric pressure and high winds were also important features.

A comparison of the records of the several weather elements with the normals for this station shows the following features of interest: The mean barometer was slightly higher than the normal and the range of pressure was almost as great as the normal annual range. The minimum barometer was exceptionally low. The total wind movement was large and on four dates gales of more than 50 miles per hour were recorded on the pressure chart. Throughout the month practically all of the wind was from the western points of the compass.

The mean temperature was nearly four degrees below the normal and the minimum record was more than fourteen degrees lower than the average value for this feature. The maximum temperature was practically normal giving a very large range for the month.

The mean dew point was about four degrees lower than usual and the relative humidity was slightly below the normal.

The total precipitation was about ten per cent. less than the normal and was well distributed throughout the month. Snow has covered the ground continuously since the first of December.

The amount of sunshine recorded was practically normal.

J. E. OSTRANDER, Meteorologist. A. L. CHANDLER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

MONTILL	00 W W 1111 1 1 .
Pressure. In inches.	Wind.
Minimum reduced to freezing, 29.14, 15th, 3 A Reduced maximum reading 30.46, 11th, 10A	Total movement
	revailing direction, west Northwest.
Highest	North Northwest 19 " " Northwest 23 " " West 10 " " Other directions 25 " " Weather. Mean cloudiness observed . 36 per cent Total cloudiness recorded by the Sun Thermometer . 117 hours = 32 per cent Number of clear days . 13 Number of clear days . 13 Number of fair days . 14 Number of cloudy days . 4
	Bright Sunshine.
Precipitation. In inches. Total precipitation, in inches	Number hours recorded, 252 hrs, = 68 per cent Rain, 1st, 6th, 1oth, 14th. Snow, 4th, 5th, 7th, 9th, 1oth, 14th. Hail, 1st, 6th, 1oth. Thunder and Lightning, 14th. Gales, 6om, 3d, NW.; 45m, 1oth, N.; 36m. 12th, S.S.W.; 47m, 15th, N.W.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

		eter Ke Sea Lev			Tem	perature	Temperature. Ground Shelter.								
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine				
I	30.24	30 09	30.156	35.5	3:30 P	29.0	12 P	32.3	32.1	32.0	0.8				
2	30.23	29.67	30.015	43.5	12 P	21.5	6 A	32.5	33.3	30.7	9.5				
3	30.34	29.65	30.030	43.5	ОА	185	12 P	31.0	30.5	25.0	10.0				
4	30.39	29.97	30.219	36.0	4 P	120	7 A	24.0	24.5	21.7	6.0				
5	29 97	29 82	29.799	47 5	3 P	28.5	o A	38.0	36 5	34.0	7.5				
6	29.82	29.54	29.659	47.0	3:30 P	29.5	12 P	38.3	38 2	33.7	5.				
7	30.07	29 73	29.884	29.5	o A	16.5	12 P	23.0	23.3	20.5	8.0				
8	30.13	30.01	30.071	430	4 P	10.5	5:30 A	26.7	27.I	25.5	8.7				
9	30 24	29 90	30.160	39.0	2 P	28.0	4 A	33.5	326	28.3	7.5				
10	30.18	29 51	29.794	32.0	3 A	10.5	7:30 P	21.3	22.3	15.7	0.0				
ΙI	30.46	30.18	30.388	28.0	5 P	8.5	7 A	18.3	18.6	15.7	7.0				
I 2	30.31	29 76	29 891	0.14	IO I,	18.0	6 A	29.5	31.6	33.0	2.4				
13	30.10	29 75	30.021	50. 5	3:30 P	36.0	IO P	43.3	41.1	32.7	8.9				
14	30.05	29.49	29 794	39 O	0 A	30.0	9 A	34 5	33.0	30 o	0.0				
15	30.30	29 45	29 958	38 5	3:30 P	0.11	12 P	24.7	25.9	20.7	9.				
ι6	30.32	30.08	30.184	38.0	5 P	100	5 A	2.1.0	25.0	24.0	10.0				
17	30 08	29.68	29.820	56.5	3 P	24.5	5 A	40.5	41.6	36.0	10.				
18	30.04	29.75	30 006	48.0	4 P	33.5	7 A	40.7	38.9	31.0	11.3				
19	30.18	29.92	30.054	58.0	3 P	20.5	7 A	42.3	40.2	33.3	10.				
20	30.21	30.06	30.124	54.0	5 P	27.5	7 A	40.7	39 4	3 5 ·7	8.7				
2 I	30.06	29 89	29 970	63.0	4:30 P	33.0	8:30 A	48.0	43.5	41.3	7.8				
22	29.89	29 66	29.782	66.0	5 P	37.0	5:30 A	51.5	47.7	39.0	9.1				
23	30.20	29 86	30.105	45°.	3:30 P	28.0	12 P	36.5	36.7	31.0	11.7				
2.4	30.19	29.91	30 056	56 5	5:30 P	22.0	5:30 A	39.3	37.6	32.5	11.3				
25	29.91	29.54	29 676	55.5	2 P	30.5	O A	43.0	40.9	34 5	10.0				
26	2981	29.52	29.674	40.0	2 P	29.0	I 2 P	34.5	35.0	30.5	6.7				
27	30 11	29.81	29.979	38.0	2:30 P	24 5	7 A	31.3	32.1	29.7	8.1				
28	30.28	30.11	30.239	52.0	5 P	22.0	7 A	37.0	36.6	31.0	12.0				
29	30.37	30.18	30 289	60.5	4:30 P	26.5	7 A	43.5	41.8	34.0	12.0				
30	30.18	29.87	29.990	63.5	3 P	27.5	6 A	45.5	44.1	37 0	10.				
31	29.89	29.77	29.860	69.0	4 P	32.5	6:30 A	50.7	513	40.7	10.9				

	1	Humidit	у.			Wind.				Precipita	tion.	
	Dew	Mean Force vapor.	ve dity.	ling ion.	nent es.	num ire uare Ft	per		ning.	bi.	Inc	al in thes.
	Mean Dew Point.	Mean Force	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3	30.5 26.5	.185 .188	92.5 79.5 63.5	N.N.W. W. N.W.	55 197 606	1.5 3.0 18.0	17 24 60	11 P 9 A 2 A	0 A	1:30 P	.96	
4	17.0	.130	79.0 83.0	S.S.W. S.S.W.	239 102	5.5 0.5	33	6 P 1 A	8 P 0 A	12 P 3 A	.06 .08	1 1 3 4
5 6	29.0	.215	7Ğ.5	W.N.W.	194	2-5	22	7 A	3 A	9 A	.19	**
7	15.0	.121	73.0 81.0	N.N.E. S W.	175 136	1.0	14 14	11 P 11 P	2 A	1:30 P	.2 I	3
8 9	21.5	.152	70.5	W.	162	2.5	22	I A	6 Р	12 P	.40	1 1
10	16.0	.115	84.5	N.	224	10.0	45	9 P	ОА	7 P	.65	$1\frac{1}{4}$
11	9.5	.100	69.0 87.5	S.W. S.S.W.	208 215	2.0 6.5	20 36	3 P 2 P				
12	30 5 24.0	.194	500	N.W.	215	4.0	28	6 A				
14	27.0	.176	85.0	N.E.	89	0.5	10	4 A	5 A	7:30 P	.36	$1\frac{1}{4}$
15	12.0	.240	61.0	N.W.	408	11.0	47	I P	-		-	
16	180	.151	71.5	W.N.W. W.	284 221	3.5 4.5	26	1 P				
17 18	26.0 22.0	.270	53.5 59.0	N.W.	202	5.5	30 33	0 A				
19	28.0	.216	71.5	S.S.W.	98	0.5	10	6 P				
20	31.5	.235	78.0	S.	104	0.5	10	3 P			İ	
21	390	.287	89.5	S.	37	0.0						
22	35.0	.294	78 5	N.N.W.	100	3.0	24	I P		i		
23	23.5 26.0	.203	63.5 65 0	N.N.W. N.N.W.	303 83	5.5 1.0	33	1 P 9 A	1			
24 25	27.5	.213	64.5	N.W.	260	1.5	17	2 P				
26	24.0	.192	71.0	NW.	.76	30	2.4	3 P		-		
27	25.5	.180	77.5	N.W.	170 183	2.0	20	2 P		1		
28	24.0	.202	65.0	N.N.W.	183	1.5	17	3 P				
29	24.0	.244	56 0	N.N.W.	⁴ 80 88	0.0		-		1		
30	29.5	.270	61.0	S.W. S.W.	99	1.0	14	3 P		ĺ		
31	33.0	· 3 37	00.0	S. W.	10	1.3	17	- 1			-	

The weather during March was much nearer normal than during the preceding two months. This was especially noticeable in the temperature record after the unprecedented cold which had prevailed. The accumulated snow of the winter which covered the ground at the beginning of the month gradually disappeared without any especially noticeable high water in the rivers, and the equinoctial period was free from storms. At the close of the month, while there was still much frost in the ground, the snow had practically all disappeared. No precipitation was recorded after the 14th.

The record of the several weather elements shows the following as the more important features: The mean barometer was practically normal and the range unusually small for the time of year. Although the barometer during the month was comparatively steady the total wind movement was practically normal. The wind movement on the 3d of more than 600 miles was an exceptionally high record for this station.

The mean temperature was slightly higher than the normal, and the maximum was recorded on the last day of the month. The range of temperature was more than usual.

The mean dew point and relative humidity were bolh below the normal values.

The total precipitation was about three-fourths of the normal amount and occurred in a few storms early in the month.

The sunshine record was unusually large and there were but few cloudy days.

J. E. OSTRANDER, Meteorologist. A. L. CHANDLER, Observer.

Meteorological Observation's

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.24, 7th, 9A Minimum reduced to freezing, 29.29, 22d, 5 A Reduced maximum reading, 30.55, 7th, 9A Reduced† minimum reading, 29.59, 22d, 5 A Mean semi-daily reduced 30.071 Monthly range	Total movement
Highest 79 5, 30th, 3 P	6
Lowest 24.0, 6th, 6:30 A Mean hourly 45.7 Mean of means of max, and min. 46.2 Mean sensible (wet bulb) 49.1 Monthly range 55.5 Highest mean daily 62.4, 30th Lowest mean daily 31.7, 11th Mean maximum 58.5	Summary. North
Mean minimum	Weather.
Mean daily range 24.6 Greatest daily range 44.5, 15th Least daily range 7.0,12th	
Humidity.	Number of cloudy days
Mean dew point	Number hours recorded, 235 hrs, = 58 per cent
Precipitation. In inches.	Thunder and Lightning, 17th, 23d.
Total precipitation, in inches	Frosts, 5th, 6th, 7th, 14th, 15th, 20th, 25th, 26th. Gales, 35 miles or more per hour: 30m.

^{*}Temperature in ground shelter.

^{**}Reduced to treezing and sea-level.

	Barome	eter Re Sea Lev	- 1		Temperature. Ground Shelter.								
Day.	Махітип	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of		
ı	29.82	29.69	29.783	735	2 P	37.5	6 A	55.5	54.3	46.3	10		
2	29.84	29 70	29.777	72.0	2:30 P	47.0	7 A	59.5	56.6	48.0	8		
3	29.93	29.80	29.883	52.5	I P	35.5	HP	11.0	44.0	38.5	3		
4	30.05	29.85	29 980	50.0	3:30 P	31.0	7 A	40.5	38.0	30.3	10		
5	30.30	30 05	30.233	48.0	5 P	26.0	6 A	37.0	37.1	30.7	12		
6	30.43	30.26	30.367	630	5 P	24.0	6:30 A	43.5	44.4	37.0	12		
7	30.55	30 43	30.523	61.5	2:30 P	29.0	5:30 A	45 3	44.I	37 0	10		
8	30.53	30.23	30.396	58 5	3:30 P	31.5	5 A	45.0	45.7	40.3	(
9	30.35	30.17	30.298	49.0	1.2 M	30.0	12 P	39.5	40.8	37.3]		
10	30.45	30.16	30.434	49.5	3:30 P	29.5	6 A	39.5	38.1	33.3	1		
IJ	30.44	30 19	30.325	43.5	2 P	33.0	6 A	38.3	36.8	30.7	(
I 2	30.19	29.98	30.038	300	0 A	29.0	9 P	32.5	31.7	30.3	(
13	30.02	29.91	29 964	39.0	3 P	29 5	1 A	34.3	35 2	34.5	4		
14	30.06	29.95	29.992	630	3 P	35.0	O A	49.0	48.3	42 0	10		
15	30.09	29.98	30 042	73.5	4 P	29.0	6 A	513	52.9	42.5	1		
16	30.06	29 86	29.964	71.0		35.0	6 A	53.0	54.2	45.3	9		
17	29.86	29.61	29 732	73.0	3 P	36.5	5:30 A	54.7	544	48 5	8		
18	30.04	29 60	29 914	54.0	O A	32.0	12 P	43.0	38 4	33.3			
19	30.47	30.03	30 328	50.0	4 P	32.0	0 A 6 A	41.0	38.9	32 0	1		
20	30.50	30 24	30 387	52.0	2:30 P	26.5	10:30 A	39.3	41.7 39.8	33.5 38.3	6		
2 I	30.24	29.65	29 895	45.0	0 A 3:30 P	37.0	0 A	49.0	47.4	43 7			
22	29 77	29 59	29 665 29.801	59.0 70.5	3.35 P	39.0 42.0		56.3	54 1	52.5			
23	29.84	29.70	29.980	47.5	5 P	37.0	5 A 12 P	42.3	41.9	35.3	10		
24	30.13	29.74 30.10	30.156	58.5	5 P	32.0	6 A	45.3		38.0	1:		
25 26	30.24	30.14	30.130	690	5:30 P	28.5	6 A	48.7	49.3	44.7	12		
27	30.27	30.14	30.225	69.0	2 P	31.0	6:30 A	50.0	51.1	12.0			
28	30.27	30.10	30.106	69.0	2 P	34.5	5:30 A	51.7	54.0	480	Ú		
29	30.10	29.87	29.953	55.5	8:30 A	45.0	3:30 A	50.3	51.1	51.5	c		
30	29 91	29.77	29.824	79.5	3 P	51.0	5:30 A	65.3	62.4	56 5	7		

	1	Humidit	у.			Wind.				Precipita	ition.	
	M e	por.	.y.	g. D.	l t .	m are Ft	la la		żż		Tot Inc	alin ches.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Kelative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4 5 6	42.0 42.0 33.0 19.0 17.0 27.0	.3 ⁶ 7 .4 ¹ 3 .2 ⁷ 2 .2 ⁰ 9 .2 ¹ 3 .2 ⁷ 6	75.5 71.0 74.0 53.0 46.5 54.5	S.S.W. W. N. N. N.N.W.	171 154 91 197 256 70	3.5 2.5 1.0 3.5 4.0 0.5	26 22 14 26 28	5 P 3 P 12 P 7 P 10 A	0:30 P	8 P	.15	
7 8 9	30.5 34.5 35.5 28.5	.261 .295 .241 .328	70.0 69. 5 88.5	S.S.W. S. N. N.N.E.	151 71 164 319	3.5 0.5 3.0 3.5	26 10 24 26	12 M 8 P 7 P 3 P	3:30 P 1 A	5:30 P 8 P	T .15	
I 1 I 2	24.0 28.0	.198	65.5 92.5	N.E. N.	247	40	28 20	8 A 1 P	10:30 P 0 A	12 P 12 P	.02 .48	3 3 4
13 14 15 16	31.5 33.5 33.0 37.0	.217 .341 .371 .389	82 0 58.5 54 0 57.0	N. N. N.N.W. W.N.W.	158 189 73 53	1.5 3.0 1.5 1.0	17 24 17 14	2 P 11 A 4 P 4 P	0 A	8:30 A	.11.	37
17	44·5 30·5	.396 .203	77 ° 83.5	W. E,	46 83	0.5	14 10	12 M 11 A	7 P 8 A	12 P 12 P	.22 .06	
19	20.0	.226 .252	53.5 49.0	N.N.E. W.S.W.	165 77	2 Š	22 10	9 A I P	0 A	5:30 A	.03	
21	36.5	.239	91.5	N.	130	0.5	10	4 P	3:30 A	9:30 P	.87	
22	41.0	.313 .314	83 o 80.5	W.N . W. S.W.	176 187	4 5 2.5	30	10 A 3 P	6:30 A 8 P	10:30A 9:30 P	.24	
24 25 26 27 28	28 5 28.5 35.0 33 0 42.0	.243 .292 .393 .350	65 o 54 5 56.0 56.0 65.5	W.N.W. N.W. N.N.W. S. W.	341 239 139 78 129	7.5 3.0 3.0 0.5	39 24 24 10	12 M 10 A 10 A 2 P 2 P		9.5- 1	5	
29 30	50 5 54.0	.412	9 5 0 79.0	N.N E. S.S.W.	49 124	0.0	20	- 6 Р	9:30 A 0 A	12 P 3 A	.15	
,	,	555	, ,							3 -		

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during April was nearly normal in most respects and presented but few features of especial interest. A snowstorm on the IIth-I3th, of more than four inches was perhaps the most unusual feature. The middle third of the month was rather cold and more or less stormy and delayed the season's progress to a considerable extent. At the close of the month the seasonal advance was hardly up to the normal.

The various weather elements show the following features of more or less interest: The mean barometer was considerably higher than the normal and the range of pressure rather small for the season. The maximum barometer was about the usual value while the minimum was considerably higher than the normal for this feature. The rather steady barometric pressure gave a total wind movement of about eighty per cent of the normal, and but a single gale was recorded on the pressure chart. The wind was from the northerly points of the compass more than one-half the time.

The mean temperature was nearly normal and the range slightly smaller than usual. The last day of the month was much the warmest and the maximum temperature reading was recorded that day. Freezing temperature was recorded near the end of the month but no material damage resulted.

The mean dew point was slightly lower than normal and the relative humidity a little higher than usual.

The total precipitation was about nine-tenths of the normal and was fairly well distributed throughout the month. The rainstorm of the 21st was the greatest of the month. The amount of sunshine was in excess of the average.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

Note—The regular observations at this station are continued at 8 A, M. and 8 P. M. 75th meridian time.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.20, 16th, 6 A Minimum reduced to freezing, 29.22, 10th, 6 P Reduced maximum reading, 30.50, 16th, 6 A Reducedt minimum reading, 29.51, 10th, 6 P Mean semi-daily reduced 30.06t Monthly range 0.99	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, South Southwest.
Highest 86.5, 7th, 2 P;	Summary.
28th, 4:30 P Lowest	South 23 per cent South Southwest 29 " " Other directions 48 " "
Mean sensible (wet bulb) 55.7	Weather.
Monthly range 50 5 Highest mean daily 74.0, 28th Lowest mean daily 31.2, 18t Mean maximum 74.8 Mean minimum 49.7 Mean daily range 25.1 Greatest daily range 38.0, 18th Least daily range 7.5, 30th	Mean cloudiness observed 51 per cent Total cloudiness recorded by the Sun Thermometer 195 hours = 43 per cent Number of clear days
	Number hours recorded, 258 hrs, $=$ 57 per cent
Humidity. Mean dew point 53.1 Mean force of vapor 543 Mean relative humidity 72.2	Rain. 1st, 6th, 1oth, 12th, 13th, 14th, 21st, 22d, 25th, 27th, 2oth, 3oth, 31st. Thunder and Lightning, 6th, 1oth, 27th. Frosts, None. Gales: 35 miles or more per hour: 36m. 6th, S.S.W.; 35m, 8th, S.W.; 36m, 1oth, S.
Precipitation. lu inches.	
Total precipitation, in inches	

	Barome	ter Re Sea Lev			Tem	perature.	. Ground	l Shel t er			s of shine
Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
ı	30.04	20.68	29.857	59.5	12 M	44.0	12 P	51.7	51.2	46.7	2.1
2	30.21	30.03	30 122	66.5	4 P	36.0	5 A	51.3	54.1	48.7	96
3	30.03	29.87	29 935	67.0	4:30 P	48.5	6 A	57.7	58.9	52.0	11.0
4	30.03	29.85	29 920	71.0	2:30 P	46.0	6 A	58.5	58.í	50.5	11
	30.09	29.93	30 041	70.0	2:30 P	37.0	5:30 A	53.5	54.0	470	11.7
5 6	30.00	29.86	29.935	86.0	1 P	40.0	2 A	67.5	66.0	59.7	9.0
7	29.93	29.66	29.759	86.5	2 1	59.0	6 A	72.7	71.5	62.5	8.5
8	29.88	29 66	29.754	72.0	2 1'	45.0	12 P	58.5	61.5	52.0	9.2
9	29 97	2988	29.933	730	5:30 P	38.5	5:30 A	55.7	57.2	51.5	12.
10	29.90	29.51	29658	78.0	2:30 P	51.0	4 A	64.5	63.8	57.5	10.2
11	30.10	29.66	30.015	745	5:30 1	46.0	6 A	60.3	58 4	49.5	12.2
12	30.13	29.96	30.046	74.5	2:30 1	50.5	5 A	62.5	60.7	56.0	4.
13	30.01	29.88	29 976	So 5	2:30 P	61.0	o A	70.7	67.6	62.7	7.5
14	30 26	29.99	30.142	71.0	5 P	50.5	12 1	60.7	60.7	563	4.5
15	30.43	30.26	30.372	75.0	5 1	44.5	5 A	59.7	60.0	51.0	13.
16	30.50	30.35	30.417	74.0	3:30 P	41.0	5 A	57.5	58.7	48.3	12.
17	30.38	30.22	30.333	85.0	3 P	43.0	6 A	64.0	64.0	52.5	11.5
18	30.27	30.10	30.195	86.0	3 1	48.0	5:30 A	67.0	66.7	56.0	11.2
19	30.12	30 01	30.102	83.0	2 P	53.0	5:30 A	68.0	67.1	61.0	9.0
20	30.14	30.06	30.138	84.0	3 P	58.0	4:30 A	71.0	69.7	62 5	9.5
2 I	30.29	30.15	30.267	73.5	3:30 P	61.5	5:30 A	67.5	66.7	64.0	3.3
22	30.29	30 08	30.208	68 5	5:30 P	58.0	12 P	63.3	62.5	590	Ι.
23	30.21	29 95	30 063	79 5	2:30 P	52.5	13 b	660	65 6	59.0	9.7
24	30 35	30.21	30.292	73.5	3 P	44.5	5:30 A	590	58.9	49.7	12.5
25	30.23	29.85	29 987	735	4 P	49.0	3 A	61.5	61.3	58.7	8.5
26	30.17	29.92	30.108	73.0	2:30 P	56.0	12 1	64.5	64.2	57.5	9.0 8.0
27	30.14	29.91	29.968	81.0	6 P	51.0	5:30 A		64.7	62.0 68.0	
28	30.14	29.92	29 983	86.5	4:30 P	63.5	4 A	75.0	74.0		9.5
29	30.29	30.14	30.248	62.5	3:30 P	52.0	12 P	57.3	58.7 53.6	54.7 51.3	0.5
30	30.23	30.12	30.194	57.0	6:30 P	49.5	4 A	53.3	61.1	58.3	
31	30.12	29.02	29.908	73.0	4:30 P	53.5	5 A	63.3	01.1	30.5	5.5

		Humidit	y .			Wind.				Precipita	tion.	
	w e	tpor.	ty.	ng.	i ii :	nn e are Ft	per		Şt.		Tot	tal in ches.
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles pe Hour.	Time.	Beginning.	Ending.	Rain,**	Snow.
3	45.0 41.5 45.0	.341 .444 .497 .478	88.0 60.5 61.5	N. W.N.W. N.W. N.	205 196 155 84	2.5 3.5 2.0	22 26 20 14	2 P 5 P 3 P	0 A	8 P	90	
4 5 6 7 8	43.5 42.0 56.5 59.0 46.5	.389 .625 .751 .507	68.0 74.5 67.5 66.5	S S.W. S.W. S.S.W. S.	176 115 154 310	4.5 6.5 3.5 6.0	30 36 26 35	3 P 4 P 3 P 6 P	10:30 P	11 P	.03	
10	45.0 53.5 43.0	.494 .565 .432	60.0 74.0 61.5	W. S. S.S.W.	345 163	6.5 4.5	36 30	1 P 4 P 1 A	7 P	7:30 P	.06	
12 13 14	54.0 61.0 54.0	.505 .638 .510	82. 5 85.0 84.5	S. S.S.W. N.W.	174 312 102	2 5 5.0 1.0	32 14	3 P 4 P 1 A	8:30 P 0 A	12 P 7:30 A	T .40	
15	42.5 39.5	.512 .456	5 3·5 55.0	N.N.W. S. S.S.W.	98 144	0.1	14	11 A 12 M		, 3		
17 18 19	44 5 49.5 58.0	.57° .588 .622	53.5 61.5 78.5	S.S.W. S.S.W.	73 130 228	1.5	17 26	6 P 3 P				
20 21 22	59 5 62.5 57 0	.673 .639 ·554	76.0 90.0 84 0	S.S.W. E. E.	272 94 57	4.5 0.0 0.0	30	3 P —	5:30 A 1 A	10 A 5 A	.13	
23 24 25	5 5. 5 40.5 55.0	·597 ·496 ·544	75 ° 51 5 80.0	S.W. S	139 166 177	3.0 3.5	24 24 20	2 P 5 P 3 P	6:30 P	10 P	·43	
26 27	52. 5	.606	66 5 92.5	E.S.E.	137	2.0	20	3 P 6 A	2:30 A	3 A	.06	
28 29 30	65.0 52.5 49.0	.827 .480 .415	75.0 82.0 83.0	W.N.W. S.S.E. S.S.E.	77 73	3 5 0.0 0.5	26 — 10	2 P — 10 P	4 P 6 A	10 P 7 A	.04	
31	57.0	.524	87.5	S.S.W.	109	1.0	14	6 A	7 A	10 A	.01	

^{••} Rain or melted snow at base of tower. *Included in following day.

The weather during May was generally seasonable and well adapted to plant growth. A large amount of sunshine and some high temperature, especially during the first part of the mouth, gave vegetation a good start on the season's growth. While the precipitation record was rather small, the ground seemed to be fairly well supplied with moisture for starting the crops. The entire absence of any frost during the month was an especially favorable feature.

The records of the several weather elements show the following features of interest: The mean barometer was considerably higher than the normal and the range was large for May. The maximum barometer was higher than usual while the minimum was about the normal value. The total wind movement was a little more than the normal and was from the south more than one-half the time. Only a few gales were recorded and they were of little intensity.

The mean temperature was more than four degrees above the normal and the minimum fell below 40 degrees on only three dates. While frost was reported on a few dates in low places, there was none noted at the station. The maximum temperature was practically normal.

The mean dew point and relative humidity were both higher than their average values. The total precipitation was more than an inch less than the normal amount. That which occurred, however, was fairly well distributed throughout the month.

The amount of sunshine was large, but the last week was rather cloudy.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

Note—The regular observations at this station are continued at 8 A, M. and 8 P. M. 75th meridian time.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 29.04, 20th, 8 A Minimum reduced to freezing, 29.02, 12th, 3 P Reduced maximum reading . 30.24, 20th, 8 A Reduced† minimum reading, 29.31, 12th, 3 P Mean semi-daily reduced 29.920 Monthly range 0.93	Greatest daily movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Southwest.
Highest 93.0, 1st, 3:30 P. Lowest 40.0, 20th, 5 A: 21st, 5:30 A 62.9 Mean hourly 62.9 Mean of means of max. and min. 63.0 Mean sensible (wet bulb) 57.3 Monthly range 53.0 Highest mean daily 79.8, 2d Lowest mean daily 51.2, 23d Mean maximum 75.0 Mean minimum 51.0 Mean daily range 24.0 Greatest daily range 41.0, 16th Least daily range 6.0, 23d	Summary. South
Humidity.	Thermometer 192 hours = 42 per cent Number of clear days 9
Mean dew point .53.3 Mean force of vapor .581 Mean relative humidity .72.9	27 1 66 1
Precipitation. In inches. Total precipitation, in inches 4.01 Number of days on which .01 inch or more rain fell	Bright Sunshine. Number hours recorded, 265 hrs, = 58 per cent Rain, 4th, 6th, 7th, 9th, 1oth, 12th, 13th, 17th, 21st, 22d, 23d. Thunder and Lightning, 6th, 12th. Gales, 35 miles or more per hour:2None

В	Barome	ter Re ea Lev			Tem	perature	. Ground	l Shel t er			s of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum Time.		Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
2 2 3 3 4 3 5 6 6 7 8 8 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29	29,89 92 30.03 30.17 30.20 30.20 30.20 29,98 30.03 30.03 30.03 30.03 30.03 30.10 30.03 30.12 30.10 30.12 30.20 30.12 30.20 30.13 30.21 29,97 30.08 30.10 30.00 30.00	29.72 29.77 29.92 30.03 30.13 29.96 29.97 29.94 29.71 29.31 29.46 29.67 29.93 29.93 29.93 29.93 29.94 29.93 29.93 29.95 29.93 29.95 29.95 29.95 29.96 30.05 29.90 29.74	29.789 29.875 29.975 30.171 30.195 30.119 29.768 30.031 30.022 29.971 29.898 29.425 29.559 29.957 30.155 29.988 30.074 30.050 29.451 29.505 29.988 30.074 30.050 29.451 29.994 30.050 29.451 29.994 30.050 29.994 30.050 29.994 30.050 29.994 30.050 29.994 30.050	93.0 89.0 89.0 78.5 77.5 72.0 68.0 75.5 73.0 64.0 72.0 82.0 76.5 74.0 69.0 64.0 77.0 77.0 77.0 74.0	3:30 P 3:30 P 4 P 2 P 3 P 0:30 P 1 P 1:30 P 2 P 6 P 3 P 4 P 5 P 1 P 3 P 3 P 3:30 P 2:30 P 3:30 P 3:30 P 3:30 P 3:30 P 3:30 P	60.0 68.0 62.0 52.0 55.0 55.0 54.0 54.0 55.5 52.0 48.5 41.0 53.5 50.0 40.0 40.0 52.0 46.5 47.0 49.0 48.0 57.0	5 A 11130 P 5:30 A 5:30 A 5 A 12 P 0:30 A 12 P 0:30 A 12 P 5 A 5:30 A 5 A 5 A 5 A 5 A 5 A 5 A 6 A 5 A 6 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 5	77-5 78-5 78-5 71-5 65-3 64-3 65-0 61-7 61-0 61-7 64-3 58-0 60-3 59-0 67-7 63-3 58-3 58-3 54-5 58-0 62-0 63-0 61-0 61-0 61-0 63-7 74-5	76 7 79.8 72.4 63.5 63.9 65.8 59.9 62.8 60.2 61.9 57.1 60.2 61.3 63.7 67.6 64.1 58.0 55.8 55.2 57.2 51.2 51.2 51.2 51.2 51.2 51.3 61.3 61.3 61.3 61.3 61.3 61.3 61.3 6	69.3 69.7 64.3 56.7 58.3 62.5 57.5 57.5 57.7 51.7 54.3 47.3 50.3 55.0 48.0 58.5 57.3 57.3 66.5	10.3 12.1 13.0 9.7 11.0 2.4 7.5 2.9 10.5 0.9 4.3 10.7 13.5 9.0 13.5 10.7 13.0 11.5 3.1 2.6 9.8 7.5 12.5 12.5 12.5 7.5

		Humidit	у.			Wind.				Precipit	ation.	
	e w	por.	ty.	ng n.	tu.	are Ft	10		36			tal in thes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 3 4 4 5 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30	67.5 64.5 59.0 53.5 56.0 52.0 49.5 56.5 56.5 56.0 45.5 45.0 45.0 45.0 45.0 45.5 45.5 55.5 5	.874 1 044 .808 .556 .584 .606 .578 .493 .526 .526 .555 .531 .448 .520 .627 .608 .685 .445 .445 .462 .362 .575 .519 .552 .519 .552 .519 .552 .519	77.5 58.5 62.5 74.0 77.5 70.5 71.5 76.5 85.0 75.5 71.0 66.5 57.0 90 0 85.0 75.5 85.0 77.0 90 0 85.0 75.5 76.5	S.S.W. N.W. W. S. S. W.S.W. N.N.E. N.W. S. N.N.E. S. N.N.E. S. N.N.E. S. N.N.E. S. S. N.N.E. S.	100 179 193 37 66 33 ² 196 42 248 196 1151 112 174 200 135 115 117 116 24 85 101 62 174 59	1.0 2.0 4.5 3.5 0.0 2.5 4.5 2.0 0.5 0.0 2.5 2.5 2.0 4.0 2.5 2.0 1.0 1.5 0.5 0.5 0.5 0.5 0.5 0.5 0.0 0.5 0.0 0.5 0.0 0.0	14 20 30 26 — 22 30 20 20 22 20 28 22 20 28 14 17 10 28 14 17 10 11 11 12 10 11 11 11 11 11 11 11 11 11	3 P 2 P 6 P 0:30A — II P 5:30 P 10 A 10 A 2 P 11 P 3 P 2 P 9 A 10 A 6 P 8 A 10 A 6 P 8 P 12 P 14 P 14 P 14 P 14 P 14 P 14 P 14 P 15 P 16 P 16 P 16 P 16 P 16 P 16 P 16 P 16	7:30 P 6 A 7:30 P 4 A 5 A 11 P 8:30 P	9 P 3 P 2 P 7:30 A 12 P 12 P 9 P 10 A 6 P	.02 .04 .69 T .06 .69 T	

^{**}Rain or melted snow at base of tower. *Included in following day.

The effect of the weather during June on growing crops was somewhat disappointing. While the amount of sunshine was ample, the temperature was considerably below the normal. The first three days were the warmest of the month, and the last third of the month was the coolest period. The month was too dry for vegetation up to the 22d when a very heavy rainfall was recorded, which materially improved the moisture in the soil.

A summary of the various weather features shows the following features of more or less interest: The mean barometer was below the normal and the range of pressure was larger than usual. Although there were two periods of low barometer, the total wind movement was but little more than the normal and not a single gale was registered on the wind pressure chart. Most of the wind was from the westerly points of the compass.

The mean temperature was three degrees below the normal, and only four days had a mean hourly temperature above 70 degrees. The maximum temperature was slightly higher than the normal and occurred on the first day of the month. The minimum temperature was practically normal and no frost was noted at this station. The minimum thermometer however registered below 50 degrees on nearly one half the days of the month.

The mean dew point was more than three degrees lower than usual, and the relative humidity was practically normal.

The total precipitation was nearly one-fourth more than usual, due to the storm of the 22d. The other rains of the month were mostly of but small amounts.

The amount of cloudiness was less than usual.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Acting Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 29.93, 25th, 8 A Minimum reduced to freezing, 29.40, 9th, 1 P Reduced maximum reading. 30.22, 25th, 8 A Reduced† minimum reading, 29.69, 9th, 1 P Mean semi-daily reduced 29.967 Monthly range	
*Air Temperature. In Degrees Fahr.	Prevailing direction, Southwest.
Highest .99.5, 22d, 5 P. Lowest .45.0, 3d, 5 A. Mean hourly .70.1 Mean of means of max. and min. .71.1 Mean sensible (wet bulb) .64.3 Monthly range .54.5 Highest mean daily .81.2, 23d Lowest mean daily .62.0, 2d Mean maximum .83.4 Mean minimum .58.8 Mean daily range .24.6	Summary. South
Greatest daily range 38.5, 22d	
Humidity.	Mean cloudiness observed 44 per cent Total cloudiness recorded by the Sun Thermometer 176 hours = 38 per cent Number of clear days 7 Number of fair days 19
Mean dew point 60.5	Number of cloudy days 5
Mean force of vapor	
Mean relative humidity 74.5	
Number of days on which .or inch or more	Bright Snushine. Number hours recorded, 286 hrs, = 62 per cent Rain, 1st, 4th, 6th, 9th, 1oth, 13th, 17th, 30th. Thurder and Lightning, 1oth, 14th, 15th, 17th, 30th.
	Gales, 35 miles or more per hour: None
*Temperature in ground shelter.	

	Barom	eter Re Sea Lev			Tem	perature	. Ground	l Shel t er			of shine
Day.	Maximum	Minimum.	Mean. Semt-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 2 3 4 4 5 5 6 7 8 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 24 24	29.95 30.02 30.09 30.14 30.10 29.96 29.86 29.75 29.94 29.99 30.01 30.03 30.05 30.04 29.90 29.85 29.91 30.12 30.12 30.13	29.80 29.82 30.02 30.06 29.92 29.83 29.73 29.72 29.95 29.91 29.95 29.90 29.77 29.77 29.77 29.83 29.91 30.06 30.07 29.94	29.828 29.910 30.081 30.100 29.999 29.875 29.770 29.754 29.722 29.868 29.954 30.002 30.027 29.974 29.978 29.986 29.817 29.792 29.884 30.095 30.118 30.042	76.0 71.0 81.0 83.0 84.0 73.5 77.0 70.0 79.5 80.0 77.5 85.0 90.5 84.5 89.0 95.5 96.0 95.5	0:30 P 3 P 6 P 4 P 2 P 4:30 P 3:30 P 4 P 2:30 P 4 P 5 P 4 P 5:30 P 2:30 P 11:30 A 5 P 3:30 P 4 P 2:30 P 2:30 P	64.0 51.0 45.0 61.0 60.0 57.0 56.0 56.0 57.0 57.0 57.0 57.0 60.0 61.5 57.0 61.5 60.0 61.0 60.0	5 A 12 P 5 A 2 A 5:30 A 5 A 5 A 5 A 5 A 6 A 5 A 5 A 6 A 5 A 5	70.0 61.0 63.0 69.5 72.5 66.7 67.0 61.0 62.0 67.0 67.0 67.0 71.0 73.0 72.7 74.5 80.3 81.3 75.5	68.0 62.0 63.1 68.6 72.1 66.5 66.2 60.7 60.6 67.1 67.5 68.0 65.3 65.4 71.5 67.7 72.2 71.8 73.3 74.6 80.0 81.2	65.0 53.5 60.7 64.7 59.7 55.5 62.5 62.5 61.7 62.3 62.5 65.7 65.7 65.7 65.7 65.7	1.9 10.2 13.0 10.2 12.0 10.6 9.0 4.4 9.0 10.2 12.2 6.2 3.6 10.0 11.5 4.7 12.5 11.5 12.7 12.0 11.8
25 26 27	30.22 30.21 30.15	30.16 30.11 30.03	30 203 30.163 30.098	83.0 87.0 94.0	3:30 P 3 P 3 P	65 0 66.0 65 0	2 A 4 A 5 A	74.0 76 5 79 5	71.3 74.4 77.9	66 o 68.3 70.0	9.5 9.5 11.5
28 29 30 31	30.08 30.04 29.91 29.95	30.00 29.90 29.87 29.90	30.041 29.977 29.888 29.925	96.5 91.0 79.0 76.5	3 P 3 P 9 A 3:30 P	68.5 68.0 63.0 57.0	5 A 4 A 12 P 5 A	82.5 79.5 71.0 66.7	80.6 78.2 70.0 65.8	74·5 71·7 66.7 66.0	9.0 0.6 8.7

_				I					1			
		Humidit	у.			Wind.				Precipit	ation.	
	ew	tpor.	ty.	ng on.	ent .	ım e are Ft	per		ng.		Tot	al in
Day.	Mean Dew Point.	Mean Forc e vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles p Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3	63.0 51.0 45.5	.679 .521 .581	85.0 73.0 53.0	S.S.W. N.N.W. N.	189 123 65	2.5 1.5 0.0	22 17	1 P 5 P	2 P	5:30 P	.11	
3 4 5 6	55.0 58.5	.700	62.5 60.5	N.N.E. N.N.E.	97	1.0	14 17	I A IO A	1:30 A	2:30 A	Т	
6 7	61.5 55.0	.707	79.5 71.0	E. N.W.	90	0.0	20	— 1 P	0:30 P	1:30 P	Т	
7 8 9	52.0 55 0 59 5	.525 .557 .662	74·3 78.0 78.5	W.N.W. S.S.W. S.	139 100 127	1.5 2.0 1.5	17 20 17	5 P 11 A 3 P	7 P	8 P 6 P	.02	
11	57.5 59.0	.694 .698	69.5 72.0	S.W. N.	53 74	0.5	10	- I P	, ,		.01	
13	61.0 60.5	.612 .583	88 5 91.0	N. N.	52 28	0.0	10	 1 P	5 P	6 P	.04	
15 16 17	64.5 56 0 63.5	.715 .672 .676	86.5 67.0 88.0	S.E. S. N.NE.	39 87 76	0.0 1.0 0.5	14	6 P	2 P	5 P	.21	
81	67.0	.798	83.5	N.W.	78	0.0		_		3		
19	61.5 61.0	.742 .785	75.5 67.5	S.W. N.N.W.	18 67	0.0	_	_				
21	62.5	.763	74.5	W.S W.	40	0.0	_	_	Ì			
22	63.5	1.002	60 5	S.S.W.	21	0.0	- i	_				
23 24	69. 5 64 0	1.035 .807	70 0 75.0	S W. E.S.E.	61 85	0.0		_				
25	64.0	.718	84.5	S.S.E.	53	0.0	_	_				
26	65.5	.801	80 5	S.	123	0.5	10	3 P				
27	67.5	.820	78.5	S.	162	2.5	22	I P				
28	71.5	1.130	70.5	S.S.W.	162	2.5	22	7 P				
29	68.5	.952	75 0	S.S W.	233	5.0	32	6 P	9:30 A	f: 20 P		
30	64 o 49.0	.803 .603	76.5 58.5	S.S. W.	240 151	30	24 17	6 A 9 A	9. 3 0 A	5:30 P	1.45	
3,	49.0	.503	20.2	11.	131	2	•/	9.1				

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The most noticeable features of the weather during July were the very light precipitation up to nearly the end of the month, and the large amount of sunshine. The drought, which had become quite pronounced, was broken on the 30th by a heavy shower, giving nearly one and one-half inches of water, and about eighty per cent of the total for the month.

The first half of the month was much cooler than the last half, when several very warm days occurred.

A comparison of the records of the several weather elements with their respective normals shows the following features of more or less interest. The mean barometer was practically normal and the range of pressure comparatively small. The total wind movement was about eighty per cent of the normal and many days of comparative calm were noted. More than the usual amount of wind was from the southerly points of the compass.

The mean temperature was practically normal and the range considerably more than the normal. The maximum temperature was about six degrees higher than the normal, and the minimum was about the average value for this feature. The difference between the mean hourly temperature and the mean of maximum and minimum temperatures was larger than usual.

The mean dew point was slightly below the normal and the mean relative humidity about a point higher than usual.

The total precipitation was about forty per cent of the normal and nearly all came in a single storm as noted above.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Acting Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.,1919th, 9 A Minimum reduced to freezing, 29.44, 9th, 4 P Reduced maximum reading . 30.48, 19th, 9 A Reduced† minimum reading, 29.72, 9th, 4 P Mean semi-daily reduced 30.027 Monthly range 0.76	Total movement 2583m Greatest daily movement 145m, 17th Least daily movement 24m 16th Mean daily movement 83 m Mean hourly velocity 25 m
*Air Temperature. In Degrees Fahr.	Prevailing direction, South.
Mean of means of max, and min. 71.6 Mean sensible (wet bulb) 63.0 Monthly range 56 Highest mean daily 81.7, 7th Lowest mean daily 60.9, 19th Mean maximum 84.5 Mean minimum 58.7	Summary. South
Humidity.	Number of fair days
Mean dew point 60.8 Mean force of vapor724 Mean relative humidity	Bright Sunshine. Number hours recorded, 276 hrs. = 64 per cent Rain. 5th, 7th, 9th, 10th, 11th, 14th, 24th, 26th; 29th, 31st.
Precipitation. In inches.	Thunder and Lightning, 2d, 9th, 14th,24th,
Total precipitation, in inches 2.22 Number of days on which .o1 inch or more	Gales, 35 miles or more per hour: 36 m,

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

		eter Re Sea Lev			Tem	perature	. Ground	l Shelter			s of shine
Day.	Maxımum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18	30.00 29.98 30.09 30.13 30.03 29.98 29.87 29.94 30.15 30.12 30.03 30.05 20.93 30.05 20.93 30.02 30.27	29.92 29.82 29.87 30.03 29.78 29.83 29.81 29.97 29.90 29.97 29.90 29.92 30.01 30.27	29 967 29 968 30 004 30 070 29.857 29.886 29.844 29.853 30.110 30 668 30 000 29.905 29.804 30.024 20.975 30.136 30.136	84.0 85.5 78.0 76.0 96.0 96.0 100.0 86.5 80.5 79.0 93.0 95.0 95.0 74.5 77.0 78.5	4:30 P 2:30 P 3:30 P 5 P 3:30 P 3:30 P 3:30 P 1 P 3:30 P 2:30 P 4 P 2:30 P 4 P 5 P 5 P 5 P	58.0 58.0 54.5 50.5 50.0 09.0 08.5 72.5 57.0 07.0 57.0 07.0 59.0 57.0 07.0 59.0 57.0 47.0	5:30 A 4 A 12 P 3 A 6 A 5:30 A 5 A 12 P 12 P 5:30 A 5 A 6 A 12 P 6 A 5 A 6 A 6 A	71.0 71.7 66.3 63.3 72.5 82.5 84.3 79.5 63.0 64.0 77.3 76.3 82.5 71.3 69.7 63.5 61.7	70.0 71.2 66.7 63.3 70.4 80.4 81.7 79.5 73.1 64.7 63.9 75.3 77.2 79.4 70.5 68.9 64.9 61.3	58.7 65.3 57.3 58.3 67.3 72.5 71.3 72.0 61.3 63.0 71.7 71.7 61.3 60.0 52.5	11.5 8.4 12.7 6.5 6.7 10.2 6.3 4.8 2.1 5.2 8.3 11.0 7.9 12.8 11.3 12.5 11.3
19 20 21 22 23 24 25 26 27 28 29 30	30.48 30.38 30.24 30.07 30.04 29.97 29.91 30.29 30.41 30.30 30.00	30.33 30.22 30.01 29.94 29.92 29.89 29.77 29.86 30.30 29.99 29.98 29.85	30.409 30.298 30.115 29.985 29.985 29.945 29.868 30.178 30.374 30.059 30.018 29.969	76.5 86.5 87.0 92.5 95.0 84.0 93.0 86.0 82.0 69.0 82.5 82.0	4:30 P 4 P 4 P 4 P 2:30 P 3 P 1 P 3 P 4 P 4 P 3 P	44.0 48.0 63.0 50.5 60.5 66.0 67.0 46.0 55.0 46.0 56.0	6 A 6 A 6 A 3:30 A 6 A 5 A 11 P 12 P 6 A 6 A 5:30 A	65.3 67.5 77.7 77.3 75.3 79.5 76.5 68.5 63.0 62.5 70.7 73.7	64.5 68.0 70.5 75.1 73.4 76.5 73.5 68.5 62.8 63.8 70.2 70.1	53.5 55.3 60.3 67.7 68.3 68.5 69.0 68.7 56.7 56.0 63.3 64.3 65.7	12.1 11.8 11.0 8.7 5.3 10.0 3.0 12.1 11.5 0.8

		Humidit	у.			Wind				Precipit	ation.	
Day.	Mean Dew Point,	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time,	Beginning.	Ending.	Rain.**	woug.
1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22 24 25 26 27 30 31	54.0 63.5 51.0 66.5 70.5 69.0 66.5 60.0 70.0 70.5 57.5 58.0 51.0 63.0 66.5 66.5 66.5 66.5 66.5 66.5 66.5 66	.637 .732 .638 .566 .739 .954 .949 .999 .756 .588 .614 .850 .901 .714 .658 .711 .650 .893 .720 .893 .720 .835 .765 .598 .598	64.5 79.0 58.0 02.5 89.5 78.5 75.0 71.5 84.5 92.5 89.5 89.5 61.0 56.0 63.5 79.5 61.0 73.0 66.5 84.0 73.0 66.5 84.0 75.0 66.5 84.0 75.0 75.0 75.0 75.0 75.0 75.0 75.0 75	S.S.W. S. N.N.E. S.S.W. S. W. S. W. S.W. E. E. S. S. S. S. S. S. S.E. S.S.W. N.N.E. N.E. N.S. S.S.W. S.S.W. S.S.W. S.S.W. S.S.W. S.N.N.E. N.S. N.N.E. N.S. S.S.W. S.S.W. S.N.N.E. N.S. N.N.E. S.S.W. S.N.N.E. S.S.W. S.N.N.E. S.S.W. S.N.N.E. S.S.W. S.S.N. S.S.W. S.S.S.W. S.S.W.	73 122 135 116 77 33 83 58 72 86 29 63 80 124 68 24 145 92 58 95 98 91 144 40 68 119 67 44 133	1.0 2.0 1.0 3.0 1.5 0.5 0.5 0.0 0.0 0.0 1.5 0.0 2.0 0.0 0.0 1.5 0.0 2.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	14 20 14 17 20 10 10 10 10 	9 P 1 P 9 P 2 P 3 P 6 P 2 P 3 P 2 P 3 P 5 P 3 P 5 P 3 P 5 P 3 P 8 A 5 P 8 A 5	1 A 5:30 A 4 A 7:30 P 0 A 3:30 P	3 A 7:30 A 2:30 P 12 P 3:30 A 5 P	.02 .06 .32 .16 .39 .05 .06 .49 .41	

The weather during August was warmer than usual, the maximum daily temperature being above 80 degrees on more than three-fourths of the days, and above 90 degrees on seven days. Although high temperatures were frequent the relative humidity was below the normal, making the heat less oppressive. The month was much drier than shown by the precipitation record, owing to the fact that nearly one-half the total rainfall occurred when the month was nearly over. The total precipitation was far from adequate, following the dry weather of the previous month. The prevalence of south wind was very unusual for this locality.

The records of the several weather elements show the following as the most important features of the records for the month. The mean barometer was slightly higher than the normal and the range more than usual. The maximum and minimum pressures were both higher than their respective normals. The total wind movement was about 600 miles less than the average and only one gale was recorded on the pressure chart.

The mean hourly temperature was more than two degrees above the normal and the maximum temperature of 100 degrees makes a new high record for August at this station. The maximum was nearly ten degrees above the normal value for this station. The minimum temperature was slightly higher than the normal, and was recorded on two successive mornings.

The mean dew point was slightly higher than the normal and the relative humidity about a point lower than usual.

The total precipitation was but little more than one-half the usual amount. While rain fell on ten dates most of the storms were of but little account.

The amount of bright sunshine was unusually large and the number of cloudy days small.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Acting Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.,12 11th, 8 A Minimum reduced to freezing, 29.40, 28th, 4 P Reduced maximum reading 30.42, 11th, 8 A Reduced† minimum reading, 29.69, 28th, 4 P Mean semi-daily reduced 30.029 Monthly range 0.73	Greatest daily movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Southwest.
Highest 84.0, 4th, 4 P. Lowest 34.5, 30th, 6 A. Mean hourly 57.6 Mean of means of max. and min. 58.0 Mean sensible (wet bulb) 53.2 Monthly range 48.5	Summary. South
Highest mean daily 71.6, 5th Lowest mean daily 47.8, 27th Mean maximum 69.1 Mean minimum 46.9 Mean daily range 22.2 Greatest daily range 38.0, 15th	North 10 " " Southwest 10 " " North Northwest 13 " " Other directions 17 " "
Least daily range 5.5, 26th	Mean cloudiness observed 56 per cent
### Humidity. Mean dew point	Total cloudiness recorded by the Sun Thermometer 186 hours = 50 per cent Number of clear days
Precipitation. In inches.	Bright Sunshine. Number hours recorded, 187 hrs, = 50 per cent Rain, 1st, 6th, 7th, 8th, 9th, 12th, 13th, 17th, 18th, 20th, 21st, 23d, 26th, 27th, 30th.
_	
*Temperature in ground shelter.	

		eter Re Sea Lev			Tem	perature	. Ground	l Shelter			s of shine
Day.	Maxımum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	30.13 30.23 30.20 30.15 30.08 29.89 30.12 30.16 30.20 30.34 30.42 30.26 30.05 30.03 30.03 30.03 30.03 30.03 30.03 30.10 29.97 29.95 30.25 30.26 30.18 30.25 30.20 30.18 30.20 30.18 30.20 30.10	29 86 30.13 30.11 30.06 29.85 29.84 29.88 30.15 30.23 30.15 30.23 30.29 29.90 29.91 29 94 29.88 29.88 29.88 30.02 30.10 29.85 20.87 29.96 29.97 29.96	30.019 30.202 30.154 30.110 29.929 29.824 30.053 30.131 30.173 30.236 30.344 30.146 29.982 29.996 29.984 30.010 29.936 29.955 29.962 30.239 30.244 30.90 30.164 29.920 29.812 29.794 30.135	79.5 81.0 78.0 82.0 72.0 67.5 76.5 72.5 68.0 69.0 65.5 77.0 72.0 61.0 53.5 63.0 65.0 63.0	4 P 4 P 4 P 4 P 3 P 3 P 4 P 3 P 4 P 3 P 5 P 2 P 1 P 6 P 3 P 1 P 6 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 5 P 2 P 4 P 1 P 5 P 2 P 1 P 6 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8	\$6.0 48.0 53.0 58.5 65.5 56.0 48.0 \$2.0 47.0 36.5 48.5 53.0 45.5 39.0 52.0 47.0 37.0 41.0 43.0 37.0 43.0 37.0 43.0 37.0 43.0 37.0 43.0 37.0 43.0 37.0 43.0 37.0 43.0 37.0 43.0 43.0 43.0 43.0 43.0 43.0 43.0 43	12 P 6 A 6 A 6 A 4 A 12 P 4 A 3 A 6 A 12 P 6 A 2 A 12 P 6 A 7 A 6 A 12 P 8 A 7 A 12 P 6 A 7 A 12 P 8 A 7 A 12 P 6 A	67.7 64.5 65.5 71.3 73.7 64.0 57.7 54.7 64.3 59.7 52.3 58.0 61.0 63.7 50.0 63.7 53.0 48.3 55.7 53.0 48.3	67 1 65.1 63.6 69.5 71.6 65.1 56.0 52.4 56.7 57.7 55.5 56.7 62.8 61.2 52.4 48.7 54.0 52.0 48.0 54.7 54.0	59.5 59.7 58.3 64.5 65.5 61.0 53.5 57.0 52.3 46.7 52.3 47.3 57.7 51.5 47.3 57.7 45.5 45.3 50.5 49.0 45.7 54.3 50.0 49.3 47.0	11.1 11.7 10.0 8.1 8.1 11.0 9.3 11.4 5.5 3.0 6.0 10.0

	I	Humidit	v.			Wind.			I	Precipit	ation.	
				gi ::		Ŧ			pr.		Tot	al in hes.
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3	56.0 56.5 55.5	.620 .664 .546	75.0 76.0 79.0	N.N.W. S.S.W.	149 44 85	2.0 0.0 1.0	20 — I4	9 A - 3 P	о А	3 A	.30	
4 5 6 7	63.5 63.5 60.0 47.5	.655 .693 .615	87.5 81.5 83.0 77.5	S.S.W. S.S.W. N.W. N.	67 175 113	0.5 3.5 0.0	10 26 —	2 P 10 A — 10 A	8 A	1 P 1 P	.23	
7 8 9	51.5 54.5 48.5	.438 .552 .453	86.5 81.0 75.5	N.N.E. N. W.	82 • 93 • 130	0.5 0.5 2.0	10 10 20	1 P 1 P 3 P	10 A 0 A	12 P 1 A	.03	
11 12 13	40.5 50.0 55.0 48.5	.390 .42.1 .465 .436	65.5 86.0 92.5 78.0	S.S.W. E.SE. N.N.W. W.	97 91 80 87	0.5 0.0 1.0	10 10 —	2 P 12 M — 1 P	7 P 0 A	12 P 9 A	.26 .41	
15 16 17	43 ° 55.5 57.5 49.5	.406 .551 .585 .383	73.0 80.5 82.5 93.5	S. S. W. N.	30 114 191 70	0.0 1.5 1.5	17 17	2 P 2 A	4:30 A	6 A 6 P	.02 .66	
19 20 21	49.5 56.5 59.0 42.5	.527	93.5 88.5 97.5 81.5	S.S.E. N.N.W. N.W.	163 80 154	3.0 0.5 2.0	24 10 20	3 P 11 P 12 M	4:30 A 0 A	12 P 6 A	.87	
22 23 24 25	35.0 47.5 47.5 44.5	.359 .430 .365 .337	70.0 77.5 91.5	W. S.W. S W. S.S W.	92 104 75 34	2.5 1.0 1.0 0.5	22 14 14	3 P 11 A 4 P 3 P	2 A	4 A	.13	
26 27 28	49.5 39.0 44.0	·375 .298 ·452	95.0 So.0 64.5	N.N.W. S.W. S.	92 178 224	1.0 4.5 4.0	14 30 28	8 P 2 P 2 P	1 A	12 P 5 A	3.17	
29 30	45.0 42.5	.413	72.5 75.0	W. S.S.W.	170 108	2.5	22	12 M	6 р	12 P	. 1 1	
	**Rain	or melte	d snow	at base of to	wer.	*Ir		d in foll	lowing da	ıy.		

The weather during September was less pleasant than usual owing to the large number of rainy days. The latter part of the month was comparatively cool, although freezing temperature was not reached at any time, and only a few light frosts were observed.

The total precipitation was unusually large, and the heavy storm of the 26th—27th showed a greater rainfail in 24 hours than had been noted for a number of years at this station. The observed cloudiness in the mornings was much greater than the amount noted in the evenings.

A comparison of the records of the several weather elements with their normals shows the following features of interest: The mean barometer was slightly lower than the normal and the range of pressure rather small. Change of pressure was generally slow. The maximum pressure for the month was practically normal, while the minimum was considerably higher than the normal.

The total wind movement was about the usual value and the wind directions were more variable than usual. Not a single gale was recorded on the pressure chart.

The maximum temperature came early in the month, and was not as high as the normal. The minimum temperature was registered on the last day of the month. The mean temperature was about three degrees below the normal, making it one of the coldest Septembers on our record.

The mean dew point was more than three degrees below the normal and the relative humidity about two points higher than usual, owing to the large amount of rainy weather.

The precipitation was about 70 per cent more than the normal and was well distributed throughout the month. The heavy downpour near the end of the month has been referred to above.

The amount of bright sunshine was considerably less than the usual amount.

J. E. OSTRANDER, Meteorologist.

E. M. BUFFUM, Acting Observer.

Meteorological Observations

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W.

**Reduced to freezing and sea-level.

Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.26, 19th, 8 A Minimum reduced to freezing, 29.27, 13th, 4 P Reduced maximum reading	Maximum pressure per square foot, 10.5 lbs = 46m per hour, 20th, 4 P, S. Maximum velocity for 5 minutes, 30m per hour, 6th, 2 P, W.S.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, South Southwest.
Highest 78.5, 29th, 2 F. Lowest 27.5, 23d, 7:30A Mean hourly 52.6 Mean of means of max and min. 53.1 Mean sensible (wet bulb) 47.8 Monthly range 51 o Highest mean daily 67.2, 29th Lowest mean daily 42.4, 19th Mean maximum 65.2 Mean minimum 41.0 Mean daily range 24.2 Greatest daily range 41.5, 10th Least daily range 8.5, 30th	Summary. South
Humidity.	rumber of cloudy days
Mean dew point	Rain, 2d, 3d, 5th, 6th, 12th, 2oth, 26th, 28th, 3oth, 31st.
Precipitation. In inches. Total precipitation, in inches 1.32 Number of days on which or inch or more rain fell	Gales, 35 miles or more per hour: 42 m.

		eter Re Sea Lev			Temperature. Ground Shelter.							
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine	
I	30.46	30.20	30.434	65.0	5 P	38.0	6:30 A	51.5	48.5	40.5	10.4	
2	30.45	30.09	30.304	65.5	4 P	34.0	4 A	49.7	50.7	48.3	3.	
	30.43	30.02	30.119	68.0	1:30 P	44.0	12 P	56.0	58.8	55.0	4.	
3 4	30.43	30.22	30.352	64.5	3:30 P	30.0	6:30 A	50.3	49.4	43.5	8.	
	30.26	29.77	29 944	65.5	2 P	44.0	IA	54.7	55.7	51.7	Ι.	
5 6	29.83	29.57	29.654	740	2 P	160	12 P	60 0	60.0	56 3	4.	
7	30.37	29.83	30.217	59.0	3:30 P	38.5	12 P	48.7	46.7	36.5	8.	
8	30.50	30 32	30 412	67.5	4 P	30.5	7 A	49.0	46.6	38.7	10.	
9	30.32	30.05	30.177	68.0	4 P	30.5	7 A	49.3	47.7	41.3	8.	
10	30.00	30.00	30 074	71.5	4 P	30.0	7 A	50.7	50.6	43.7	9.	
ΙI	30.13	30 01	30.101	75.0	3 P	41.0	5 A	58.0	57 1	48.7	Ś.	
[2	30.09	29.83	29.947	57.0	8 P	45.0	6 A	51.0	51.7	51.3	0.	
13	29.83	29.56	29.094	72.0	1:30 P	530	4 A	62 5	59.0	530	3.	
14	30 02	29.71	29 859	59.5	2:30 P	41.0	12 P	50.3	49.5	44.3	7.	
15	30.22	30.02	30.213	56 o		33.5	6:30 A	447	44.6	37.7	9	
16	30.18	30.05	30.134	63.0	4 P	40.0	12 P	51.5	47.9	41.0	5.	
17	30.19	29.84	30.060	61.0	3 P	35.0	7 A	48.0	48.9	44.0	4.	
18	30.43	29 82	30.229	56.0	o A	35.0	12 P	45.5	47.2	40.7	Ι.	
19	30.57	30.43	30 520	59.5	3 P	29.0	6:30 A	44.3	42.4	35.5	10.	
20	30 44	29.87	30.106	56.5	3 P	34.0	4 A	45.3	48.4	48.7	0.	
2 1	30.09	2983	30.008	58.0	3:30 P	38.0	I 2 P	48.0	49 .9	43.5	7.	
22	30.24	30 09	30.209	61.0	4 P	32.5	4 A	46.7	44 9	37.5	9.	
23	30.34	30 24	30.299	66 o	5 P	27.5	7:30 A	46.7	42.9	36. 5	9.	
24	30.44	30.30	30.398	60.5	2:30 P	290	7 A	44.7	46.9	41.3	9.	
25	30.36	30.27	30.322	63.5	3 P	45.5	7 A	54-5	54.4	52.7	5.	
26	30 32	30.20	30.277	67.0	2:30 P	54.5	I A	60.7	60.0	60.3	0.	
27	30.25	30.15	30.206	74 5	3 P	58 5	6 A	66.5	64.2	60.0	6.	
28	30.15	29.94	30.032	66.5	6 P	52.0	6 A	59.3	59.5	59 7	0.	
29	29 94	29.85	29.916	78 5	-	63.0	6 A	70 7	67 2	65.7	5.	
30	29.88	29.61	29.768	72.5 68.0	0:30 P	64.0 48.0	3 A	68.3	66.5	66 3	1.0	
31	29.77	29.57	29.663	05.0	2:30 P	40.0	12 P	58.0	619	59.0	4.	

	I	lumidit	у.	Wind.					Precipitation.			
	N a)	por.	por.	ag	t .	m tre Ft	r		ti		Total in Inches.	
Day.	Mean Dew Point,	Mean Force vapor,	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
3 4 5 6	34.0 46.0 55.5 38.5 48.5 54.5 26.0	.299 .389 .470 .333 .450 .487	67.5 82.0 88.0 70.5 77.5 86.0 54.5	N.W. S.S.W. S. S. S.S.W. S.S.W.	63 111 176 74 239 208 279	0.5 3.0 3.0 1.0 5.0 9.0 2.0	10 24 24 14 32 42	6 A 6 P 3 P 2 P 1 P 2 P 8 A	4:30 P 0 A 8 P 0 A	12 P 5 A 12 P 3 P	.02 .22 .06	
7 8 9 10 11 12 13 14	31.5 37.5 41.0 44.5 50.0 50.5 38.0 29.5	.288 .302 .311 .408 .398 .452 .354 .280	63.5 78.5 86.0 72.5 93.5 81.0 66.5 59.0	S.S.W. S.W. S.S.W. S. S.W. W.S.W. W.	57 63 27 85 24 170 168	0.0 1.0 0.0 2.5 0.0 2.5 2.0	14 	2 P 4 P 4 P 6 P 12 M	8 A	6 Р	.22	
16 17 18 19 20 21 22 23 24 25	37 0 42.0 37.0 32 5 46.5 39 0 28.5 32.5 38.5 52.0	.288 .320 .287 .233 .374 .328 .277 .243 .288	78.0 88.0 78.0 81.0 89.0 75.0 58.0 77.5 84.5	S. S.S.W. N.N.E. S.S.W. S. N.W. N. S.S.W. S.W. S.S.E.	24 54 227 57 274 296 143 21 47 98	0.0 0.0 2 5 0 5 10.5 2.5 1.0 0.0 0.0	22 10 46 22 14 —	10 A 1 P 10 A 10 A	4 P	12 P	.20	
26 27	59.5 58.5	·533 ·542	97.0 91.5	S. S. S.S.W.	125 139 102	0.5	10	4 P 2 P	6:30 A	10 A	.03	
28 29 30	59.0 65.0 66.0	.544 .655 .666	9 5 .5 9 5 .0	S.S.W. S. S.	243 242	2.5 2.5 5.0	22 22 32	2 P 6 P	2:30 P 9:30 P	3 P	.10.	
31	57.5	.540	89.5	W.N.W.	312	5.0	32	I A	0 A	6 A	.17	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during October was more seasonable than that of the preceding month, and in some respects more pleasant. The precipitation was small, the temperature rather high and the amount of sunshine fully up to the normal. The great preponderance of wind from the south undoubtedly caused the comparatively warm weather which was especially noticeable the last few days of the month. The last week was in fact the warmest part of the month. While several frosts were noted early in the month, the first killing frost of the season occurred on the 10th, a date much later than usual.

The records of the several weather elements show the following features of interest: The mean barometer was considerably higher than the normal and the range was less than usual for the time of year. The maximum pressure was practically normal and the minimum rather high. On only a few days was the mean barometer lower than 30 inches.

The total wind movement was slightly more than usual, although there were but two gales. For about two-thirds of the time the wind was from the south or south southwest.

The mean temperature was about two degrees higher than usual. The maximum temperature was practically normal, but came much later in the month than usual. The minimum temperature was more than four degrees higher than the normal for this feature.

The mean dew point and relative humidity were both considerably higher than their normals.

The total precipitation was about one-third the normal amount and all of it occurred in small storms.

The last week was rather cloudy, but the total amount of sunshine for the month was considerably more than the normal. The mild weather continued up to the close of the month.

J. E. OSTRANDER, Meteorologist.

H. BERMAN, Acting Observer.

*Temperature in ground shelter,

**Reduced to freezing and sea-level,

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.29, 6th, 9 A Minimum reduced to freezing, 28.75, 18th, 9 P Reduced maximum reading . 30.60, 6th, 9 A Reduced† minimum reading . 29.05, 18th, 9 P Mean semi-daily reduced 30.023 Monthly range	Total movement
Lowest	West Northwest
Humidity. Mean dew point	Mean cloudiness observed 49 per cent Total cloudiness recorded by the Sun Thermometer 185 hours = 63 per cent Number of clear days
Total snow, in inches Trace Number of days on which or inch or more	Bright Sunshine. Number hours recorded, 108 hrs, = 37 per cent Rain, 4th, 17th, 18th, 19th, 20th, 28th, 20th, Snow, 4th, 30th. Gales, 35 miles or more per hour 35 m 18th, 8.8.W.

		eter Re Sea Lev		Temperature. Ground Shelter.								
Day.	Maxımum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine	
1 2 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	29.99 30.19 30.30 30.25 30.44 30.30 30.46 30.35 30.43 30.13 30.18 30.23 30.18 30.23 29.68 29.47 29.99 29.99 20.99	29.77 29.99 30.19 30.12 30.12 30.17 30.17 30.17 30.13 30.23 29.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89 20.89	29,896 30,131 30,285 30,166 30,342 30,560 30,293 30,290 30,143 30,426 30,371 30,067 29,978 30,170 30,252 29,992 29,231 29,374 29,968 29,968 29,965 29,965	54.0 49.5 52.0 41.5 50.0 49.5 53.0 62.5 49.0 51.0 41.0 48.0 61.5 52.0 41.0 43.0 41.0 43.0 47.0	2 P 2 P 4 P 1 P 3:30 P 6:30 P 1:30 P 12 M 2 P 1:30 P 2 P 2 P 3 P 2 P 3 P 1:30 P 2 P 1:30 P 2 P 1:30 P 2 P 1:30 P 2 P 1:30 P 2 P 1:30 P	39.0 33.0 31.0 29.0 36.0 28.5 34.5 32.0 26.0 27.5 28.0 39.5 42.0 45.0 36.0 28.5 31.5	12 P 7 A 3:30 A 12 P 7:30 A 6:30 A 3:30 A 6 A 12 P 6 A 4 A 7 A 4 A 0 A 8 A 1 P 12 P 6 A 8 A	46.5 41.3 41.5 35.3 43.0 37.3 48.5 41.7 43.3 37.5 36.0 32.0 37.7 42.7 49.0 45.5 54.0 48.5 54.7 40.0 35.7 36.3 38.5	45.4 41.8 40.7 36.8 40.6 36.0 38.6 44.4 43.5 46.0 35.2 32.1 32.9 36.3 42.4 48.2 45.0 50.6 48.3 41.6 35.2 34.8 36.8	40.3 39.0 35.7 35.7 37.0 38.0 43.7 44.0 30.3 26.0 32.5 45.3 56.7 44.3 37.5 31.3 29.0 30.0	4.55 3.33 5.55 0.00 4.77 7.4 7.00 8.33 0.00 8.33 0.00 0.00 0.00 0.00 0	
25 26 27 28 29	29.84 30.18 30.06 30.14 29.69 29.72	29.71 29.84 29.89 29.54 29.47 29.61	29 760 30.122 29.964 30.002 29.567 29.695	43 ° 35.0 40 ° 43.0 49.5 43.0	1 P 0 A 4 P 12 P 2 P 1:30 P	27.5 16 0 15 5 23.5 41.0 30.0	4 A 7 A 5 A 7 A 3 A 12 P	35.3 25.5 27.7 33.3 45.3 36.5	35.4 22.0 27.0 34.1 42.6 36.2	32.0 15.3 22.3 29.5 37.5 29.5	7.2 8.9 0.8 3 0 0.4 2.0	

	ŀ	lumidit	у.			Wind.			P	recipita	tion.	
	*	oor.	y.	50 <u>.</u> :								alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity.	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4 5 6 7 8 9	38.5 36.0 32.5 34.0 35.0 35.5 32.0 35.5 41.5 43.0	.246 .255 .277 .218 .238 .206 .222 .248 .301	86.0 84.0 82.5 91.0 88.0 91.0 86.5 84.0 86.5	W.N.W. W.N.W. W. N.N.W. N. E. S. N. S. W.	134 124 79 82 227 134 44 117 83	1 0 2.5 1.5 0.5 1.0 0 5 0.0 1.5 1.0	14 22 17 10 14 10 — 17 14 20	9 A 3 P 10 A 12 P 7 A 3 P — 12 M 12 P 3 P	6 A	12 P	.31	Т.
11 12 13 14 15 16 17 18 19 20 21 22 23 24	43.5 22.5 22.5 29.5 26.5 35.0 45.0 45.0 42.5 34.0 27.0 20.0 21.0	.300 .179 .151 .197 .178 .259 .297 .306 .483 .317 .290 .248 .193 .195	85.5 83.0 82.5 82.0 85.5 94.0 87.0 94.0 81.5 579.5 579.5	N. N.W. N.W. W.S.W. S. E. N N.W. S. W. S. W. W. N.N.W. N.W. N.W.	112 52 38 129 52 52 24 225 178 42 101 110 297 149	1.5 0.0 0.0 3.5 0.5 0.0 0.0 6 0 2.0 0.0 0.5 2.0 3.5	17 26 10 — 35 20 10 20 24 22	10 A	8 A 0 A 0 A 1 P	12 P 12 P 10 A 8 P	.85 .84 .13 .08	
25 26 27 28 29 30	29.5 60 16.0 22.5 35.5 18.5	.207 .101 .138 .198 .261	82.5 62 0 71.5 64.5 81 0 52.5	W.N.W. W.S.W. S. S.S.E. W.S.W. W.S.W.	175 246 77 98 181 268	3.0 3.0 0.5 0.5 5.5 5 5	24 24 10 10 33 33	3 P 10 P 7 A 3 P 12 M 2 P	5 A 0 A 2:30 P	12 P 9 A 3 P	.23 43 T.	Т.

During the month of November the weather presented but few features of unusual interest. Perhaps the most noticeable feature was the fact that it was not quite so cold as is usual at this time of year and that winter had not fully started when the month closed. The large amount of cloudiness was also a feature which could not well escape notice. Wind directions were unusually variable although the total wind movement was not large.

An analysis of the several records kept at this station shows the following features: The mean barometer was practically normal and the range much greater than usual. The last week of the month was a period of rather low barometer, and rather rapid changes in pressure.

The mean temperature was about one and one-half degrees higher than the normal. The maximum temperature was slightly less than usual and the minimum was higher than its normal value, giving a comparatively small range. The mean dew-point and relative humidity were both high.

The total precipitation was about ten per cent below the normal and nearly all of it fell during the last half of the month. Traces of snow fell early in the month and also on the last day of the month.

The total wind movement was about eighty per cent of the normal and but one gale was recorded. The amount of sunshine was unusually small, especially during the last half of the month.

J. E. OSTRANDER, Meteorologist.

H. BERMAN, Acting Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.38, 19th, 9 A Minimum reduced to freezing, 29.20, 4th, 12 M Reduced maximum reading 30.70, 19th, 9 A Reduced minimum reading, . 29.51, 4th, 12 M Mean semi-daily reduced 30.130	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Northwest.
Mean of means of max. and min 29.3 Mean sensible (wet bulb) 26.2 Monthly range	West Northwest
Lowest mean daily 12.0, 7th Mean maximun 36.5 Mean minimum 22.0 Mean daily range 14.5 Greatest daily range 28.0, 21st	North Northwest
#umidity. Mean dew point	
Precipitation. In inches.	Bright Sunshine. Number hours recorded, 158 hrs, = 56 per cent Rain, 1st, 6th, 11th, 13th, 14th, 15th, 22d, 24th, 25th.
Total precipitation, in inches	Snow, 1st, 3d, 4th, 6th, 7th, 11th, 26th, 27th.

		eter Re Sea Lev			Tem	perature	. Ground	d Shel t er			of shine
Day.	Maxımum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 3 4 5 5 6 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 52 6	30.27 30.29 29.94 29.68 29.95 30.22 30.33 29.96 30.53 30.58 30.40 30.41 30.25 30.28 30.51 30.58 30.69 30.70 30.48 30.38 30.38 30.20 30.18 30.20 30.19	29.54 29.94 29.68 29.51 29.66 29.71 29.75 30.04 30.25 29.88 29.88 29.88 30.28 30.28 30.54 30.54 30.54 30.99 29.92 29.62 29.63 29.63	30.000 30.140 29.809 29.854 30.192 29.830 29.856 30.305 30.355 30.355 30.355 30.355 30.476 30.522 30.650 30.550 30.432 30.202 30.116 30.037 29.572 29.827	33.0 31.0 35.0 37.0 32.5 27.5 23.0 32.5 31.0 20.5 38.0 37.0 43.0 30.0 40.0 41.5 50.0 50.0 41.5 45.0 50.0 41.5	4 A A 8:30 P 3 P 4 P 8 A 2 P 8 P 4 P 1 P 0 A 12 P 2 P 2 P 3 P 3:30 P 3:30 P 5 P 5 P 3 A	17.0 13.5 27.5 28.0 22.0 12.0 20.5 28.0 14.0 9.5 26.5 26.0 31.0 27.0 22.0 18.0 27.5 37.0 28.0 27.5 37.0 28.0 27.5	12 P 7:30 A 2 A 10 A 8 P 12 P 9 A 0 A 6 A 12 P 6 A 0 A 6 A 12 P 8 A 7:30 A 7:30 A 3 A 12 P 7 A 9 A	25.0 22.3 31.3 32.5 27.3 19.7 10.0 26.5 35.7 22.5 28.3 30.0 34.5 33.5 33.5 33.5 33.5 33.5 34.7 38.0 38.7 43.5 34.7 37.7 37.7 37.7	25 6 22 6 30 5 31.2 28.4 20 5 12.0 25.7 35.1 20 2 17.4 31.6 30.8 34.5 37.6 37.6 46.8 34.4 36.1 31.7	18.3 20.0 29.0 28.5 25.0 18.0 11.5 24.3 29.7 12.5 19.3 30.5 30.0 34.0 39.3 26.3 23.0 17.5 23.0 40.7 44.7 33.3 35.0 29.0	8.3 6.5 5.0 6.5 6.5 6.5 8.0 6.5 8.0 6.5 8.0 6.5 8.0 6.5 8.0 7.7 8.0 7.3 8.0 7.3 8.0 7.3 8.0 7.0 8.0 8.0 7.0 8.0 8.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8
27 28 29 30 31	30.08 29.95 30.04 30.30 30.33	29 95 29 70 29.69 30.04 30.13	30.048 29.820 29.850 30.215 30.225	28.5 31.5 33.5 35.0 27.0	2 P 2 P 3 P 4:30 P 12 P	19.5 19.0 18.0 16.0 15.5	8:30 A 12 P 2 A 2 A 8:30 A	24.0 25.3 25.7 25.5 21.3	24.5 24.0 22.6 25.6 21.9	21 7 20.5 19.3 23 3 20 5	8.0 6.5 3.0 8.5 0.1

	ŀ	Iumidit	у.		-	Wind.			F	Precipita	tion.		
	Dew	por.		ng. D.	t .	im are Ft	ı		ği		Total in Inches.		
Day.	Mean D. Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.	
ı	7.0	.120	53.5	N. N.W.	348	11.0	47	4 A	3 A	4:30 A	.02	Т	
3	13.5	.128	67.5 79.0	S.	61 34	0.5	- 10	7 P	o A	5 A	06	3 1	
4	230	.170	74.0	W.N.W.	32	1.5	17	12 P	11 5	12 P	Т	Ť	
5	21.5	.145	84.0	W.N.W. N.N.W.	259	3.0	24	2 P				6	
	15.5 8.5	.106 .083	8 5 .0 89 5	S W.	181	30	24 10	3 P 3 P	0 A 1:30 P	1 P 3 P	.40 T	Т	
7 8	22.5	.136	91.0	S.S.W.	32	0.0	_		1.3.1	,	-	-	
9	24.5	.185	74.5	N.W.	154	2.0	20	2 P					
11	7.0 17.5	.084	73·5 92.0	N. N N.W.	298 45	5. 5	33	II A	1 P	пР	.48	$\frac{1}{2}$	
12	28.5	.175	92.5	W.N.W.	86	0,0				•••	.40	2	
13	28.5	.170	9 5 .0	W.	5	0.0	-	_	2 P	12 P	.20		
14	32.5	.198	95.0	W N.W.	19	0.0	_		o A	12 P 6 P	·76		
15	38 o 30 o	.243	94.0 90.5	N.N.W. N.	76 124	0.1	14	I А ПР	0 A	0 P	.11		
17	19.5	.160	68.0	N.N.E.	282	2.0	20	4 A					
18	19.5	.134	81.0	N.	123	0.5	10	IР					
19	14.5	.103	84.5	W.	18	0.0					İ		
20	21.0	.140	87.5	S.W. S.S.W.	4	0.0		_					
21	29 0 39.0	.185	90.0 93.5	S.S.W. S.S.W.	41 28	0.5	10	9 P	I P	12 P	.25		
23	43.0	.312	89.0	N.W.	160	2.0	20	9 ·			.23		
24	320	.196	9 ś 5	N.N.E	58	0.0			9 A	12 P	.51		
25	330	.213	89.0	NW.	102	1.0	I 4	6 P	0 A	2 P	.15	70	
26	27.0	.166	89.5	W.N.W.	186	1.5	17	7 P	12 M	1 P 6 P	T	T T	
27 28	19.0 17.5	.124	87 0 82.5	W. N.N.W.	84 69	1.0	14	I A I P	12 M	01	1	1	
20	16.0	.111	86 0	N.W.	99	1.0	14	3 P					
30	19.5	.136	78.5	S.W.	121	20	20	I P					
31	18.0	811.	86.0	N.W.	29	0.0			8:30 A	4 P	0.1	Т	

^{**}Rain or melted snow at base of tower. *Included in following day.

Annual Summary for 1918.

Pressure. In inches.

Maximum reduced to freezing,	
*Air Temperature. In degrees Fahr.	Precipitation. In inches.
Highest,	Total precipitation, rain or melted snow, . 37.47 Snow total in inches, 503 Number of days on which .01 or more rain or melted snow fell,
Highest mean daily, 81.7, Aug. 7	Weather.
Lowest mean daily, -9.1, Feb. 5 Mean maximum, 58.0 Mean minimum, 35.8 Mean daily range, 22.2 Greatest daily range, 44.5, Apr. 15 Least daily range, 35, Nov. 20	Mean cloudiness observed, 47 per cent. Total cloudiness recorded by Sun Thermometer, 1920 hrs.=43 per cent. Number of clear days, 151 Number of cloudy days,
Humidity.	
Mean dew point, .37.8 Mean force of vapor, .380 Mean relative humidity, .76.4 Wind.	Bright Sunshine- Number of hours recorded,2532 hrs.=57 per cent
Total movement,	Dates of Frosts. Last, April 26th First, Sept. 11th
Maximum pressure per square foot, 20.0 lbs., 63 m. per hour, Feb. 26, 3 P., W.N.W. Maximum velocity for 5 minutes, 45 m. per hour, Feb. 26th, 1 P., W.N.W. Prevailing direction,	Dates of Snow. Last,
South	Gales of 50 or More Miles Per Hour,
Northwest 11 " " North Northwest 10 " " North 9 " " Other directions 39 " "	Feb. 4th, 57m., W.N.W.: Feb. 20th, 57m, N.W.; Feb. 25th, 53m., S.W.: Feb. 26th, 63m, W.N.W.; March 3d. 60m., N.W.

*Temperature in ground shelter.

H. BEAMAN,

Acting Observer.

J. E. OSTRANDER,

Meteorologist.

*Temperature in ground shelter.
**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.34, 12th, 9 A Minimum reduced to freezing, 20,02, 24th, 5 A Reduced maximum reading, 30.68, 12th, 9 A Reduced minimum reading, 29.33, 24th, 5 A Mean semi-daily reduced	Total movement
	revailing direction, west.
Mean of means of max, and min 28.7 Mean sensible (wet bulb) 25.1 Monthly range	West Northwest 23 " " West 10 " " Northwest 10 " " West Southwest 10 " "
	Mean cloudiness observed 52 per cent
Humidity. Mean dew point	Total cloudiness recorded by the Sun Thermometer
Precipitation. In inches. Total precipitation, in inches	Gales. 35 miles or more per hour 135m.,

		eter Re Sea Lev			Tem	perature	. Ground	l Shelter			of shine
Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	30.11 30.07 30.04 30.27 30.50 30.49 30.26 29.90 30.12 30.52 30.68 30.59 30.14 30.03 30.03 30.03 30.03 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30.21 30.28 30.30 30 30 30 30 30 30 30 30 30 30 30 30 3	29.72 29.67 29.83 29.87 30.35 30.20 29.50 29.72 29.73 30.52 30.14 29.83 29.63 29.63 29.63 30.21 29.52 29.73 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.63 29.73	29,863 30,020 29,908 30,043 30,445 30,445 30,466 30,361 29,952 30,224 30,660 30,361 29,935 29,935 29,746 29,746 30,239 30,238 29,748 29,748 29,582	\$3.0 54.0 32.5 28.5 29.0 32.0 32.0 32.0 32.0 33.5 24.0 33.5 18.5 30.0 45.0 45.0 40.5 39.5 40.5 40.5 39.5 40.5	4 P 3 P 9:30 P 5 A 9 A 3:30 P 4 P 11 A	27.0 32.5 28.0 11.0 20.0 20.0 20.0 20.0 25.5 26.0 25.5 22.5 24.0 32.0 32.0 32.0 25.0 32.0 25.0	O A 12 P 12 P 12 P 13 P 12 P 0 A 12 P 7:30 A 12 P 7:30 A 12 P 7:30 A 2 A 7:30 A 2 A 7:30 A 9:30 P 12 P 7 A 7:30 A	40.0 43.3 30.3 19.7 15.5 16.0 18.5 31.3 26.7 11.7 33.0 32.3 33.7 34.0 32.3 33.7 34.0 32.3 35.3 35.3 35.3 35.3 35.3 35.3	34.3 39.5 30.3 21.8 14.5 15.7 30.5 28.0 13.3 17.6 3.5 12.5 33.1 33.6 33.7 34.1 30.4 34.1 30.4 31.1 30.7 34.3 36.3 36.3 36.3	35.0 33.0 28.5 18.7 8.0 9.3 20.5 30.5 27.0 11.5 32.5 32.5 32.5 32.3 32.3 32.3 32.3 32	0.0 6.4 3.1 6.5 6.0 1.5 0.9 7.5 7.0 8.8 8.0 6.2 8.6 4.8 5.3 8.0 0.0 0.8 9.1 7.5 4.2
30 31	29.75 29.85 29.82	29.58 29.69 29. 69	29.670 29.774 29.751	38.5 37.0 36.0	4 P 4 P 2 A	30.0 20.0 21.5	S A 5 A 12 P	34·3 33.0 28.7	32 5 33.7 30.6	28.0 30.3 26.7	3.3 8.0 8.5

	ŀ	lumidity	<i>i</i> .		,	Wind.			l I	Precipita	tion.	~
	M.	por.		<u>ئ</u> مع	Į į	m rre Ft	L		żź		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1	34.0	.209	97.5	w.	10	2.0	20	12 P	ı A	12 P	.46	
2	29.5	.213	77.5	N.W.	224	2.5	22	4 A	O A	12 P	.19	4
3	25.5	.164	87.0	N.	158	1.5	17	10 A	0 A	11 A	.30	5
4	12.5	.115	73.0	N.W.	178	3.0	24	1 P	6 A	10:30 A	.05	4
5	3.0	.070	74.0	S.W.	54	05	10	H P				
6	6.5	.072	84.0	N. W.	153	2.0	20	6 P 8 P	8 A		Т	
7 8	18.5 28.0	.125 .180	91.0 85.5	S.S.W.	53 180	1.0	14 17	7 A	6 A	11 A 11 A	.04	4
9	23.5	.158	84.0	S.W.	136	5.5	33	11 P	I P	3 P	.04	- 1
10	6.0	.084	76.5	S.W.	314	6.0	35	3 A		,		-
11	9.5	.108	72.0	N.N.W.	355	12.5	50	7 A		İ	1	
I 2	-3.0	.047	Ś5.0	W.S.W.	61	0.5	10	0 A		ļ		
13	15.0	.094	86.5	W.S.W.	37	1.5	17	8 P			i	
14	30.0	.195	85.5	S.	100	0.5	10	3 A				
15	26.0	.183	7.7.0	W.N.W.	252	4.5	30	5 P			İ	
16	22.0	.175 .184	70.0	W.S.W. S.S.E.	215	3.0	24	2 P 6 A		12 M		Т
17 18	24.0 22.0	.155	74.0 78.0	S.S.E. N.W.	109	0.0	22	ОА	11:30 A	12 M		1
19	25.5	.267	71.0	W.N.W.	152	3.0	24	11 A				
20	19.5	.149	76.0	S S.W.	104	1.0	14	6 P				
21	23.5	.152	86 5	S.S.E	6 i	0.0						
22	30.5	.204	86 o	S.	65	0.5	10	5 P				
23	33.5	.206	95.5	S.S.W.	44	0.0			8 A	12 P	.83	
24	23.5	.181	73.5	N.N.W.	273	7.0	37	12 M	0 A	2 A	.13	
25	22.5	.150	83.0	W.N.W	193	2.5	22	2 A		İ		
26	210	.175	7 4.5	W.	46	2.5	2.2	6 Р				
27 28	30.0	.216	77·5 66.5	W.N.W. S.W.	339	5.0	32 14	10 A 2 A				
20	22 5 22 0	.172	71.5	S.W. W.N.W.	45	1.0	14	2 A 11 P	S A	8:30 A	T	Ŧ
30	24.0	.193	69.0	W.N.W.	192	2.0	14	IP:	O A	2.50.1	1	•
31	21.5	.160	75.0	W.N.W.	313	6.5	36	6 P	10 A	10 1	.02	ŧ
						_					1	

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during the month presented a marked contrast to that of a year ago, when such abnormally low temperature prevailed. While the month was not as cold as usual it was not marked by any especially warm periods. Zero weather was noted on two dates near the middle of the month.

The precipitation was much less than the normal. A rain storm followed by about six inches of snow occurred the first part of the month. The snow remained until a rather heavy rain storm on the 23d, which was practically the last storm of the month.

The record of the several weather elements compared with the normals shows the following features of interest: The mean barometer was rather low and the range of pressure less than usual. The pressure during the last half of the month was considerably lower than during the first half. The record for the month was during the high barometer on the 12th. The maximum pressure was slightly less than the normal and the minimum pressure was comparatively high.

The mean temperature was more than three degrees above the normal, and the range a little greater than usual. The minimum temperature was slightly lower than the average value for this feature.

The mean dew point and relative humidity were both higher than usual.

The total precipitation was about sixty per cent of the normal, and comparatively little of it occurred as snow.

The total wind movement was below the average, and but few gales were noted. Much of the wind was from a westerly direction.

The amount of sunshine was considerably greater than usual.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

*Temperature in ground shelter,
**Reduced to freezing and sea-level,

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

, 1001111221	
Pressure. In inches.	Wind.
Reduced maximum reading	Total movement
*Air Temperature. In Degrees Fahr.	Trevailing direction, Northwest.
Highest 49 0, 13th, 3 P Lowest 8.5, 11th, 7:30A Mean hourly 28.4 Mean of means of max and min 28.7 Mean sensible (wet bulb) 24.2 Monthly range 40.5 Highest mean daily 36.5, 24th Lowest mean daily 19.7, 11 h Mean maximum 37.4	Summary. 29 per cent North Northwest
Mean minimum 20.0	Weather.
Mean daily range	Mean cloudiness observed 38 per cent
Humidity.	Number of Gear days
Mean dew point	Number of cloudy days 4
	Bright Sunshine.
	Number hours recorded, 210 hrs, = 73 per cent
Precipitation. In inches. Total precipitation, in inches	Rain, 4th, 14th, 25th, 26th, 28th, 28th, Snow, 4th, 14th, 21st, 22d, 23d, 25th, 26th, Hail, 14th, Gales, 35 miles or more per hour: 30m., 1st, N.N.W.: 35m, 2d, N.W.: 35m, 18th, N.N.W.: 40m, 19th, N.W.: 41m, 24th, W.N.W.

The late The late	E	Barome	eter Re Sea Lev			Tem	perature	. Ground	l Shel t er			s of Shine
2 30.10 29.84 29.994 40.0 3:30 P 21.5 0 A 30.8 28.4 23.7 3 30.17 30 07 30 120 47.0 4:30 P 19.5 6 A 33.3 29.8 23.7 4 30.07 29.72 20.888 36.5 6:30 P 18.5 7:30 A 27.5 27.9 26 7 52.81 29.68 29.77 0 37.0 12 M 23.5 12 P 29.7 31.1 26.5 6 29.91 29.81 29.89 33.5 2:30 P 17.0 7:30 A 25.3 26.3 23.3 7 30.10 29.91 30.062 37.0 3:30 P 22.5 6 A 20.7 28.8 24.3 8 30.12 29.97 30.052 36 0 3:30 P 22.5 6 A 20.7 28.8 24.3 8 30.12 29.97 30.052 36 0 3:30 P 17.5 5:30 A 26.7 27.0 24.5 9 30.01 29.91 30.065 36.5 3:30 P 19.0 12 P 27.7 26.5 20.3 10 30.04 29.92 30.036 31.0 4:30 P 15.0 7 A 23.0 21.5 17.7 11 30.12 29.97 30.086 33.5 4 P 8.5 7:30 A 21.0 19.7 14.5 12 30.05 29.91 30.000 40.0 4 P 8.5 7:30 A 21.0 19.7 14.5 12 29.38 29.88 20.660 49.0 3 P 13.0 7:30 A 31.0 30.9 23.0 14.29.90 20.37 29.558 35.0 3 P 13.0 7 A 33.0 33.2 32.0 14.29.90 20.37 29.558 35.0 3 P 13.0 7 A 33.0 33.2 32.0 15 29.38 29.74 29.85 35.0 3 P 20.0 7:30 A 27.7 27.0 23.5 18 30.02 29.79 29.000 36.0 3 P 20.0 7:30 A 27.7 27.0 23.5 18 30.32 30.02 30.05 30.0 30.0 30.0 30.0 30.0 30.0 30.	Cay.	Maximum	Minimum.	Mean. Senu-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
27 30.25 30.20 30.233 32.0 4:30 P 14.0 7 A 230 22 8 30.27 29 96 30.188 43 0 12 P 20.5 6 A 31.7 33.6 20.0	2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 1 2 3 4 5 6 7 8 9 0 1 1 2 1 3 4 6 7 8 9 0 1 1 2 1 3 4 6 7 8 9 0 1 1 2 1 3 4 6 7 8 9 0 1 1 2 1 3 4 6 7 8 9 0 1 1	30.10 30.17 29.81 29.91 30.10 30.12 30.01 30.02 30.02 29.38 29.74 30.02 29.38 30.02 30.03	29.84 30 07 29.78 29.68 29.81 29.91 29.92 29.92 29.92 29.93 29.20 29.77 29.77 29.77 29.77 29.77 29.77 29.77 29.77	29.994 30 120 20 888 29.770 29 895 30.062 30.052 30.055 30 036 30.000 20.060 20	40.0 47.0 36.5 37.0 33.5 37.0 36.0 33.5 40.0 49.0 37.5 35.0 35.0 41.5 30.0 42.5 30.0 42.5 30.0 35.0 35.0 35.0 35.0 35.0 35.0 35	3:30 P 4:30 P 6:30 P 12 M 2:30 P 3:30 P 3:30 P 4:30 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 3 P 3 P 3 P 3 P 4 P 3 P 4 P 3 P 3 P 3 P 3 P 4 P 3 P 4 P 3 P 3 P 4 P 3 P 4 P 3 P 3 P 4 P 3 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 3 P 4 P 5 P 5 P 6 P 6 P 6 P 6 P 6 P 6 P 6 P 6	21.5 19.5 18.5 23.5 17.0 22.5 17.5 19.0 15.0 8.5 9.0 13.0 23.5 20.0 23.5 21.0 27.5 18.0 13.5 27.5	0 A 6 A 7:30 A 6 A 5:30 A 12 P 7 A 12:0 P 7 A 12:0 P 7 A 7:30 A 7	30.8 33.3 27.5 29.7 25.3 29.7 27.7 23.0 24.5 31.0 24.5 33.0 35.5 27.5 27.5 32.7 33.0 35.5 27.5 28.0	23.5 28.4 29.8 27.9 31.1 26.3 27.0 26.5 21.5 19.7 21.9 30.9 27.9 26.8 23.9 27.9 26.8 23.9 27.9 26.5 23.9 27.9 26.8 23.9 27.9 26.8 27.9 27.9 27.9 27.9 27.9 27.9 27.9 27.9	23.7 23.7 26.7 26.7 26.3 24.3 24.5 20.3 32.7 17.7 23.0 32.7 25.3 23.5 23.7 20.0 24.0 23.7 31.7 31.7 31.3 27.3 24.5	9.5 9.0 8.5 9.3 9.2 8.5 9.3 9.4 9.5 9.9 9.1 10.0 8.5 10.2 10.3 3.5 6.9 9.1 17.6 8.2 9.1

	I	lumidit	у.	Wind.					I	Precipita	tion.	
	w e	por.		ng n.	nt .	are Ft	1		έ¢		Tot Inc	alīn hes.
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8	14.0 18.5 17.0 24.5 21.5 20.5 21.5 21.5	.119 .142 .145 .156 .162 .135 .138	74.5 71.0 69.0 88.0 72.5 84.5 85.0 85.0	N.W. N.N.W. N.N.W. N.W. W.N.W. W.N.W. S W. N.N.W.	332 324 125 42 252 105 148 55	7.5 6 0 1.5 1.0 4 0 4.0 2 0 0.0 2.5	39 35 17 14 28 28 20	4 P 1 A 7 A 7 P 1 P 11 A 12 M —	2:30 P	9 P	.02	Т
10 11 12 13 14 15 16 17 18 19	10.5 14.5 10.0 10.0 15.5 30.0 29.5 19.0 19.5 14.5	.106 .093 .107 .148 .188 .196 .154 .137 .139	79.5 81.5 80.0 66.5 66.0 90.0 86.0 67.0 76.0 79.5 73.0	N. N. W. N. W. N. W. N. W. E. S. E. E. N. E. N. W. M. W. W. M. W. W. W. W. W. W. W. W. W. W. W. W. W.	291 131 43 20 77 52 334 319 167 430	2.5 0.5 0.5 0.0 4.5 4.5 6.0 8.0 3.5	22 28 22 10 10 — 30 30 35 40 26	12 M 12 M 4 P 9 P — — 1 P 10 P 4 P 2 P	2 A	6 Р	.56	1 2
20 21 22 23 24 25 26 27 28	19.5 19.5 30.0 29.0 23.5 22.0 20.5 14.5 31.0	.142 .138 .184 .213 .205 .170 .148 .116	79 0 81.0 93.0 79.0 61.5 75.5 76 5 75.0 86.0	N.N.W. S.E. N.W. N.W. S.S.W. N.W. W S.S.W.	194 05 70 137 406 61 320 173 121	5.5 1.0 4.0 8.5 1.0 5.5 2.0	10 14 28 41 14 33 20 14	10 A 7 P 7 P 10 A 6 P 4 P 2 P 12 M	1 P 0 A 4 A 7:30 P 0 A 5 P	12 P 4 A 12 M 12 P 4 A 12 P	.20 .12 .96 .46 .42	3 12 6
		1	l									

During the month of February the weather was generally pleasant with an unsually large number of bright sunshining days. Only four days were classed as cloudy, and more than one half the days were clear. No zero weather was noted and the temperature was considerably above the normal. The ground was practically free from snow until the last week of the month. The precepitation was very small until the last week, when a considerable amount occurred.

The records of the several weather elements show the following features of interest: The mean borometer was low for mid-winter, and the range considerably less than the normal. The maximum pressure was considerably lower than the normal for this feature. The total wind movement was slightly more that the normal, and the direction was from the northwest quadrant most of the time.

The mean temperature was above four degrees higher than the normal, and the range only about two-thirds of the normal amount. This was largely due to the fact that the minimum temperature was nearly seventeen degrees higher than the average value for this feature. The period between the maximum and minimum temperatures of the month was less than two and one-half days.

The mean dew point was about three degrees above the normal, and the relative humidity was nearly normal.

The total precipitation was about one-half an inch less than the normal, and the greater part occurred as rain. A heavy snow fall occurred during the last week of the month, but it melted rapidly, so that there was but little sleighing.

The number of hours of sunshine recorded was greater than any previous record for February at this station.

The month closed with a drizzling rain in progress, and a rather high temperature.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	
	Wind.
Maximum reduced to freezing, 30.61, 15th, 8 A Minimum reduced to freezing, 28.89, 28th, 12 M Reduced maximum reading 30.92, 15th, 8 A Reduced minimum reading, 29.20, 28th, 12 M Mean semi-daily reduced 30.115 Monthly range 1.72	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, Northwest.
Highest 68.0, 21st, 3 P Lowest 12.0, 14th, 7A Mean hourly 37.8 Mean of means of max and min. 38.5 Mean sensible (wet bulb) 33.7 Monthly range 56.0 Highest mean daily 55.6, 21st Lowest mean daily 23.5, 29th Mean maximum 48.1 Mean minimum 28.8 Mean daily range 19.3	Mean cloudiness observed 51 per cent
Humidity.	Number of clear days
	Number of cloudy days
Precipitation. In inches.	27th, 28th, 29th, 31st.
	Snow, 16th, 28th, 20th, 30th, 31st. Hail, 28th. Gales, 35 miles or more per hour: 30m.,

		eter Re Sea Lev			Tem	perature	. Ground	i Shel t er			s of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
ı	30.14	29.78	29.975	50.5	12 M	30.5	12 P	40.5	43.0	38.5	6.2
2	30.22	30 07	30.172	46.5	5 P	23.5	7:30 A	35.0	32.5	27.7	10.6
3	30.18	30.05	30.155	53.5	4 P	20.0	7:30 A	39.7	36.5	32.0	9.9
4	30.18	29.85	30.044	57.0		27.5	7:30 A	42.3	39.8	34.0	10.1
5	29.85	29.55	29.659	54.5	3:30 P	38.o	7 A	46.3	46 2	42.5	7.8
6	30,26	29.66	30.125	42.5	4 P	25.0	7:30 A	33.7	336	26.7	10.9
7	30.36	30.23	30.319	41.0	3 P	22.0	5 A	31.5	30.9	26.0	6.5
8	30 58	30.36	30 522	51.0	4 P	26.0	7:30 A	38.5	36.3	32.7	9.8
9	30.46	29.46	29.767	43.0	12 P	31.5	3 A	37.3	36.2	35 5	0.0
ιó	30.04	29 47	29 887	43.0	4 P	33.5	12 P	38.3	38.8	32.7	8.7
ΙI	30.17	29.96	30.075	45.0	3 P	31.0	6 A	38.0	35 8	30.7	5.5
12	30 31	30.07	30.210	51.0	4:30 P	27.0	6:30 A	30.0	39.5	32.7	0.11
13	30.59	30.03	30.334	48.0	9 A	22.0	12 P	35.0	36.1	30 5	8.3
14	30.79	30 59	30.761	37.0	4:30 P	12.0	7 A	24.5	23.8	180	10.3
15	30.92	30.79	30 862	45.0	4 P	15.0	6:30 A	30.0	30.9	27 7	10.3
16	30.83	30.01	30 732	33.0	0 A	285	7 A	30.7	31.3	30.5	0.3
17	30.61	30.14	30.322	37.0	3:30 P	32.0	0 A	34.5	33.7	31.7	3.3
18	30.14	29.92	29.974	46.5	3 P ⁶	32.0	2 A	39.3	38.5	36.0	0.2
19	30.40	30.11	30.252	40.5	S:30 P	35.0	10:30 A	37.7	37 6	37.0	0.0
20	30 40	30.30	30 348	62.5	3 P	38.0	5 A	50.3	50.2	41.7	9.7
21	30.30	30 12	30 166	68 o	9	46.0	12 P	57.0	5 5 6	47 5	0.11
22	30.20	30.16	30,189	51.0	3 P	35.0	12 P	43.0	41.5	33.7	9.2
23	30.21	29.99	30.030	40.0	2 P	33.0	3 A	39.5	39.8	37.0	8.5
24	30 21	30.00	30.118	54.0	3 P	35.5	12 P	44.7	44.6	33.3	11.9
25	30.27	30.14	30 222	61.0	5 P	260	6:30 A	43 5	42.8	33.5	11.7
26	30.22	29 95	30.075	66.5	3:30 P	28.0	6:30 A	47.3	46 4	40.0	9.3
27	30 02	29.52	29.742	62.5	2:30 P	420	7:30 A	52.3	51.5	45.7	4.6
28	29.52	29.20	29.401	53.0	2 A	20.0	7:30 P	36.5	31.7	26 5	00
29	29.80	29.49	29 688	20.0	12 P	195	7:30 A	22.7	235	230	8,6
30	20.77	29.67	29 738	37.0	2 P	260	0 A	31.5	31.7	31.5	8.3
31	29 74	29 67	29.708	38.0	3 P	27 O	12 P	32.5	32.0	27.5	9.5

	ŀ	lumidity	<i>i</i> .		-	Wind.			P	recipita	tion.	
	e w	por.	4.4	n.	ut .	m e are Ft	1		, ,		Tota	
Day.	Mean Dew Point,	Mean Force vapor.	Mean Relative Humidit	 Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour,	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3	37 ° 22.0 28.5	.265 .169	86.0 71.5 81.5	W.N.W. W.N.W. W.	286 78 55	7.5 0 0	39	7 A — 10 A	ОА	9 A	.6	
4 5 6	28.0 40.5 19.0	.232 .301 .167	68.0 83.0 63. 5	S.W. S.S.W. N.N.W.	167 215 238	3.5 2.0 3.0	26 20 24	5 P 5 P 7 A	9 P	12 P	.02	
7 8 9	20.5 29.0 34.0 25.0	.162 .203 .214	71.0 79.5 91.0 60.5	E.S.E. W.S.W. N.E. W.N.W.	113 101 139 438	0.0 0.5 1.5 10.0	10 17 45	9 P 12 P 10 A	2 A	6 р	-43	
11 12 13	23.5 20.5 21.0	.202	63.5 49.5 57.0	N.W. W.S.W. N.N.W.	135 202 355	3.0 3.0 3.5	24 24 26	4 P 11 A 6 A				
14 15 16	10.5 18.0 28.0 28.5	.116 .184 .177 .190	65 0 56.0 90.0 83.0	N. S.W. SS.E. S.S.E.	132 105 27	3 0 0.5 0.0 0 0	24 10 —	9 A 3 P —	1 A	12 P 12 P	.26	3
18	32.5 35.0	.230	82.0 89.5	N.E. N.	81 323	3.0	24 30	7 P 7 A	0 A 8 A	5 P	.13	
20 21 22	32.5 38.5 27.5	·347 ·439 .224	59.0 53.5 67.5	N.N.E N. N.	247 247 514	2.5 2.5 6.5	22 22 36	2 P 7 P 7 P				
23 24	30 0 17.0	.256 .256	65.0 38.5	N. N.	451 426	4.0	28 30	9 A 7 A				
25 26 27	15.5 31.5 41.5	.271 .304 .351	36 5 62 5 78.0	N.W. W.S.W. S.	112 So 183	1.0 1.5 4.5	14 17 30	4 P	6 Р	12 P	.15	
28 29	25 5 20.5	.148	97.5 87.5	W.N.W. N.N.W.	419 580	14.0	53 47	10 P 5 A	0 A 0 A	12 P 6 A	1.80	3 4 T
30	29.0 21.5	.186 .1 6 9	85.0 68 5	N.W. N.N.W.	416 319	3.0	24 24	8 A 5 A	11 A 0 A	4 A	.02	T

^{**}Rain or melted snow at base of tower.

^{*}Included in following day.

The weather during the month was seasonal in most respects, and the transition from winter to spring was fairly "complete. Early in the month the snow had disappeared and the frost soon after left the ground, so that at the equinoctial date plowing could have been done on the light soils. Later in the month heavy rains and colder weather made the conditions for spring work on the soil less favorable. The last part of the month was colder than the beginning of the month. The last few days of the month were marked by heavy winds and stormy conditions.

The records of the several weather elements show the following features of interest: The mean barometer was abnormally high, even for March, and the range of pressure was very large. Owing to the large fluctuations in pressure, the total wind movement was much greater than the normal, and much of the high wind was from the northwest quadrant. The maximum barometric pressure was very high, for this station.

The mean temperature was more than three degrees higher than usual, and the maximum was nearly six degrees above the normal for this feature. The coldest day was near the end of the month.

The mean dew point was nearly normal, and the relative humidity about four points lower than usual.

The total precipitation was slightly more than the normal, and nearly one-half the amount fell during the heavy storm on the 27th to 29th. During the first half the month the precipitation was rather light.

The amount of bright sunshine was considerably more than the normal.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.07, 22d, 9 A	Total movement 5374 m
Minimum reduced to freezing, 29.33, 26th, 3 A	Greatest daily movement 468m, 25th
Reduced maximum reading 30.37,,22d 9 A	Least daily movement 50m, 5th
Reduced minimum reading, 29.65, 26th, 3 A Mean semi-daily reduced 30.029	Mean daily movement 179m
Monthly range 0.72	mean nomity velocity
Monthly range	masimum pressure per square root, 9.5 lbs
	44m per hour, 25th, 3P, W.N.W.
	Maximum velocity for 5 minutes, 32m per
to the second se	hour, 11th, 3P, S.S.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Northwest.
Highest	Summary.
Mean hourly	Northwest 20 per cent
Mean of means of max, and min 45.7	West
Mean sensible (wet bulb) 40.2	South
Monthly range 56.0	
Highest mean daily 56.0, 23d	North
Lowest mean daily 25.5, 1st	West Northwest
Mean maximum 55.9	South Southwest
Mean minimum	Other directions
Mean daily range 20.5	Weather.
Greatest daily range 38.5, 23d	
Least daily range 6.5, 10th	Mean cloudiness observed 50 per cent Total cloudiness recorded by the Sun
	Thermometer 153 hours = 38 per cent.
WF 434.	Number of clear days
Humidity.	Number of fair days
Mean dew point 34.0	Number of cloudy days
Mean force of vapor	
Mean relative humidity 68.1	
	Bright Sunshine.
	Number hours recorded, 249 hrs, = 62 per cent. Rain. 5th, 7th, 8th, 9th, 10th, 11th, 12th, 16th,
	Rain. 5th, 7th, 8th, 9th, 10th, 11th, 12th, 16th, 24th, 28th, 29th.
Precipitation. In inches.	Snow. 25th.
Total precipitation, in inches 2.37	Frost, 18t, 2d, 3d, 15th, 19th, 22d, 24th, 25th,
Total snow, in inches Trace	26th, 27th.
Number of days on which or inch or more rain fell	Gules, 35 miles or more per hour: 43m., 11th, S.S.W.: 44m. 25th, W.N.W.
*Topporature in around chalter	1100, 555 trac 4400 2300, 315.11.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level,

		eter Re Sea Lev			Temperature. Ground Shelter.								
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine		
I	29.82	29.70	29.778	34.0	2 P	20.0	12 P	27.0	25.5	21.5	10.6		
2	30.00	29.81	29.905	40.0	3:30 P	180	3 A	29.0	29.9	24.0	10.3		
3	30.09	30.00	30.071	52.0	4 P	25.0	6 A	38.5	40.2	35.3	11.2		
4	30.07	30.02	30.066	55.0	2:30 P	38.0	6:30 A	46.5	45.5	42.3	4.5		
5	30.05	29.92	29.995	49.5	3 P	42.0	7 A	45.7	45.0	42.3	2.1		
6	30.00	29.89	29 968	64.0	4 P	41.0	5 A	52.5	50.0	45.5	9.7		
7	30.01	29.82	29.987	64.0	4:30 P	45.0	7 A	54.5	52.5	49.3	5.8		
8	30.20	30.01	30.153	68.0	4 P	390	6:30 A	53.5	52.0	41.5	11.1		
9	30.36	30.12	30.302	54.5	4 P	420	7 A	48.3	46.6	40.0	8.2		
01	30.36	30.04	30.265	43.5	9 P	37.0	5:30 A	40.3	408	37.0	0.7		
ΙI	30.04	29.7 I	29.857	64.0	3 P	42.0	O A	53.0	54.8	553	2.1		
12	30.18	29 74	30.036	58.0	1 P	46.0	12 P	52.0	51.6	46.5	6.0		
13	30.18	29.90	29.960	56.5	0:30 P	42.0	12 P	49 3	48.5	43.5	5.3		
14	30.08	29.96	30.022	55.0	4:30 P	38.0	5 A	46.5	45.5	37.7	12.5		
15	30.17	30.04	30.121	590	4 P	28 5	6:30 A	43.7	44.0	37.7	11.1		
16	30.29	29.91	30.206	45.0	2 A	36.5	10 A	40.7	38.3	36.0	0.0		
17	29.91	29 75	29.842	59 5	3:30 P	36.0	5 A	47.7	45.8	42.5	8.4		
18	30.09	29.85	30.005	55.5	2 P	40.5	6 A	48.0	47.8	42.5	9.0		
19	30.26	30 09	30.235	61.0	4 P	36 5	6 A	48.7	47.8	40.5	12.9		
SO	30 25	30 02	30.121	65.0	0:30 P	31.0	6:30 А	48.0	50.3	44.5	12.0		
2 I	30.28	30.02	30.179	61.0	4 P	42.0	12 P	51.5	51.0	44.3	12.3		
22	30 37	30 19	30.282	69 5	6 P	33.0	6 A	51.3	51.0	42.3	13.0		
23	30.23	30.06	30.147	74.0	4:30 P	35.5	6 A	54.7	56.0	50.0	12.8		
24	30.05	29.78	29.850	51.0	0 A	33.0	12 P	42.0	436	40.3	0.0		
25	29 79	29.67	29 748	33.5	4:30 P	25.0	7:30 A	29.3	29.7	22.3	10.3		
26	29.87	29.65	29.694	38.5	5 P	24.5	3 A	31.5	32.4	29.3	7.0		
27	30.10	29.87	30.034	65.5	5 P	29.0	6 A 6 A	47.3	48.1	45.0	13.1 8.0		
28	30.15	29.90	30 070	64.0		34.5	1	49.3 48 0	48.4	42.5			
29	29.95 30.06	29.86	29 939	53.0 66.5	4 P 5-30 P	43.0	5:30 A 6 A		47.3	41.7	6.5		
30	50 00	29.94	30.020	00.5	2.20.1	39.0	JA	52.7	51.1	43.5	12.4		

	F	lumidit	у.			Wind.			Р	recipita	tion.	
)ew	apor.	t e	ing on.	ent s.	um e iare Ft	per		ng.		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles p Hour.	Time.	Beginning	Ending.	Kain.**	Snow.
1 2 3 4 4 5 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	17 0 17.0 28.5 38.5 40.0 42.5 48.0 30.5 34.0 32.0 54.0 27.5 31.0 33.5 39.0 35.5 37.0 36.0 36.0 36.0	.126 .149 .243 .293 .284 .342 .378 .255 .456 .358 .291 .255 .456 .345 .290 .270 .223 .311 .338 .330 .336 .372 .375 .478	78.5 63.5 66.0 88.5 88.5 50.5 72.0 80.0 52.5 50.5 794.0 64.5 50.5 50.5 50.5 50.5 64.5 79.0 64.5 79.0 64.5 79.0 64.5 79.0 64.5	N.W. N.W. W. S.S.W. N.E. W.S.W. S. N.N.E. S. S.S.W. N.W. N.W. N.W. N.N.W. N.N.W. SS.W. N.W. N	299 281 139 53 50 143 98 173 362 140 205 61 151 135 201 209 302 175 91	3.0 3.5 3.0 0.0 0.0 1.0 1.5 0.0 2.0 2.0 2.0 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5	24 26 24 ———————————————————————————————	11 P 2 A 4 P — 12 P 11 P 9 A — 1 P 5 P 12 M 7 P 4 P 7 P 11 A 4 A 6 P 11 A 2 P 7 A 11 A	4 A 3 A 11 P 0 A 10 A 0 A 0 A 2 A	6 P 8 A 12 P 5 A 12 P 12 P 8 A	.10 .07 .05 .10 .14 .36 .06	
24 25 26	34·5 9·5 20.5	.284 .146 .184	73.5 48.0 62.5 66.0	W. W.N.W. W. N.W.	125 468 307	3.0 9.5 4.0	24 44 28	11 P 3 P 10 A	9:30A 12 M	8 P	.15	Т
27 28 29 30	38.5 36.0 34.5 35.5	.370 .323 .325 .358	68.0 62.0 58.0	W. N.W. N.	71 166 228 190	1.0 5.0 2.5 2.0	14 32 22 20	12 M 4 P 5 P 9 A	3 P 4 P	6 P 5 P	.05 T	

The seasonal progress, which was considerably ahead of the normal when the month began, has not been maintained during the month, and at its close conditions were nearly normal. The cold period near the end of the month checked early growth and did some damage to fruit buds in this vicinity. The high wind and low humidity which accompanied the low temperature materially benefited conditions.

The precipitation during the last part of the month was very light. The records of the various weather elements compared with their normals show the following features of interest: The mean barometer was slightly above the normal and the range about two-thirds the usual amount. Notwithstanding the small range of pressure the total wind movement was practically normal. The interval between the high and low barometers of the month was less than four days. During the last half of the month the wind was from the northwest quadrant most of the time.

The mean temperature was slightly lower than the normal and the range less than usual. The maximum temperature was about five degrees lower than usual. The minimum temperature came early in the month, and was more than three degrees lower than the normal for this feature.

The mean dewpoint and relative humidity were both nearly normal

The total precipitation was about four-fifths of the normal, and more than one-half of it occurred during a single storm. A trace of snow was noted on the 25th, and high ground visible from this station was white with snow.

The amount of bright sunshine was considerably more than usual, and the number of cloudy days small.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.14,6th, 8 A Minimum reduced to freezing, 29.45, 18th, 9 A Reduced maximum reading. 30.44,6th, 8 A Reduced minimum reading, 29.74, 18th, 9 A Mean semi-daily reduced	
*Air Temperature. In Degrees Fahr.	Prevailing direction, Northwest.
Highest 89.0, 29th, 3 P Lowest 33.0, 1st, 6 A	Summary.
Mean hourly 57.6 Mean of means of max, and min. 57.4 Mean sensible (wet bulb) 51.7 Monthly range 56.0 Highest mean daily 69.4, 29th Lowest mean daily 43.3, 11th Mean maximum 69.4	South Southwest 10 " " West Southwest 10 " " West
Mean minimum 45.5 Mean daily range 23.9 Greatest daily range 41.0, 29th Least daily range 5.5, 22d	Weather.
Humidity. Mean dew point 47 ° Mean torce of vapor .48.3 Mean relative humidity 70 °	$ \begin{aligned} & \text{Mean cloudiness observed} & 50 \text{ per cent} \\ & \text{Total cloudiness recorded by the Sun} \\ & \text{Thermometer} & 171 \text{ hours} = 38 \text{ per cent}. \\ & \text{Number of clear days} & 15 \\ & \text{Number of fair days} & 9 \\ & \text{Number of cloudy days} & 7 \end{aligned} $
Precipitation. In inches. Total precipitation, in inches 6,20 Total snow, in inches Trace Number of days on which or inch or more rain fell	Bright Sunshine. Number hours recorded, 282 hrs, = 62 per cent. Rain. 18t, 2d, 4th, 5th, 7th, oth, 12th, 11th, 12th 15th, 17th, 21st, 22d, 24th, 25th, 20th. Frost, 18t. Thunder and Lightning, 4th. Gales. 35 miles or more per hour: None.

-		eter Re Sea Lev			Tem	perature	. Ground	l Shelter			of shine
Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 5 6 6 7 8 8 9 9 10 11 12 13 14 15 16 6 17 18 22 23 24 25 26 27 28 8 29	30.12 29.96 30.15 30.15 30.29 30.44 30.34 30.37 30.06 30.06 30.07 29.90 29.05 29.91 29.89 29.05 29.83 30.05 30.08	29.91 29.81 29.95 29.95 29.89 30.29 29.89 29.89 30.16 30.25 30.02 29.98 29.95 20.76 29.98 29.98 29.98 29.98 29.98 29.98	30 053 29,883 30 079 29,998 30,043 30,667 30,673 30,311 30,361 29,992 30,001 20,824 20,952 29,988 29,900 29,810 29,824 20,856 29,988 29,988 29,988 29,988 29,988 29,988 29,988 29,988 29,887 20,824 20	57.0 68.5 69.0 79.5 78.5 70.0 56.5 70.0 51.0 77.5 80.0 66.5 72.5 63.5 72.5 63.5 72.5 73.0 74.5 73.0 74.5 73.0 74.5 75.5	2 P 3:30 P 4 P 2 P 11 A 4 P 6 P 5:30 P 4 P 12 M 4 P 3 P 2:30 P 2:30 P 2:30 P 4 P 3 P 5 P 5 P 5 P 3 P 5 P	33.0 43.5 43.0 45.5 37.5 41.0 50.0 40.5 38.0 42.5 42.0 42.5 42.0 43.0 45.5 30.0 45.5 54.0 50.0 45.5 54.0 50.0 45.5 54.0 55.0 65.0 65.0 65.0 65.0 65.0 65.0 65	0 A 2 A 1:30 A 6 A 5:30 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A	45.0 56.0 56.0 62.3 62.5 53.7 48.7 60.0 52.7 44.0 42.5 46.3 50.7 61.3 54.7 61.3 64.3 64.3 64.3 64.3	47.6 54.3 56.7 60.2 62.8 52.7 48.7 59.1 52.7 45.5 43.3 46.7 59.9 63.4 53.4 56.0 57.7 60.5 57.7 63.6 64.9 65.5 62.6	44.7 48.0 48.0 53.7 55.5 44.5 48.0 47.7 40.0 40.7 46.3 53.3 58.5 44.5 52.3 52.3 52.0 56.3 57.5 56.5 57.5 59.5 59.5	8.3 8.0 13.3 8 7 10.2 13.4 7.5 0.0 0.0 1.1 13.7 12.7 13.0 11.7 13.5 12.4 2.1 3.0 11.0 8.5 7 0 12.8 13.5 13.5 13.2
30 31	² 9.91 29.05	29.84 29.87	29.883 29.920	81 0 82,0	4 P 4 P	53.5 47.0	6 A 6 A	67.3 64.5	69 0 65 4	58.3 58.3	13.5 12.5

	F	lumidity	<i>7</i> .		,	Wind.		Precipitation.				
	we	por.		n.	nt .	m are Ft	<u>.</u>		ù		Tota Incl	ıl in ıes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
I	41.0	.328	77.0	W.	103	1.5	I 7	3 P	7 P	12 P	.16	
2	43.5	.391	74.0	W.	121	3.5	26	2 P	0 A	2 A	.15	
3	. 39·5 50 5	.448 .49 6	52. 5 79.0	W.N.W. W S.W.	233	3.5 2.5	26 22	1 P 7 P	2 A	12 P	67	
5	51.0	.553	68.0	N.W.	244	5.5	33	12 M	3:30 P	4:30 P	10.	
	34 5	.391 -379	53 o 66.o	W. S.S.W.	137 84	0.5	14	8 P 6 P	9:30A	3 P	.02	
7 8	40.0 37.5	.479	47.0	N.N.W.	184	1.5	17	10 A	9.3011	3 '	.02	
9	43.0	198.	71.5	N.N.E	95	0.0			4:30A	3 P	.04	
0	35.0	.293	72.0 77.5	E.N.E. N.	231	1.5	17 17	2 P 3 P	10 A 0 A	12 P 12 P	.53 .04	
2	36.5 45.0	.323	93.0	N.	151	0.5	10	2 A	O A	12 P	.35	
3	44.5	.487	61.0	N.	130	2,0	20	12 M				
4	54.5	-594	72 5	S.	114	1.0	1.4	3 P				
5	43 5	-395	74.5	N.N.E. S S.E.	130	2.0	1.4 20	4 A 8 P	I A	12 P	.05	
6 7	43.0 48.0	.425 .392	66.5 96.5	SS.W.	113	4.5	30	I P	2:30A	11 P	.98	
8	44.0	451	56.5	W.N.W.	104	3.5	26	12 M			'	
9	45.5	.511	610	S.W.	112	1.5	17	12 M				
o:	440	.529	56.0	S.	I 24	20	20	3 P				
I	56.5	.513	90.5	E N.E. N.	91 88	0.0	10	6 A	7 A 0 A	12 P	2.37	
3	55 5 56.0	456 .526	95 5 86.0	S.S.W.	187	4.0	28	7 P	OA	1 - 1	.,0	
. 5 !4	54.0	.514	81.0	W.S.W.	125	1.5	17	1 P	3 P	12 P	.08	
5	550	.500	85.0	N N.E.	89	3.5	26	5 P	4 P	5 P	.02	
6	52.0	.617	630	N.	187	2.5	22	на	HP	12 P	.03	
7	56.0	.620	71.0	N. N.	128	2 O I.O	20	II A				
8	50 5 52.0	.558	66.5 50 0	N.W.	102	2.0	14	2 P				
9	52.0	.697	540	N.N.E.	189	3.5	26	I P				
3 I ∣	53.5	.614	67.5	N.N.E.	126	1.0	1.4	10 A				

^{**}Rain or melted snow at base of tower. *Included in following day.

The weather during the month was disappointing as a whole, although in many respects conditions were nearly normal. A cool period at the end of the first decade and an excessive rainstorm at the end of the second decade materially modified the character of the month from that shown by the means for the month. While rain was noted on more than one-half the days, the sunshine record was large. Planting was retarded by excessive moisture in many places and the seasonal progress was slow.

The records of the several weather elements, compared with the normals, show the following features: The barometer was rather steady and the range of pressure was comparatively small. The mean pressure was practically normal. The total wind movement was less than the normal and not a single gale was recorded on the pressure chart. Wind from the North to West points of the compass predominated.

The mean temperature was practically normal, and the maximum and minimum were both about two degrees above their respective normals. The minimum was registered on the first morning of the month, and the only frost noted occurred at that time. The maximum occurred near the end of the month and the greatest daily range was noted at that time.

The mean dew point and relative humidity were practically normal.

The total precipitation was about seventy per cent more than the normal and nearly one-half of it fell in a single storm.

The percentage of sunshine was the same as for the preceding month, and about one-half the days were clear.

J. E. OSTRANDER, Meteorologist.

A. L. CHANDLER, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.22, 12th, 8 A Minimum reduced to freezing, 29.50, 27th, 2 P Reduced maximum reading 30.51,12th, 8 A Reduced minimum reading, 29.78, 27th, 2 P Mean semi-daily reduced	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, South.
Highest 101.0, 3d, 4 P Lowest 41.5, 23d, 4 A Mean hourly 68.4 Mean of means of max, and min. 68.3 Mean sensible (wet bulb) 61.8 Monthly range 59.5 Highest mean daily 78.9, 3d,4th Lowest mean daily 52.8, 9th Mean maximum 81.8 Mean minimum 55.2 Mean daily range 26.2 Greatest daily range 43.5, 13th Least daily range 5.5, 8th	Summary. South
Humidity.	Mean cloudiness observed 43 per cent
Mean dew point	Total cloudiness recorded by the Sun Thermometer 131 hours = 20 per cent. Number of clear days 14 Number of fair days
Precipitation. In inches.	
Total precipitation, in inches	Bright Sunshine. Number hours recorded, 420 lns. 70 pet cent Rain, 6th, 8th, 6th, 15th, 26th 26th, 27th, Gales. 35 miles or more per hour. None,

		eter Ke Sea Lev			Tem	perature	. Ground	l Shel te r	•		of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb,	No. Hours of Bright Sunshine
1 2 3 3 4 4 5 5 6 6 7 8 8 9 10 11 2 13 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 30	30.05 30.06 30.17 30.18 30.16 30.12 30.26 30.21 30.37 30.32 20.45 30.25 30.07 30.03 30.24 30.24 30.23 30.13 30.11 30.07 30.16 29.96 30.20 30.38	29.96 29.98 30.06 30.10 30.05 30.00 29.99 30.25 30.30 30.25 30.42 29.90 29.92 29.96 30.09 30.03 29.95 29.81 29.94 30.07 29.92 29.96 30.07 29.92 29.96 30.07 29.92 29.96 30.07	30 003 30.013 30.112 30.145 30.105 30.071 30.103 30.368 30.341 30.308 30.460 30.128 29.993 30.126 29.931 30.089 20.003 29.977 30.140 30.038 20.985 30.288 30.288 30.288	76.5 89.0 101.0 96.5 90.5 87.5 88.0 83.0 83.0 74.5 85.0 74.5 87.0 80.0 86.0 94.0 86.0 79.0 94.0 86.5 71.5 71.5 71.5	4 P 5 P 4 P 1 P 2 P 12 M 5:30 P 5 P 6 P 2 P 3:30 P 3:30 P 3:30 P 3:30 P 3:30 P 2 P 3:30 P 2 P 3:30 P 2 P 3:30 P 3:30 P 2 P 3:30	48.0 50.5 64.0 65.0 65.0 63.5 52.5 51.0 60.0 64.0 60.5 61.0 60.5 61.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 64.0 64.0 65.0 66.0	5:30 A 5:30 A 5:30 A 5:30 A 5:30 A 12 PP 7 A 3 A 5 A 12 PP 4 A 5:30 A 6 A 5:30 A 6 A 6 A 5:30 A 6 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 5:30 A 6 A 6 A 5:30 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6	62.3 69.7 80.7 80.7 72.0 55.3 65.5 67.5 67.3 72.7 72.7 72.7 73.7 70.5 71.0 70.5 71.0 70.5 71.0 70.5 71.0	62.8 69.3 78.9 77.5 70.3 71.1 55.8 63.2 68.7 66.7 66.7 71.9 69.2 67.8 69.2 72.7 70.6 61.0 59.9 76.2 72.9 70.5 60.1 67.0	55.0 61.0 73.7 72.7 69.3 65.7 62.0 59.0 63.7 53.3 67.5 62.0 64.3 65.5 62.0 52.3 65.5 62.0 64.3 65.5 62.0 52.0 64.3	12.1 13.1 12.8 11.3 11.0 10.5 11.7 2.5 0.7 11.8 12.2 14.0 13.4 13.2 8.3 13.4 11.5 11.7 8.0 14.0 14.0 14.0 14.0 14.0 14.0 14.0 14

	Humidity.				Precipitation.							
	W	por.		ng. n.	# .	m are Ft	ы		ç.		Tot Inc	alin hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	48 0 55 5 70.0 5 65.5 63.5 58.5 48.0 57.5 61.5 65.0 62.0 62.0 63.5 56.0 62.0 63.5 65.0 62.0 63.5 64.5 55.5 65.5 65.0 62.0 63.5 65.5 65.5 65.0	.582 .709 .940 .952 .869 .715 .667 .423 .392 .571 .688 .707 .780 .718 .685 .726 .740 .926 .540 .926 .817 .764 .650 .487 .494	58.0 65.0 79.5 74.5 83.5 76.0 82.0 78.5 64.5 68.0 77.5 76.5 81.0 80.5 92.0 68.5 67.0 70.0 70.0	W S.W. S.S.E. S.W. S.S.W. E.N.E. E. N.W. E.N E S.S.E. S.S.E. S.S.E. S.S.W. E. N.N.W. N.N.W. S. S.W. S.W. S.W. S.W. S	588 48 48 51 142 210 1144 36 61 154 36 69 88 75 87 163 69 80 80 80 80 80 80 80 80 80 80 80 80 80	0.5 0.0 0.0 0.5 2.5 2.5 2.0 0.0 0.0 0.5 0.0 0.5 0.5 0.0 0.5 3.0 0.5 3.0 1.5 0.5 2.5 2.0 0.0 0.5 0.0 0.5 0.0 0.5 0.0 0.5 0.0 0.5 0.0 0.0	10 — 10 22 22 20 10 — 14 — 10 24 17 10 26 22 20 30 22 22 10 — 10 — 10 21 10 21 10 21 10 21 10 21 10 21 10 10 10 10 10 10 10 10 10 10 10 10 10	7 P	3 P 9 A 0 A 10 A 10 A	11 P 12 P 11 P	.01 .01 24 T	

The weather during June presented a marked contrast with that of the preceding month. The precipitation was unusually small and the only rainfall of any amount occurred near the end of the month. For more than a month from the 22d of May the precipitation was practically negligible as far as its effect on growing crops was concerned. A moderate storm on June 26th—27th furnished some relief, but rain was greatly needed when the month closed.

The early part of the month was marked by a period of high temperature—in fact, the first seven days were the hottest part of the month. The month as a whole was considerably warmer than usual.

The records of the several weather elements show the following features of interest: The mean barometer was exceptionally high for the time of year. Only six days show a mean pressure below 30 inches. The range of pressure was practically normal, and the maximum and minimum were both considerably above the normal. The total wind movement was slightly less than the normal, and no gales were registered. Most of the wind was from the southwest quadrant.

The mean temperature was about two and one-half degrees higher than usual, and the maximum reading was over 100 degrees for the first time in June at this station. The minimum temperature was about a degree above the normal. While a few cool nights were noted there was no approach to frost at this station.

The mean dew point and relative humidity were both slightly higher than their normal values.

The precipitation was about one-third of the normal amount and nearly all of it occurred in a single storm.

The amount of sunshine was much greater than usual and only four days were classed as cloudy.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.07, 9th, 4 A Minimum reduced to freezing, 29.30, 11th, 1 A Reduced maximum reading . 30.37, 9th, 4 A Reduced minimum reading, 29.59, 11th, 1 A Mean semi-daily reduced 29.972 Monthly range 0.78	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, South Southwest.
Highest .98.0, 4th, 1:30 P Lowest .49.0, 12th, 5 A Mean hourly .71.8 Mean of means of max. and min. .71.8 Mean sensible (wet bulb) .65.9 Monthly range .49.0 Highest mean daily .85.4, 5th Lowest mean daily .61.0, 11th Mean maximum .83.4 Mean minimum .60.2 Mean daily range .23.2 Greatest daily range .43.0, 18t	Summary. South
Humidity.	Number of clear days
Mean dew point 63.5 Mean force of vapor .772 Mean relative humidity .77.1	Number of fair days
	Bright Sunshine.
	Number hours recorded, 323 hrs,= 70 per cent Rain, 5th, 6th, 7th, 10th, 11th, 15th, 16th, 18th,
*Temperature in ground shelter.	

	Barom	eter Re Sea Lev			Temperature. Ground Shelter.								
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine		
ī	30'22	30 07	30.135	94.5	3:30 P	51.5	6 A	73.0	72.2	63.0	12.9		
2	30.11	29.94	30 022	94.5	4 P	57.5	6 A	76.0	74.4	64.7	13.1		
3	29.94	29.83	29.888	90.5	3 P	59.5	6 A	78.0	78.3	70.7	13.8		
4	29.91	29 So	29.860	98.0	1:30 P	60 o	5:30 A	79.0	80.1	72.0	13.5		
5	29 90	29.79	29.830	97.5	4 P	68.0	4:30 A	82.7	85.4	80.0	11.3		
5 6	29.80	29.75	29.771	84.5	I P	66.0	12 P	75.3	76.0	70.0	5.5		
7 8	30.13	29 80	30.033	0.18	3 P	59.5	6 A	70.3	69.8	63.3	13.0		
8	30.35	30.11	30.236	79.0	4 30 P	54.0	5:30 A	66 5	65.6	56.5	12.4		
9	30.37	30.06	30.205	78.0	3 P	500	5:30 A	64.0	63 9	58.3	9.5		
10	30 06	29.61	29.738	71.0	6 P	58.o	6:30 A	64.5	64.9	62.7	3.5		
11	29.87	29.59	29 732	67.0	2 P	530	12 P	60.0	61.0	54.7	11.6		
12	30.00	2 9.87	29.977	77.0	3:30 P	49.0	5 A	630	65 6	61.5	11.6		
13	30 06	29.97	30.015	86.0	5 P	59.0	6 A	72 5	72 0	62.5	12.5		
14	30.12	30.04	30 082	88.0	3:30 P	54.5	5:30 A	71.3	71.5	62.0	12.3		
15	30.10	29 88	29.96 6	73.0	2 P	61.5	5 A	67.3	65.3	60 3	4.4		
16	30.02	29.84	29.902	81.0	2:30 P	63 5	3 A	723	70.2	68.3	6.8		
17	30.13	30.02	30.098	82.5	2 P	61.5	4 A	72.0	72.5	67.5	11.3		
18	30.22	30.11	30.160	83.5	3 P	67.5	6 A	75.5	74.3	68.7	10.3		
19	30.13	30.01	30.069	85.0	3-30 P	69.0	3 A	77.0	74 4	72.0	8.1		
20	30.04	30 00	30 041	830	I P	67.0	5 A	75.0	74-4	71.0	11.2		
2 I	30.06	30.00	30.034	82.0	2:30 P	695	3 A	75.7	75.1	73.5	6.3		
22	30.03	29 96	30.000	77.0	2 P	71.5 67.0	12 P	74.3	73.5	72.5	4.1		
23	30.00	29 89	29.956 29.886	83.0	3 P	610	12 P	75 0	72.8	68.7	7.6 12.8		
24	29.97	29.80 29.84		87.0 84.0	3 P 4 P	61.0	5:30 A 12 P	74.0	75.2	71.5 61.5			
25	30.08		30.004 30.078	76 5	4 P		5 A	72.5 65.7	72.1 66.1	62.3	13 3 6.8		
26	30.18	30 00 29 S4	29 920	86.0	4:30 P	55.0 58.0	5 A	72.0	74.1	69.7	11.8		
27 28	30.00	29.74	29 779	85.0	3 P	70.0	12 P	77.5	78.2	68.0	13.3		
29	29.04	29./4	29.779	79.0	3 P	59.0	5:30 A	69.0	68.8	61.5	12.5		
30	30.00	29.90	29.970	82.0	4 P	52.0	5:30 A	67.0	67.4	61.0	13.5		
31	30.01	29.82	29.970	83.5	3 P	52.0	6 A	67.7	70.1	63.5	12.8		
٠, ر	JO.01	29.02	-9 9.0	~J. J	٠, ١	52.5		-, ,	,	~ J. J	. 2.0		

	Humidity.				Precipitation.							
	ew	por.	4,4	ng. n.	out .	ım are Ft	1				Tota	al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction,	Total Movement in Miles.	Maximum Pressure Per Square 1	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
I 2	58.5 61.0	.7 5 2	66 5 67.5	S. S.	96 67	0.5	01	10 A				
3	68 o	.912	75 .5	S.W.	62	0.1	14	1 P				
4	69.0 76.5	.997 1.354	71.0 67.5	S.W. N.W.	4.1 77	2.0	10 20	3 P 8 P	10 1	12 P	.04	
5	78.5	.845	83.0	N.N.E.	83	0.0		_	O A	8 P	64	
7 8	59.5	.711	72.0	N.N E N.	161	05	10	9 A	0 A	4 A	.10	
9	51.0 54.5	.589 .580	63 o 73 o	S.	185	2.0	20 28	11 A 2 P				
10	61.5	.608	0.10	S.S.W.	229	2.5	22	8 P	I A	, 3 P	.51	
u	50.0	.524	68 o	W.	190	3.5	26	4 P	9 P	12 P	.21	
12	57 5	.671	70 5	S.W. N.N.E.	107 63	0.5	10	2 P		ĺ		
[3 [4	57 5 57 0	.741	64.0	S.	48	0.5	10	7 P				
15	58.0	.592	830	S.	178	2.5	22	5 P	9 A	12 M	.10	
16	68 o	·737	91.5	S	94	0.1	14	I A	2 A	8 A	.38	
17 18	6 5.5 67.5	.771 .788	81.5 84.5	S.W. S.	35	2.5	22	8 P				
19	71.5	.837	91.5	S.	93	0.5	10	3 P	O A	12 P	.02	4
20	70.0	.827	88. 5	S. S. S.	92	1.0	1.4	5 P	0	9.1	.93	
2 I	72.5	.863	92.5	S.	160	3.5	26	I P	8 A	12 P	.17	
22	72.0	.822	95.5	S.	295	3.0	24	0 A	0 A	5 P	.57	
23 24	68. 5 69.5	.744 .902	91.5 S2.0	S. S.	91 99	1.0	14 14	1 A 3 P	2 A 10 P	II A	.29	
25	56.5	.710	65.0	N.	122	1.0	14	I P	101	* * *	٠٠٥	
26	61.0	.605	88.5	S.	84	2.0	20	4 P	1 P	7 P	.16	
27	67.0	.891	75.0	S.S.W.	102	0.1	1.1	12 M				
28	67.5	. 971 .698	70.0	W. W.N.W.	222	3.0	24	3 P				
29 30	57.5 56.5	.649	67.0 72.0	W.N.W.	103	2.5	22	2 P				
31	60.5	.716	740	S.S.W.	110	0.0	14	3 P	11 P	12 P	.02	
			, .									

^{**}Rain or melted snow at base of tower. * Included in following day.

The weather during July was nearly normal in most respects, although a general opinion to the contrary was prevalent. The large amount of south wind and the rather frequent rains were the main reasons for misjudging the general character of the month. The total precipitation, especially, was less than generally expected.

A comparison of the records of the several weather elements with their normals shows the following features: The mean barometer was practically normal and the range slightly more than usual. The maximum and minimum pressures show but small departures from their normals. The total wind movement was about a hundred miles more than usual, and the direction was from the south or nearly south a large part of the time. On but four dates was the total movement over two hundred miles, and not a single gale was recorded on the pressure chart.

The mean temperature was about one degree higher than the normal, and the first few days were the hottest part of the month. The maximum and minimum temperatures were both considerably higher than their normal values. The mean hourly temperature was above eighty degrees on but two days, the 4th and 5th.

The mean dew point and relative humidity were both considerably higher than usual, due largely to the south wind.

The total precipitation was nearly normal and the number of storms large, in fact, rain was recorded on about one-half the days of the month.

Notwithstanding the numerous rains the amount of sunshine recorded was abnormally large.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

MONTHLY SUMMARY.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 29.35, 8th, 3 A Reduced maximum reading, 30.28, 12th, 8 A Reduced minimum reading, 29.64, 8th, 3 A	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, Southwest.
Highest .88.0, 24th, 2 P Lowest .43.0, 10th, 6 A Mean hourly .65.8 Mean of means of max and min. .65.8 Mean sensible (wet bulb) .65.9 Monthly range .45.0 Highest mean daily .73.0, 7th Lowest mean daily .57.9, 27th Mean maximum .77.0 Mean minimum .54.6 Mean daily range .22.4 Greatest daily range .36.5, 10th	South
Least daily range 5.0, 18th	Total cloudiness recorded by the Sun Thermometer 170 hours = 40 per cent.
Humidity. Mean dew point 58.3 Mean force of vapor .632 Mean relative humidity 77.3	
	Bright Sunshine.
Total snow, in inches	Number hours recorded, 250 hrs 60 per cent. Rnin, 1st, 5th. 6th. 13th. (4th. 18th. 10th. 21st. 24th. 27th. 30th. 31st. Thunder and Lightning, 6th. 21st. 24th. 31st. Hail,24th. Gales, 35 miles or more per hour. None.

**Reduced to freezing and sea-level.

		eter Re Sea Lev			Tem	perature	. Ground	i Shelter			s of
Day.	Maxımum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 5 6 7 8 8 9 10 11 12 13 16 17 18 19 20 21 1 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2	29 82 29.98 29.97 30.03 30.05 30.04 29.92 29.98 30.18 30.21 30.28 30.25 30.07 30.07 30.07 30.07 30.08 29.93 30.08 29.92 29.94 29.94 29.94 29.81 20.84	29.69 29.83 29.91 29.95 30.01 29.92 29.60 30.13 30.17 30.20 30.10 30.10 29.89 29.91 29.95 29.84 20.83 29.83 29.83 29.84 20.83 29.85 29.84 20.83 29.85 29.84 20.83 29.85 29.84 20.83 29.85 29.83 29.85 29.84 20.83 29.85	29,723 29,878 29,981 30,032 29,948 29,744 29,783 30,074 30,160 30,1191 30,253 30,180 29,919 29,922 20,980 30,054 30,015 29,944 29,967 29,954 29,954 29,954 29,954 29,954 29,799 20,710 20,710 20,710 20,710 20,710 20,710	81.0 81.0 78.0 81.0 78.0 81.0 73.5 85.0 79.0 79.5 85.0 77.0 63.0 79.5 82.5 84.0 79.5 84.0 79.5 84.0 79.5 84.0 79.5 84.0 79.0 79.0 84.0 79.0 79.0 79.0 79.0 79.0 79.0 79.0 79	4 P 3 P 2 P 4 P 11 A 5 P 1 P 2 P 1 P A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A	58.0 56.0 47.0 56.0 64.0 64.0 62.0 55.5 53.5 54.5 58.5 59.0 59.0 49.0 55.0 55.5 58.5 59.0 49.0 55.0 55.0 55.0 56.0	12 P 12 P 5 A 2330 A 6 A 5 A 12 P 6 A 6 A 12 P 5 A 5 A 5 A 7 A 7 A 7 A 12 P 6 A 12 P 6 A 5 A 5 A 5 A 5 A 6 A 6 A 12 P 5 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8	69.5 62.5 70.0 68.0 68.7 74.5 01.0 61.3 67.0 64.0 60.5 58.5 50.3 68.7 64.7 60.5 72.0 70.7 73.3 65.3 65.3	70.3 67.0 64.7 70.7 68.1 73.0 71.0 61.7 62.2 65.0 66.2 58.2 65.5 67.1 65.5 67.1 63.5 68.8 67.2 71.9 69.5 69.5 69.5	66.3 61.7 59.5 62.7 64.7 67.0 68.5 61.5 55.7.5 59.5 60.3 59.7 50.0 60.3 59.7 64.3 63.7 63.7 63.7 63.7 63.7 63.7 63.7 63	11.8 13.0 12.7 11.5 9.8 10.7 13.0 12.9 12.0 9.8 5.5 0.0 10.9 11.2 8.7 0.3 4.4 10.5 10.7 11.6 5.0 0.0 7.0
28 29 30 31	30.00 30.08 30.06 29.95	29.87 30 00 29.90 29.78	29.910 30.060 29.056 29.828	72.5 78 0 68.0 75.0	2:30 P 4 P 4 P 2 P	47.0 48.0 54.0 62.0	6 A 6 A 6 A 12 P	59 7 03 0 01.0 68.5	60.1 63.8 63.2 67.1	55 3 59 5 62 5 64 5	10.5 10.7 1.2 4 0

	I	lumidity	<i>y</i> .			Wind.			P	recipita	tion.	
	ew	tpor.	نب ہے	ng m.	. it	e are Ft	per		£.		Tota	ılın nes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles pe Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
I	65.5	.720 .698	84.5 68 5	N.W. N.	157	1.0	1.4	6 P	O A	5 A	.16	
3	57·5 55 5	,620	70.0	W.	214 88	1.0	20 14	2 P 12 M				
4	58. 5 63.0	.732 .696	66.5 84.5	S.S.W. S.S.W.	108	1.0 1.5	I 4 I 7	3 P 6 P	12 M	12 P	.04	
5 6	66 o	.705	900	S.	107	0.0			0 A	8 P	07	
7 8	66 5	.792	840	W. N.W.	84	1.0	14	пр				
9	61.0 52.5	.756 -574	54 5 70.0	W.N.W.	209 75	2.5	22	1 P 2 P				
10	46.5	.522	62.5	S.	43	0.5	10	4 P				
ΙI	53 5	.582	71.5	N.W.	43	05	10	3 P				
12	56.5 61.5	.599 .668	74.5 84.0	S.S.W. S.S.E.	50 109	0.0			IOP	12 P	.01	
14	55.0	475	90.0	N.E.	235	2.0	20	10 A	O A	7 P	.13	
15	57 0	.591	790	N	70	0.5	10	4 P				
16 17	57 0 56. 5	.626 .617	76 o 73.5	S.S.W. S.	120	0.5	10	3 P 3 P				
81	58 o	.502	94.5	E.N.E	81	0.0		3 1	1 A	12 P	1.30	
19	60 5	.587	90.0	S.E.	72	0.5	10	9 P	O A	10 1,	.09	
20	60.0	660 .671	78.0	W.S.W. S.S.W.	118	2.0	20	2 P	S. 20 IV	0.11	Т	
2 I 2 2	61.5 61.5	.710	82.5 77.5	S.W.	5 3	0.1	1.4	9 P 9 A	8:30 P	9 P		
23	60.0	.740	69.0	s.W.	88	0 5	10	II A				
24	62.0	.663	84.0	S.	103	2 0	20	4 P	3 P	8 P	2 07	
25 26	58.0 52.0	.630	77·5	S.W.	116	I.5 I.0	17	1 P 4 P				
27	51.0	·557	63.0	S.S.W. S.S.W.	123	1.5	17	4 F	10 A	2 P	.14	
28	51.0	.527	71.5	S.S.W.	104	10	1.4	1 P			ı i	
29	56.0	.604	72.5	S.	57	0.5	10	2 P		8 P		
30 31	61.5 64.0	.600	91.0	S. S.S.W.	S ₂	3.5	14 26	11 A 3 P	2 P 2:30 P	4 P	.00	
J.	54.5	,0	92.3	5.5.11.		33	20	٠,٠	55 /	٦.		

The weather during August was somewhat cooler than usual and rainstorms were rather frequent. Nearly all the precipitation occurred after the middle of the month. The thunderstorm on the 24th was of unusual intensity and more than two inches of rain fell in about four hours. Accompanying the rain there was more or less hail and considerable damage was done in places. The total damage, however, was not as great as at first reported. Several fires were started by the lightning. Two other rather heavy rains occurred on the 18th and 31st.

Owing to the rather low temperature the corn crop did not advance rapidly and at the close of the month from ten days to two weeks of good weather is needed to mature the crop.

The various weather elements show the following features when compared with their normals: The mean barometer was rather low and fluctuations in pressure rather slow. The total wind movement was slightly less than the normal and no gales were registered on the pressure chart. An unusual amount of wind was from the Southwest quadrant.

The mean temperature was about two degrees lower than the normal, and no very high temperatures occurred. The maximum and minimum temperatures were nearly normal. The mean hourly temperature was above 70 degrees on only five days.

The mean dew point was nearly two degrees lower than the normal and the relative humidity a little higher than usual.

The total precipitation was about one-sixth more than the normal.

The amount of bright sunshine was rather large and the number of cloudy days rather small.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.09, 27th, 8 A; 28th, 8 A. Minimum reduced to freezing, 29.27, 12th, 4 A Reduced maximum reading, 30.39, 27th, 8 A; 28th, 8 A. Reduced minimum reading, 29.56, 12th, 4 A Mean semi-daily reduced 30.016 Monthly range 0.83	30m per hour, 25th, 3p. S.S.W
*Air Temperature. In Degrees Fahr.	
Highest .88.0, 7th, 4 P; 8th, 2 P Lowest .35.0, 27th, 7 A Mean hourly .61.7 Mean of means of max, and min. .61.9 Mean sensible (wet bulb) .56.5 Monthly range .53.0 Highest mean daily .74.8, 8th Lowest mean daily .50.2, 28th Mean maximum .72.4 Mean minimum .51.4 Mean daily range .21.0 Greatest daily range .42.0, 28th Least daily range .35.3 3rd	West
Humidity.	Number of fair days 9
Mean dew point 54.6 Mean force of vapor .525 Mean relative humidity 84.2	Number of cloudy days 12
	Bright Sunshine.
Precipitation. In inches. Total precipitation, in inches	Number hours recorded, 179 hrs, = 48 per cent Rain, 2d, 3d, 7th, 9th, 10th, 11th, 12th, 15th, 16th, 2oth, 22d, 23d, 24th. Thunder and Lightning, 9th, 11th, 24th, Frosts, 18th, 27th, 28th. Gales, 35 miles or more per hour: None.
*Temperature in ground shelter.	

^{**}Reduced to freezing and sea-level.

		eter Ke Sea Lev			Temp	erature.	Ground	l Shelter			of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 3 4 4 5 5 6 6 7 7 8 9 10 11 12 13 14 15 16 6 17 18 19 20 21 22 23 30 24 4 25 26 27 7 8 29 30	30.14 30.17 30.08 30.15 30.24 30.10 30.02 29.07 30.10 30.04 29.89 30.13 30.07 30.00 30.17 30.08 29.94 29.99 29.99 29.99 30.22 30.30 30.32 30.32 30.32 30.32	29.95 30.08 29.84 29.88 30.08 30.00 29.96 29.84 30.04 30.04 30.07 29.87 29.87 29.81 30.00 30.11 29.99 29.82 29.80 29.70 29.87 29.87 30.24	30.058 30.126 29.888 29.998 30.170 30.082 29.891 30.078 29.960 29.656 30.082 30.016 30.120 30.120 30.120 30.120 30.120 30.282 30.2894 29.894 29.895 20.778 30.114 30.377 30.353 30.218 30.088	72-5 06.0 05.0 77.0 74.0 82.0 88.0 88.0 77.0 68.0 72.0 74.0 59.0 71.5 69.0 71.5 66.5 68.5 77.5 66.5	2 P 4 P 4 P 2:30 P 0 A 3:50 P 0 A 3 P 2:30 P 0 A 3 P 2:30 P 0 A 4 P 4 P 4 P 4 P 4 P 4 P 5:50 P 0 A 3 P 2:70 P 0 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	58.0 61.5 54.0 41.5 54.0 58.5 52.0 52.5 50.0 47.5 52.0 48.0 63.0 66.0 51.0 45.0 35.5 45.0 36.0 51.0 45.0 51.0	6 A 7 A 7 A 12 P 7 A 7 A 12 P 7 A 6 A 12 P 7 A 3 A 4 A 12 P 6 A 5 A 12 P 6 A 5 A 12 P 6 A 5 A 12 P 7 A 12 P 7 A 12 P 7 A 12 P 7 A 12 P	65.3 63.3 63.5 58.0 63.5 58.0 76.0 73.3 55.3 60.3 68.5 57.5 57.5 59.7 52.3 68.5 68.5 68.5 68.5 68.5 68.5 68.5 68.5	65.3 64.0 63.3 58.9 65.0 74.7 53.8 59.8 60.5 60.5 52.3 57.3 66.5 68.0 58.6 69.0 58.6 69.0 55.7 55.7 56.2 59.2	62.7 63.3 62.7 59.0 53.5 60.7 70.0 52.5 58.5 62.0 57.3 54.5 54.0 52.0 63.3 65.7 67.5 58.0 48.0 48.0 48.5 48.5 48.5 48.5	5.0 0.0 2.3 10.7 11.4 8.8 9.7 0.0 0.0 11.8 8.0 0.0 10.5 11.1 8.5 0.0 10.5 11.1 11.0 11.0 11.0 11.0 10.2 7.7 6 7

	ŀ	Iumidīt	y.		,	Wind.			P	recipita	tion.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction,	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.	Kain.*	
1 2 3 4 5 6 7 8	62.0 61.5 62.5 57.0 51.0 05.5 67.5	.660 .586 .583 .555 .462 .644 .837	91.0 93.0 96.0 84.0 82.5 78.5 80.5	N.N E. N.N.E. N. S.W. S. S. W.S.W.	70 105 88 106 81 109 96	0 0 0.0 0.5 1.0 1.5 1.0	 10 14 17 14 10	9 A 1 P 4 P 3 P 2 P	0 A 0 A	12 P 6 P 7 A	63 1.40 T	
9 10 11 12 13	51.5 58 0 61.5 56 0 50.5 51.0	.402 .512 .576 .498 .503 .489	94.0 94.0 94.5 90.0 72.5 77.0 91.0	N.N.E. W.N.W. S. W. N.W. S.S.W. N.N.E.	80 35 73 120 185 58 47	0.0 0.0 0.0 2.0 2.0 0.5	20 20 10	3 P 10 A 3 P	3 A 5 P 0 A 0 A	4 P 12 P 12 P 7 P	.05 .28 .09	
15 16 17 18 19 20 21	53 0 47 0 37.0 47.5 62.0 65.0	.447 .452 .345 .433 .644 .685	90 0 71.0 64 5 76.0 88.5 89.0	S. W. S.E. S. S.	97 82 186 191 88	0.5 1.0 1.0 2.0 1.5	10 14 14 20 17	4 P 1 P 3 P 2 P 6 A 10 P	4 A 9 A	7 A	.02	
22 23 24 25 26 27 28	67.0 54.5 46.5 51.5 44.5 41.0 48.5	.715 .490 .377 .492 .395 .316	92.5 88.5 89.5 78.0 75.0 84.0 89.5	S.S.W. N. N.W. S.S.W. N. S.S.W.	235 100 89 222 103 65 46	2.5 1 0 1.5 4.5 0.0 0 0	22 14 17 30	9 A 12 M 6 P 3 P	8 A 0 A 5 P	12 P 5 P 7 P	.24 .19 .16	
29 30	52.5 47·5	.488 .478	84.0 70.0	S.S.W. W.	93 189	2.5	17	3 P 3 P				

The weather during the month was rather gloomy on the whole, and rainstorms were quite numerous. While most of the storms were small, the two storms early in the month were unusually heavy, and over three-fourths of the total precipitation occurred during the first third of the month. There was considerable cloudiness without precipitation, so that the total cloudiness was rather high. Only a few light frosts were noted, and practically no damage resulted. At the close of the month the transition to Autumn was practically complete.

A comparison of the records of the several weather elements with their respective normals shows the following features of interest; The mean barometer was slightly lower than the normal, while the range of pressure was nearly the usual amount. The maximum and minimum pressures were both lower than their normals. The total wind movement was slightly less than usual, and no gales were recorded. The percentage of south wind was large.

The mean hourly temperature varied but little from the normal, and the minimum temperature was not quite as low as usual. The mean hourly temperature on the 9th was 21 degrees lower than on the 8th—an exceptionally rapid change.

The mean dew point was higher than the normal and the relative humidity unusually high.

The total precipitation was but little greater than the average value, and has been commented on above.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Observer.

*Temperature in ground shelter.
**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.30, 30th, 8 A Minimum reduced to freezing, 20.20, 28th, 3 P Reduced maximum reading, 30.61, 30th, 8 A Reduced minimum reading, 29.55, 28th, 3 P Mean semi-daily reduced	
	revaining direction, Southwest.
Highest	Summary.
Mean maximum 47.1 Monthly range 54.5 Highest mean daily 65.2, 3d Lowest mean daily 34.8, 3oth Mean maximum 62.2 Mean minimum 41.1	South Southwest .16 " " South Southeast .10 " " West .10 " " Varithwest .2 " "
Mean daily range 21.1 Greatest daily range 36.0, 7th, 9th	107
Least daily range 7.0, 4th	Weather.
Humidity.	Mean cloudiness observed 57 per cent Total cloudiness recorded by the Sun Thermometer 193 hours = 57 per cent. Number of clear days
Mean dew point	Number of fair days
Mean force of vapor	Number of cloudy days 15
,	Bright Sunshine. Number hours recorded, 148 hrs.= 43 per cent. Rnin, 2d. 3d, 6th. 9th, 11th, 10th, 17th, 21st.
Precipitation. In inches.	26th, 27th, 28th, 30th, 31st.
Total precipitation, in inches 1.81 Total snow, in inches	Prosts, Sth, 9th, 13th, 29th, Hail, 3oth Gales, 35 miles or more per hour: 41m.
and the second s	

		eter Re Sea Lev			Tem	perature	. Ground	l Shel te r		.	of
Day.	Maxımunı	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No, Hours of Bright Sunshine
1 2 3 4 4 5 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 7 28 8 29	30.25 30.20 30.20 30.11 30.02 29.90 30.16 30.40 30.43 30.20 30.17 30.33 30.12 30.10 30.40 30.37 30.21 30.21 30.34 30.27 30.34 30.27 30.38 30.10 30.40 30.30 30.30 30.30 30.30 30.30 30.30 30.30	30.14 29.88 29.81 30.02 29.90 29.09 29.88 30.29 29.91 29.98 30.17 30.03 29.77 30.14 30.03 30.20 29.97 29.96 30.21 30.20 30.20 30.20 30.20 30.20 30.20	30.224 30.074 29.994 30.082 29.974 29.809 29.953 30.380 30.340 30.021 30.021 30.200 30.116 29.943 30.117 30.117 30.397 30.175 30.055 30.2788 30.2788 30.2	64.5 56.0 81.5 61.0 68.5 74.0 67.0 58.0 61.0 52.0 66.0 64.0 64.0 64.0 64.0 64.0 64.0 64	4 P 12 P 12 P 12 P 12 P 14 P 12 P 14 P 15 P 15 P 15 P 15 P 15 P 15 P 15	42 5 42.5 56.0 54.0 31.0 28.0 35.0 28.0 37.0 37.0 39.5 32.5 54.0 32.0 41.0 41.0 40.0 50.0	12 P O A O A O A 6 A 2 A 12 P 12 P 6 A 7 A O A 6 A 12 P 12 P 12 P 6 A 6 A 12 P 7 A 6 A 12 P 7 A 6 A 12 P 7 A 12 P 7 A 12 P 7 A 12 P 12 P 12 P	53.5 49.3 68.7 57.5 64.0 69.0 69.0 62.5 44.5 58.3 60.0 51.7 48.5 44.5 51.5 50.5 50.5 50.5	50.7 49.7 65.2 57.6 63.7 49.6 40.5 48.2 62.1 45.3 43.6 44.4 50.5 53.5 47.5 50.5 53.5 47.2 47.3 42.1 51.5 45.4 50.9 56.3 56.3	45.3 49.0 58.0 56.3 62.3 34.0 41.5 34.0 41.5 36.5 37.7 58.5 45.0 38.5 47.3 47.3 42.0 44.5 55.0 53.3 47.3 33.3	7.0 0.0 7.0 0.0 1.5 2.0 10.5 7.5 8.0 5.5 2.1 10.2 6.0 6.0 8.7 10.0 7.0 2.0 7.0 6.0 8.7 10.0 8.7 10.0 8.0 7.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8
30	30.61	30.33	30.529	41.0 67.0	3:30 P	27.0 38.0	4 A 0 A	34 ° 52.5	34.8 54.5	33 3 55 0	0.0

	Н	Iumidity	7.			Wind.			Р	recipitat	10n.	_
	M	por.		n. 89	t .	m ure Ft	ъ.		żś		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	42.5 47.5 55.5 55.5 57.5 43.5 61.0 56.0 56.0 57.0 41.0 57.0 41.0 58.0 41.0 58.0 42.0 42.0 42.0 42.0 43.5 43.5	.338 .370 .537 .480 .581 .578 .343 .239 .331 .625 .534 .279 .250 .293 .513 .509 .337 .257 .311 .246 .308	81.0 90.0 84.0 92.5 93.5 82.5 63.0 93.0 87.0 88.0 90.5 97.0 79.5 97.0 84.0 76.0 92.0	W.N.W. S. S.S.E. S.S.W. S.E. S.S.W. S.E. S.S.W. S.S.W. N.N.E. W. S.W. S.W. N.N.E. W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.W. S.W. N.E. W. W. W.	82 50 72 51 46 176 175 78 132 185 199 111 57 37 49 61 57 175 174 110 32 150 150 150 150 150 150 150 150 150 150	0.0 0.0 0.0 0.0 0.0 3.5 4.0 0.0 3.0 2.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	26 28 — 24 20 20 — — — — — — — — — — — — — — — — —	5 P 4 P 7 11 P 3 P 11 A 7 2 A 9 11 A 9 11 A	9 A 3 A 2 A 4 P 9 P 11 A 0 A 4 P	8 P I P I P I P I I I P I I P I I P I I P I I P I I P I I P I I P I I P I I P I I P I I P I I P I I P I I P I P I I P I	.21 .01 .07 .26 .01	
23 24 25 26 27 28 29 30 31	40.0 41.0 42.5 53.5 52.0 41.5 27.0 31.0 54.0	.290 .327 .331 .465 .430 .382 .219 .201	89.5 79 0 85.5 91.0 89.5 73.0 67.0 88.5 92.5	S. S. S. E. W.S. W. S. W. S. N. N. W. N. N. E. N. N. W. S. E.	30 40 57 148 53 178 154 19 80	0.0 0.0 0.0 1.5 0.0 8.5 2.0 0.0	17 	5 A 3 P 4 A 10 A	12 M 7 P 0 A 3 A 2 A	3 P 12 P 1 P 1 P	.06 .00 .48	

The weather during October was generally gloomy, owing to the large amount of cloudiness and considerable fog. While precipitation occurred on nearly half the days the total amount was small. Much of the wind was from the southwest quadrant. Changes in temperature were rather rapid at times, although the extremes for the month were not unusual.

The records of the several weather elements compared with the normals show the following features: The mean barometer was high even for October—a month with a high normal pressure. Both the maximum and minimum pressures were considerably above their normals. The range of pressure was about the usual amount. The total wind movement was only about 70 per cent of the normal and there were no days showing a very large movement. Only one gale was registered and that was of moderate intensity and of rather short duration.

The mean hourly temperature was about one degree higher than usual, and the mean of maximum and minimum readings slightly more. The maximum temperature came early in the month and was 2½ degrees higher than the normal. The minimum temperature was about 4 degrees higher than the normal.

The mean dew point was several degrees higher than usual and the relative humidity several points above the normal.

The total precipitation was nearly 50 per cent of the normal and occurred in numerous small rains. Early in the morning of the 30th there was a storm of sleet and hail for a short period.

Both the observed cloudiness and the record of the sunshine recorder show that the month was considerably deficient in sunshine.

J. E. OSTRANDER, Meteorologist.

G. A. SMITH, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Mean semi-daily reduced	40m per hour, 30th, 8A, S.S.W. Maximum velocity for 5 minutes, 30m per hour, 30th, 3A, S.S.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, West.
Highest 70.0, 18t, 1 P Lowest 17.0, 21st, 7 A Mean hourly 39.6 Mean of means of max, and min. 40.1 Mean sensible (wet bulb) 35.6 Monthly range 53.0 Highest mean daily 61.7, 1st Lowest mean daily 26.4, 20th Mean maximum 48.5 Mean minimum 31.6	North
Mean daily range	Weather.
Least daily range	Mean cloudiness observed 53 per cent Total cloudiness recorded by the Sun Thermometer 170 hours = 58 per cent.
Humidity. Mean dew point 31.5 Mean force of vapor -237 Mean relative humidity 79.1	Number of clear days
Precipitation. In inches. Total precipitation, in inches 6.20 Total snow, in inches	

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level

	eter Re Sea Lev			Tem	perature	. Ground	l Shelter			of shine
Day. Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 29.73 2 30.07 3 30.20 4 30.16 5 29.78 6 30.16 7 30.30 8 30.42 10 30.53 11 30.36 12 30.34 13 30.10 14 30.16 15 30.40 16 30.43 17 30.24 20 30 40 21 30.52 22 30.24 23 29 64 24 30.16 25 30.16 26 30.11 27 30.29 28 30.40 29 30.40 20 30.40 21 30.20 22 30.20 23 30.40 24 30.10 25 30.10 26 30.14 27 30.20 28 30.40 29 30.40 20 30.40 20 30.40 21 30.20 22 30.20 23 30.40 24 30.10 25 30.40 26 30.10 27 30.20 28 30.40 29 30.40 20 30.40 20 30.40 20 30.40 21 30.20 22 30.20 23 30.40 24 30.10 25 30.40 26 30.10 27 30.20 28 30.40 29 30.40	30.10 29.97 30.04 30.05 30.24 29.97 29.58 29.57 20.84 30.22 29.58 20.50 29.63 30.01 30.02 30.20 29.55	29.679 29.848 30.102 30.288 29.029 30.002 30.279 30.308 30.434 30.455 30.342 30.051 30.120 30.362 30.153 30.252 30.406 29.715 30.252 30.406 29.894 29.579 29.840 30.075 30.0252 30.425 30.252 30.406 20.894 30.75 30.0252 30.406 20.500 20.500 20.500 20.500 30.252 30.406 20.500 20.500 30.252 30.406 20.500 20.500 30.252 30.406 30.252 30.406 30.252 30.406 30.252 30.406 30.252 30.406 30.252 30.406	70 0 57.0 48 5 47.5 45.0 50.0 58.0 49.0 35.0 49.0 40.5 56.0 58.0 49.0 40.5 58.0 49.0 40.5 58.0 49.0 40.5 40.0 40.5 40.0 40.5 40.0 40.5 40.0 40.0	1 P 1:30 P 2 P 0 A 1 P 3 P 2:30 P 3:30 P 6:30 A 2 P 2 P 2 P 2 P 3 P 6:30 P 1:30 P 1:30 P 1:30 P 0 A 3 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2	53.0 34.0 26.5 37.0 35.0 36.0 34.0 27.5 23.0 30.0 26.0 21.0 35.0 26.0 27.0 22.0 17.0 39.0 25.5 29.0 37.5 33.0 25.5 29.0 34.0 34.0 35.0 36.0 37.0	12 P 12 P 6 A 6 A 9 A 12 P 0 A 6 A 7:30 A 12 P 7 A 6 A 12 P 8 A 7 A 2 A 2 A 12 P 8 A 7 A 2 A 12 P 8 A 7 A 2 A 12 P 8 A 7 A 2 A 2 A 2 A 2 A 2 A 2 A 2 A 2 A 2 A 3 A 3 A 4 A 4 A 4 A 4 A 5 A 6 A 7 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8	61.5 45.5 37.5 42.3 40.0 40.3 30.0 42.0 40.3 30.0 33.7 45.5 34.0 41.0 36.0 38.5 41.3 37.0 41.0 36.0 38.5 41.3	61.7 46.3 37.0 43.0 39.3 38.2 38.7 37.6 41.8 50.0 44.5 32.3 33.3 43.8 26.4 40.4 43.5 40.4 41.5 37.6 41.5 37.6 41.5 37.6 41.5 37.6 41.5	58.0 45.7 31.5 39.3 34.0 33.7 34.7 32.3 31.0 42.3 42.5 28.7 28.5 27.0 39.0 22.0 29.0 39.7 32.3 36.0 41.0 36.0 41.0 36.0 41.0 36.0 41.0 36.0 41.0	3.7 6.8 7.0 3.2 0.0 3.8 1.1 5.9 8.1 0.0 0.7 7.5 6.9 5.6 2.7 8.4 5.9 0.0 5.0 5.0 5.0 6.0 5.0 6.0 7.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6

	I	Iumidity	7.	Wind.					Precipitation.			
	we	por.		n.	nt .	m are Ft	ų.		ρί.		Tota Incl	al in nes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
ı	56.5	.517	890	N.W.	86	0.5	10	10 A	о А	12 1	.38	
2	34.5	.272	74.0	N. N.E.	264	3.0	24	10 A 6 P	0 A	IO A	.93	
3	27.5 35.5	.202 .267	77.0 78.0	E.S.E.	103	1.0	14 14	2 P	1			
4 5 6	290	.221	74.0	N.N.W.	308	4.5	30	7 P	2 A	12 M	-97	T
	27.0	.227	64.0	N.	436	4.5	30	1 P				
7 8	29.5 28.0	.227	72 5 75 °	N.N.E. N.N.E.	205 97	2.0	20 20	8 A 12 P				
9	29.5	.196	830	N.	150	0.5	10	IIA				
10	25.5	.200	73.5	S.S.W.	38	0.0	_	-				
ΙI	41.5	.278	94.0	S.	52	0.5	10	5 P	2 A	12 P	19	
12	48.5 41.0	376 .298	92.0	S. N.N.W.	130	1.5	20	10 P	0 A 0 A	12 P	.24 .62	
13	22 5	.180	67.5	W.	186	1.5	17	2 A	U A	121	.02	
15	24.5	.169	78 5	W.	164	1.5	17	9 A				
ιĞ	22.5	.175	75.5	S.	100	1.5	17	II A				
17	350	.27 I	77.5	S.	159	2.0	20	2 P				
18	38.5	.263 .180	86.0 68.0	SS.W. W.N.W.	213	3.0	20	10 A 7 I	6 Р	7 P		Т
20	17.5	.130	74.5	W.N.W.	394	60	35	I A	0.1	, ,		•
2 [20.5	.198	61.5	S.S.W.	106	0.5	10	5 P				
22	34.5	.285	71.5	S.S.W.	224	3.0	24	8 P	IC P	11 1	T	
23	26 5	.214	68.5	S.W. W.	241	4.0	28	12 M 2 P				
24 25	33 0	.232	67.0 84.5	S.W.	109 236	1.5 5.0	17 32	6 P				
26	41.0	.257	100.0	E.	97	0.0	3-		8 A	12 P	1.50	
27	33.0	.217	86.5	N.N.E.	161	Ι.Ο	14	6 A	ОА	4 A	.47	
28	26.0	.152	94 5	N.	135	10	14	I A				
29	320	.193	950	S.E.	27	0.0	-	8 A	I P	12 P	.56	
30	40.0	.336	79.0	W.N.W.	377	8.0	40	OA	ОА	4 A	.25	

^{**}Rain or melted snow at base of tower. * Included in following day.

The weather during November was more stormy than usual, and the change in weather conditions rather rapid in several instances Several heavy rainstorms occurred, and the precipitation during the storm of the 26th—27th was more than two inches. Only traces of snow were noted. The amount of sunshine was small and the last week of the month was especially gloomy. While thin ice formed on several dates no especially cold weather occurred, and the ground was practically free from frost when the month closed.

The records of the several weather elements show the following features: The mean barometer was higher than the normal and the range of pressure slightly less than usual. The rapid fall in pressure during the storm on the 29th and the rise on the 30th after the storm were noticeable features. The wind movement was considerably more than the normal and the wind direction more variable than usual.

The mean hourly temperature showed that the month was slightly warmer than usual, and both the maximum and minimum temperatures were several degrees above their normals. A rise in temperature of nearly twenty degrees in two hours near midnight of the 29th was a very abnormal feature.

The mean dew point was about a degree above the normal and the relative humidity several points higher than usual.

The total precipitation was nearly twice the normal and nearly all of it occurred either during the first five days of the month or the last five days of the month.

The amount of sunshine was nearly normal, although one-half the number of days were recorded as cloudy or overcast.

J. E. OSTRANDER, Meteorologist.

G. S. SMITH, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

11101111121	
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30,35, 11th, 11 A Minimum reduced to freezing, 29,10, 7th, 1 P Reduced maximum reading, 30,67, 11th, 11 A Reduced minimum reading, 29,41, 7th, 1 P Mean semi-daily reduced	Greatest daily movement
Highest 54 0, 13th, 3 P	
Lowest9.0, 18th, 7 A	Summary.
Mean hourly 23.4 Mean of means of max, and min. 23.2 Mean sensible (wet bulb) 21.5 Monthly range 63.0 Highest mean daily 48.3 13th Lowest mean daily -5.7, 18th Mean maximum 31.7 Mean mainimum 14.7 Mean daily range 17.0 Greatest daily range 29.5, 4th Least daily range 3.0, 6th Humidity	North west 23 per cent West
	Bright Sunshine. Number hours recorded, 120 hrs,= 43 per cent
Total snow, in inches	Rain, 6th, 8th 9th, 12th, 13th, 14th, 8now, 6th, 7th, 11th, 14th, 15th, 17th, 21st, 22th, 20th, 30th, 8th, 12th, 6nles, 35 miles or more per hour. 50m, 10th, N.W.; 35m, 15th, W.; 51m, 25th, N.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

		eter Re Sea Lev			Temp	erature	. Ground	l Shelter			of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb,	No. Hours of Bright Sunshine
1 2 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	30.35 30.45 30.45 30.26 30.27 29.86 30.34 30.35 30.67 30.46 30.00 29.99 30.14 30.25 30.45 30.45 30.46 30.47 30.46 30.50 30.47 30.48 30.50 30.47 30.48	29.91 30.07 30.27 30.26 30.04 29.71 29.87 29.90 30.46 30.00 29.74 29.88 29.99 30.05 29.96 30.35 30.24 30.46 30.26 29.81 30.46	30.282 30.207 30.444 30.381 30.162 30.084 29.604 30.207 30.263 30.186 30.577 30.170 29.850 29.850 30.176 30.152 30.421 30.350 30.350 30.350 30.350 30.350 30.350 30.350 30.350 30.350 30.350	38 0 40.0 25.0 33.0 34.0 40.0 40.0 36.0 25.0 33.0 54.0 51.5 16.5 11.0 27.0 21.0 35.5 40.0 35.5	3 P 3 P 3 P 3 P 10 P 10 P 12 M 12 P 6 A 12 M 9 P 3 P 0 A 2 P 3 P 1 P 3 P 3 P 3 P 3 P 3 P 3 P 3 P 3 P 3 P 4 P 3 P 5 P 6 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8 P 8	30 0 25 0 11.0 4 5 13.0 20.0 31.0 31.0 10.0 22.0 39.0 22.0 13.0 -4.0 -7.0 8.0 -7.0 9.0 14.5 14.0 26.0 14.5 15.0 26.0 15.0 26.0 16.0 27.0 28.0 29.0 20.	8 A 12 P 12 P 7 A 2 A 3 A 12 P 7 A 0 A 11 P 12 P 8 A 12 P 7 A 3 A 12 P 7 A 3 A 7 A 3 A 0 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7 A 7	34.0 32.5 18.0 19.3 23.0 27.0 35.5 34.5 32.5 20.5 36.5 18.7 12.3 3.5 17.5 17.5 17.5 24.5 27.0 38.5	33.1 32.2 17.2 17.6 22.4 27.9 33.4 36.3 34.1 30.4 20.1 31.5 48.3 34.6 18.3 -0.7 5.9 16.7 15.4 25.3 20.1 30.8	29.0 30.8 13.0 23.3 20.0 24.5 32.3 33.5 27.5 17.3 31.3 48.0 31.3 5.5 -3.5 27.5 23.0 31.3 48.0 31.3 5.5 -3.5 27.6 27	4.0 1.8 7.0 7.7 1.0 4.5 0.0 1.8 0.0 0.0 0.0 0.0 0.0 1.3 4.9 7.1 5.5 4.6 3.3 7.4 0.3 1.3 6.5 0.0
26 27 28 29 30 31	30 06 29 74 29.91 29.97 29.81 30.00	29.74 29.62 29.62 29.79 29.52 29.81	29.686 29.686 29.789 29.864 29.695 29.931	27.5 35.5 33.5 27.5 23.0 35.0	4 P 3 P 11 A 1 P 3 P 2 P	1.5 26.0 13.0 3.0 2.5	6 A 0 A 12 P 6 A 1 A 1 A	14.5 30 7 23 3 15.3 12.7 23.0	17.0 30.5 27.3 12.3 12.9 25.3	16 5 30.0 25 0 5.7 12.0 23.0	0.0 5.1 8.1 8.2 4.1 7.8

	ŀ	Lumidit	у.			Wind.	_		I	Precipita	tion.	
	Dew	por.		n.	nt .	m are Ft	<u>.</u>		żź		Tot:	
Day.	Mean De Point.	Mean Force vapor,	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning	Ending.	Kain.**	Snow.
1	25 0	.174	79.5	w.	353	4.0	28	I A				
2	22.0	.163	73.5	W.S.W.	154	20	20	HP				
3	7.0	.083	76.5	N.N.W.	164	1.0	14	I A				
4	13.0	.108	82.0	W.	16	0.0	_	-				
5 6	16.0	.119	80.5	S.W.	123	2.5	22	12 M				
	230	.138	94.0	N.W. W.N.W.	106	1.5	17	2 A	6 P	12 P	.16	1
7 8	28.5	.196	81.5	W.N.W.	96	1.0	14	10 P	0 A	4 A	.16	1
	31.5	.195	95.0	N.W	57	0.0	14	2 A	7 P 0 A	12 P 10 P	58	
9	24.5	.170	82.0	N.	338	12.5	50	11 A	U A	101	50	
11	13.5	.103	80 5	W.	165	1.5	17	3 P	7 P	10 P		Т
12	30.0	.168	92 5	S.W.	51	2.0	20	12 P	7 A	HP	.05	-
13	47.0	.353	93.0	S.S.W.	239	3.0	24	10 A	0 A	12 P	.04	
14	300	.186	92.0	W.N.W.	180	3.0	24	1 P	0 A	4 P	.13	Т
15	0.11	.096	79 5	W.	245	6.0	35	8 P	3 P	5 P	10.	T
16	8.5	.078	76.0	W.	215	4.5	30	2 P				
17	3.5	058	90 5	N.W.	131	5.5	33	5 P	3 A	6 A	10,	1
18	-60	.039	86.5	W.N.W.	3	0.0	-	_				
19	-1.0	.058	83.0	N.W.	18	0.0	_	-				
20	9.5	.089	77.5	N.W.	102	1.5	17	2 P				1
21	14.0	.090	95.0	N.N.E. N.N.E.	21	0.0	_		1 P	3 P	10.	į
22	23.5	.140	95.0	N.N.E.	36	0.0	_					
23 24	30.0	.173	97.5	E.	90	3.0	24	12 P	6 P	11:30 ₁ 1	.12	1 1
25	16.5	.107	88.5	N.	477	130	51	10 A	0 1	11.301	.,-	1.12
26	16.5	.102	97.0	Ŵ.	112	2.5	22	8 P	5:30 P	7 P	Т	Т
27	28.5	.171	94.5	S.S.W.	122	0.5	10	3 P	J.J. 1	, .		-
28	24.0	.146	01.5	N.W.	175	1.5	17	12 M				
29	40	.059	88.5	N.	62	0.0	<u>.</u>	_				
30	9.5	.081	87.0	N_1	52	0.0	—	_	6 A	1 P	.03	3
31	20.5	.133	87.0	N.W.	80	2.0	20	8 A				
		i										

Annual Summary for 1919.

Pressure. In inches.

Maximum reduced to freezing,	28.89, Mar. 28th, 12 m. 30.92, Mar. 15th, 8 A. 29.20, Mar. 28th, 12 m.
*Air Temperature. In degrees Fahr.	Precipitation. In inches.
Highest, 101 o, June 3d, 4 P. Lowest,	Total precipitation, rain or melted snow, 41.42 Snow total in inches,
Highest mean daily, 85.4, July 5	Weather.
Lowest mean daily, -0.7, Dec. 18 Mean maximum, 58.8 Mean minimum, 38-2 Mean daily range, 20.6 Greatest daily range, 43.5, June 13 Least daily range, 3.0, Dec. 9	Mean cloudiness observed, 48 per cent. Total cloudiness recorded by Sun Thermometer, 1831 hrs.=42 per cent. Number of clear days,
Humidity. Mean dew point,	
Mean force of vapor,	Bright Sunshine.
Mean relative humidity,	Number of hours recorded,2569 hrs.=58 per cent.
Wind.	reminer of months recorded,2309 ms.—30 per cent.
Total movement,	Dates of Frosts. Last,
Maximum pressure per square foot, 14.0 lbs., 53 m. per hour, Mar. 28, 10 r., N.W.	
	Dates of Snow.
	Gales of 50 or More Miles Per Hour. Jan. 11th, 50m., N.W.: Mar. 28th, 53m., N.W.;
Other directions, 51 " "	Dec. 10th, 50m., N.W.: Dec. 25th, 51m., N.

Temperature in ground shelter.

G. A. SMITH,

Observer.

J. E. OSTRANDER,

Meteorologist.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Reduced maximum reading . 30.99, 31st, 12 P Reduced minimum reading . 30.99, 31st, 12 P	
*Air Temperature. In Degrees Fahr.	Prevailing direction, Northwest.
Highest 4.10, 27th, 4 P Lowest	Summary.
Mean of means of max, and min. 15.2 Mean sensible (wet bulb) . 13.6 Monthly range . 57.5 Highest mean daily . 35.9, 8th Lowest mean daily -4.7, 31st Mean maximum . 24.9 Mean minimum . 5.5	North Northwest .26 per cent North .16 " " Northwest .13 " " West Northwest .13 " " South Southwest .10 " " Other directions .22 " "
Mean daily range 19.4 Greatest daily range 30.0, 20th, 27th	Weather.
	Mean cloudiness observed 49 per cent Total cloudiness recorded by the Sun Thermometer 80 hours = 27 per cent.
Humidity.	Number of clear days
Mean dew point 11.4 Mean force of vapor .005 Mean relative humidity 87.7	Number of fair days
	Bright Snushine.
Total snow, in inches	

		eter Re Sea Lev			Tem	perature	. Ground	l Shelter			s of
Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max, and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
I	29.81	29.45	29.603	37 0	4 P	23.0	12 P	30.0	29.3	26 5	1.7
2	29.88	29.72	29.863	18.0	3 P	9.0	8 A	13.5	13.5	8.5	7.8
3	30.12	29.88	30.052	18.5	3 P	8.0	12 P	13.3	10.8	9.0	8.6
4	30.35	30.12	30.263	18.0	4 P	-1.0	9 A	8.5	7.6	4.5	8.
	30.43	30.29	30.395	22.5	4 P	00	3 A	11.3	9.3	7.5	8.8
5 6	30.35	30.27	30.329	35.o	3:30 P	9.0	O A	22.0	22.2	19.5	8.:
7	30.34	30.12	30.241	36.5	5 P	250	7 A	30.8	31.8	30.0	4.9
8	30 13	29.98	30.072	38.5	2 P	31.0	7 A	34.8	35.9	34.5	4.0
9	30.04	29.77	29 909	36.0	1 A	240	12 P	300	29.9	29.0	3.
10	30.33	30.04	30.255	31.0	3 P	9.0	12 P	20.0	20.7	163	8.
[]	30.27	29 S6	30.056	27.5	4 P	5 5	3 A	16.5	18.5	18.3	6.
12	30.07	29.84	29 968	26.5	9 A	4.0	12 1	15.3	19.0	16.5	7.
13	30.01	29.51	29.677	30.0	7 P	4.0	0 A	17.0	18.7	20.7	7
14	29.80	29.55	29.678	20.5	12 M	1.0	12 P	10.7	13.3	11.5	8.
15	30.01	29 80	29.902	17.0	4 P	-3.5	12 P	6.7	5.1	2.7	8.
16	30.17	29.93	30.000	12.0		-14.0	5 A	-10	-0.2	-2.0	8.
17	29.93	29.41	29.563	24.5	3:30 P	7.0	o A	15.7	14.6	12.8	6.
18	30 08	29.55	29.823	14.0	9 A	2.0	12 P	80	8.8	9.3	7.
19	30.21	30.02	30.133	12.0	2 P	-30	4:30 A	4.5	5.0	4.5	7·.
20	30.55	30.20	30.429	13.5	4 P	-16.5	8 A	-1.5	3.4	-2 8	7.0
2 I	30.54	29 96	30.231	29.5	12 M	100	12 P	19.8	17.9	13.8	6.
22	30.68	30.54	30.634	25.0		-35	7 A	10.3	12.1	8.8	S.,
23	30.54	30.27	30.385	31.0	3 P	180	0 A	24.5	23.8	230	6.0
24	30.39	30.27	30 309	25.5	II A	17.0	12 P	21.3	22.1	21.0	2.2
25	30 75	30.36	30,604	23 5	2 P	-15	12 P	11.0	13.5	8.3	7.5
26	30.89	30.47	30.757	15.5	3:30 P	-8.0	9 A	3.7	3.8	1.0	7.5
27 28	30 47	30.07	30 269	41.0	4 P	0.11	0 A 12 P	26.0	27 9 26 3	27.5	7
	30 48	30.17	30 275	30.5	0 A	7·5 -2.0	8 A	8 5		23.7	6.
29	30.65	30.23	30 515	19.0	12 P		12 P		11.5	7.5	7
30	30 41	29 96	30.115	37.0	2:30 P	10.5 -11.5		23.7	25 4	-105	7.0
31	30.9 9	30.41	30.903	1.0	4 P	-11.5	7 A	-5.3	-4.7	-103	9.

	I	Humidit	у.			Wind.			P	recipita	tion.	
	Jew	apor.	e t	ing on.	ent s.	um re uare Ft	per		ng.		Inc	al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles 1 Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
I	250	.149	91.5	N.W.	126	4.0	28	10 P	9 A	11 A	.01	
2	4.5	.070	79.5	W. W.N.W.	240	4.5	30	5 A				
3	5.0	.054	85 ° 82.5	N.W	1298	3.0	24 10	8 A 8 P				
4	3.5	.065	84.0	N.N.E.	208	2.5	22	8 A				
5	16.5	,I13	89.5	N.	72	0.0						
7 8	37.5	.171	92.5	S.S.W.	133	1.5	17	6 Р	9 P	-11P	T	
	33.0	.196	95.5	Ş.	97	0.0			10 A	5 P	T	T
9	29.5	.160	100.0	N.	78	0.0	_		2 A	пР	.85	6
10	14.0	.098	88.0 88.5	N.N.W. S.S.W.	113	0.5	10	2 P	ĺ		l i	
[] [2	13.5	.107	84.0	W.	53 236	6. o	35	8 A	1			
13	20.0	.119	97.5	S.S.W.	73	5.5	33	10 P	2 A	12 P	.17	$1\frac{3}{4}$
14	8.0	.080	81.5	W.N.W.	357	6.5	36	12 M	o A	2 A	.02	T'
15	-1.5	.053	79.5	N.N.W.	172	1.5	17	2 P				
16	-6.5	.047	79.0	N.W.	84	1.0	14	12 M	8 P	12 P	.20	2
17	12.0	.082	96.0	N.N.W.	188	6.0	35	5 P	O A	6 P	.28	3
18	6.5	.073	84.5	W.N.W.		9.5	43	12 M		0 -	İ	,
19	2.5	.057	90.5 88 .5	W.S.W. N.N.W.	167	0.5	10	2 P	3 P	8 P	.12	I ½
20 2 I	-5.0 11.0	.023	87.5	N.W.	120	3.0	24	12 M	7 1	пР	.08	5
22	6.5	.072	87.0	N.	76	0.0	-4		ŀ	ļ		
23	22.0	.127	96.5	N.N.W.	64	0.0	_	_	o A	12 P	.54	$2\frac{1}{2}$
24	200	.117	940	N.	175	1.5	17	IO A	o A	12 P	.34	3
25	6.0	.072	86. 5	N.N.W.	182	1.5	17	II A	1			
26	-1.5	.051	86.0	N.N.W.	95	00		-	4 A	6 A	.02	\mathbf{T}
27	25.5	.163	89.5	N.N.W.	41	0.0	_		5 A	10 A	.08	I
28	21.5	.141	89.5	N.N.E.	76 102	2.0	20	5 P 6 A	İ	i		
29 30	100	.070 .126	83.0 83 5	W.N.W. W.S.W.	285	0.5 3.5	26	4 A				
31	-14.0	.029	78.5	N.	353	3.5	26	9 A				
٠.١	24.0	9	, 3	41.	000	3.5		9				

^{**}Rain or melted snow at base of tower.

^{*} Included in following day.

The most marked characteristics of the weather during the month were the low temperature and large amount of sunshine. To these was added a rather large snowfall with practically no thawing weather. The thermometer registered below zero on ten different days and the maximum temperature was above freezing on only eight days. Much of the snowfall occurred during the night and only four days were cloudy. Sleighing began on the ninth and continued for the rest of the month. The month closed with much snow on the ground and good sleighing on most of the roads.

The mean barometer was unusually high and the changes in pressure were unusually large. The maximum pressure was registered at midnight of the last day of the month and was the highest record ever made at this station. The range of pressure was practically the normal for January. The total wind movement was nearly normal and more than two-thirds was from the northwest quadrant.

The mean temperature was more than nine degrees below the normal, making it one of our coldest months. It was, however, 2.7 degrees warmer than the record of January, 1918. The maximum temperature was the same as for January, 1896, which was our lowest maximum record for any month. The minimum temperature was nearly ten degrees lower than the average value for this record.

The mean relative humidity was very high and the mean dew point was about six degrees lower than the normal.

The total precipitation was about three-fourths of the normal and practically all of it was snow.

J. E. OSTRANDER, Meteorologist.

G. S. SMITH, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.71, 1st, 10 A Minimum reduced to freezing, 28.89, 15th, 11 A Reduced maximum reading . 31.05, 1st, 10 A Reduced minimum reading, 29.21, 15th, 11 A Mean semi-daily reduced 29.983 Monthly range 1.84	Total movement
*Air Temperature. In Degrees Fahr.	hour, 27th, 4P, W.N.W. Prevailing direction, West Northwest.
Highest	Summary. North
Humidity.	Number of clear days
	Number of fair days
Precipitation. In inches.	Snow, 1st, 5th, 6th, 7th, 1oth, 12th, 13th, 15th,
Total precipitation, in inches	19th, 21st, 22d, 23d, 24th, 25th, 28th, 29th, Hail, 6th, Gales, 49m 15th, W.N.W.: 35m 27th W.N.W.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level.

Maximum Minimum. 1 31.05 30.73 8 6m. daily Maximum Max	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	Hours Suns
	.O 4 P	1		MMM	Mea Hou Dra	Mea Sens Wet	No. Hours of Bright Sunshine
3 30.66 30.43 30.496 37 4 30.77 30.65 30.740 27 5 30.67 29.89 30.369 29 6 29.89 29.32 29.484 34 7 29.69 29.29 29.479 37 8 30.01 29.69 29.899 34 10 30.14 29.76 29.889 18 11 29.99 29.81 29.945 34 12 30.09 29.88 29.95 30.058 28 13 30.04 29.65 29.836 34 14 30.09 29.81 29.959 43 15 29.81 29.21 29.345 36 16 29.88 29.57 29.744 16 17 29.89 29.73 29.779 4 17 29.89 29.73 29.779 19 20.78 29.39 20 30.34 29.78 30.138 27	3 P 2:30 P 3 P 12 P 10 3:30 P 3 P 5 6:30 P 5 6:30 P 5 6:30 P 7 A 1 P 0 3:30 P 7 A 1 P 0 0 4 P 12:30 P 0 0 A 1:30 P 1:30 P 1:30 P 1:30 P 1:30 P 1:30 P 1:30 P	-18.0 9.0 24.0 17.0 19.0 26.0 21.5 8.0 10.0 4.0 0.0 28.0 14.0 0.0 28.0 14.0 12.0 17.0 16.0 17.0 16.0 17.0 16.0 17.0	7 A O A O A S A S A S A F 11 P 12 P 6:30 A 5:30 A 7 A 12 P 12 P 2:30 A 12 P 5 A 7 A 12 P 5 A 7 A 12 P 5 A 6 A	-2.0 23.5 30.5 22.3 24.0 30.0 21.0 9.7 15.7 27.7 31.5 23.0 10.3 15.0 30.5 25.0 21.3 27.5 23.0 24.5 17.7 4 5 5.7 24.0	-0.9 24.3 30.0 22.6 23.0 31.1 29.9 25.2 19.1 10.9 16.3 19.2 27.5 30.5 23.2 9.5 18.1 35.5 21.3 26.7 25.1 29.7 25.1 3.7 5.0 8.3 3	-3.5 21.3 26.3 18.7 21.5 30.7 22.3 20.3 10.7 10.3 27.0 26.7 22.0 7.5 19.0 33.3 23.5 16.7 16.3 13.0 21.7 18.0 16.5 10.3 4.0 4.3 19.5	7.8 7.0 6.2 5.7 1.3 5.8 8.6 9.3 9.0 1.5 9.3 7.5 4.4 9.1 4.6 8.7 7.0 8.5 6.2 5.6 6.2 5.6 6.1 7.8 6.2 5.6 6.2 5.6 6.2 5.6 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6.2 6

	F	Inmidity	y.			Wind.	-		P	recipita	tion.	
	Dew .	por.		n.	t .	m are Ft	L		pir.		Tota Inc	
Day.	Mean De Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3	-16.5 18.0 23.0	.044 .147 .158	77.0 79.0 80.5 82.0	N.W. S.S.W. N. N E.	107 79 150 288	0.5 1.0 1.5 3.0	10 14 17 24	0 A 1:30 P 9 P 2 P	8 P	10 P	.01	Т
4 5 6 7 8	15.5 21.5 30.0 23.5 19.5	.118 .172 .155	97.5 83.5 84.0	N.N.E. N. N.N.W. N.W	359 395 183 24	3.0 3.0 5.0 2.0	24 24 24 32 20	8 P 1 P 12 M 0:30 P	3 A 0 A 0 A	12 P 12 P 2 A	1.75 .62 .08	12 3 1
9 10 11 12	17.0 10.0 5.5 14.0	.119 .076 .077 .111	83 o 95.5 76.0 79.5	N.W. W.S.W. W. W.N.W.	5 8 7	0.0 0.0 0.5 0.0	10		5 A 7 P	5 P 8 P	.22	$\frac{t^{\frac{1}{2}}}{T}$
13 14 15 16	25.5 23.0 20.0 4.0	.150 .163 .131 .067	94.5 79.5 90.5 81.0	N. S.S.W. W. W.N.W.	20 13 271 450	1.5 1.0 12.0 4.5	17 14 49 30	6 P 4:30 P 1 P 10 A	9 A 5 A	8 P 4 P	.21 .57	3
17 18 19 20	16 0 30.0 21.5 12.0	.115 .206 .136 .103	86 o 79.5 88.5 75.0	S.W. S.S.W. N.N.W. N.W.	263 176 225 214	3.0 2.0 3.5 2.0	24 20 26 20	6 P I A I2 M I2 M	5 A	3 P	.22	2 1/2
21 22 23 24	12.0 8.5 18.0 17.5 12.0	.100 .140 .126 .104	78.5 75.5 82.5 94.0	W.S.W. N. E.S.E. N. N.W.	102 140 83 86 287	0.5 1.0 0.0 0.0	10 14 — — 20	8 P 1:30 P — — — I P	8 P 0 A 5 P 0 A	12 P 3 A 12 P 12 P 3 A	.26 .18 .12 .13	2 1 ½ 1 T
25 26 27 28 29	6 0 -1.0 -1.5 15.0	.076 .058 .065	77.5 76.0 76.0 75.5	W.N.W. W.N.W S.S.W. W.S.W.	353 306 119 68	3.5 6.0 1.5	26 35 17	7 P 5 P 12 M 8 P	6 P	12 P 3 A	.04 T	T,
- 3										9		

The weather during February was exceptional in many ways. The barometer, which had reached the unprecedented height of 30.99 inches at midnight on the last day of the previous month, continued to rise until 10 A. M. on the first, when 31.05 inches was recorded, making a new high record for pressure at this station. The changes in pressure during the month were generally large and some were rather rapid. The total range of pressure for the month nearly equalled the normal range for an entire year. The marked barometric activity was not appreciably reflected in the total wind movement of the month.

The snowfall was by far the most noticeable feature of the month. The large amount of snow which had accumulated during January, owing to the absence of any appreciable thaw during that month, was augmented by a very large snowfall during February. A single storm early in the month was one of the most severe in recent years. This was followed by several storms of moderate amounts throughout the month, so that the total exceeded two and one-half feet. With practically no thawing weather during the month the accumulated snowfall of two months was practically all on the ground when the month closed. Although more or less settlement had taken place the ground was covered with from two and one-half to three and one-half feet.

Another feature of interest was the temperature. While the mean for the month was only about three degrees lower than the normal, the temperature was above freezing but little of the time. The temperature dropped to eighteen degrees below zero on the first and the mean hourly for that day was below zero. Near the end of the month very low temperatures were again noted. With the advent of warmer weather during the coming month swollen rivers and streams and damage from high water seems inevitable.

J. E. OSTRANDER, Meteorologist.

G. S. SMITH, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

11101111121	SOMMITTEE 1.
Pressure. In inches. Maximum reduced to freezing, 30 24, 4th, 9 A	Wind. Total movement
Minimum reduced to freezing, 28.72, 13th, 5 P Reduced maximum reading . 30.55, 4th, 9 A Reduced minimum reading, 29.03, 13th, 5 P Mean semi-daily reduced 29.972 Monthly range 1.52	Greatest daily movement 537m, 6th Least daily movement 54m, 11th Mean daily movement 202m Mean houstly valority
*Air Temperature. In Degrees Fahr.	hour, 6th, 11A, N.W. Prevailing direction, West.
Highest	Summary.
Mean of means of max, and min. .34 3 Mean sensible (wet bulb) .30.5 Monthly range .71.5 Highest mean daily .47.1, 28th Lowest mean daily .14.5, 2d Mean maximum .45.4 Mean minimum .23 2	South Southwest
Mean daily range	Weather. Mean cloudiness observed 41 per cent Total cloudiness recorded by the Sun Thermometer 129 hours = 35 per cent.
Humidity.	Number of clear days
Mean dew point .26.6 Mean force of vapor .202 Mean relative humidity .78.2	Number of cloudy days 5
	Bright Sunshine.
Number of days on which .01 inch or more rain fell	Number hours recorded, 242 hrs, = 65 per cent. Rain, 5th, 11th, 12th, 13th, 17th, 26th, 27th, 29th, 30th, 31st. Snow, 19th, 20th. Gales, 57m 6th, N.W.; 36m, 7th, W.; 40m, 14th, W. N.W.; 36m, 17th, W.N. W.; 35m, 18th, N.W.
*Temperature in ground shelter.	

Ba	ometer Re Sea Lev	el.		Tem	perature	Ground	Shelter			of shine
Day.	Minimum.	Mean. Senn-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
2 30 3 30 4 30 5 30 6 29 7 30 8 30 9 30 10 30 11 30 12 30 13 29 14 30 16 30 17 30 18 30 19 30 20 29 21 30 22 33 30 24 30 22 26 26 27 26 29 20 29 20 29 20 29 20 br>20 20 20 20 20 20 20 20 20 20 20 2	.97 29.63 38 29 97 51 30.38 55 30.21 .21 29.40 .77 29.17 .21 29.77 .24 30.20 .28 30.13 .34 30.20 .28 30.13 .31 30.12 .29 53 .51 29.63 .51 29.63 .51 29.63 .61 29.63 .61 29.63 .61 29.63 .61 30.01 .73 001 .73 001 .74 29.63 .75 29.63 .75 29.63 .77 30.01 .77 29.66 .77 30.01 .77 29.67 .77 5 30.302 30.497 29.726 29.433 30.070 30.281 30.245 30.189 30.204 29.741 30.188 29.892 29.414 30.189 30.316 30.289 30.326 30.289 30.326 29.794 29.588 29.794 29.588 29.794 29.588	37.0 29.0 44.0 44.0 12.0 24.5 28.0 38.0 45.0 43.0 34.5 34.0 42.0 43.0 51.0 65.0 65.0 66.0 52.0 66.0	2:30 P 4 P 3 P 2:30 P 4 P 0 A 5:30 P 3 P 10:30 A 6 P 3 P 2:30 P 2:30 P 2:30 P 4 P 0:30 P 3:30 P 3:30 P 4:40 P 3:30 P 4:50	6.0 -1.0 8 0 24.5 40.0 11 0 6.0 4 5 14 5 14 5 13 0.0 21.0 31 0 30.0 15.0 21 0 31	7:30 A 7:30 A 7:30 A 7:30 A 7:30 A 7:30 A 6 A 0 A 12 P 8 A 6 A 1 A 5:30 A 4 A 12 P 7 A 6:30 A 0 A 12 P 2-30 A 3 A 7:30 A 3:30 A 6:30 A 6:30 A 6:30 A 6:30 A 6:30 A 6:30 A 6:30 A	21.5 14.0 26 0 35.7 42.0 26.5 15.3 38.3 38.3 33.0 40.0 32.0 728.5 37.5 36.0 38.5 35.0 38.5 48.0 48.7 46.5 45.0 48.7 46.5 47.2	21.2 14.5 26.3 35.3 42.0 20.1 14.6 16.4 27.2 37.2 34.5 40.9 35.4 20.7 29.8 37.9 29.4 35.3 46.5 45.8 46.6 45.4 47.1 37.9 43.5 9	14.0 8.5 20.3 33.3 11.0 12.3 26.7 33.5 41.3 28.3 38.3 38.3 39.7 24.3 38.5 27.0 24.3 38.5 37.5 43.5 4	10.4 10.5 6.7 7.6 11 0 10.1 9.5 4.3 0.0 0.0 10.0 5.0 7.0 11.5 12.0 11.5 10.8 11.3 7.1 4.2 11.2 0.3 9.8	

	F	Humidit	y.		Precipitation.							
	ew	por.		ng n.	nt .	are Ft	-		pi.			al in hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidit	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 4 4 5 6 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 22 3 24 25 26 29 30 31	9.5 9.5 17.0 31.0 13.0 5.5 71.0 30.0 31.0 40.5 21.5 32.5 36.5 22.5 30.0 21.5 22.5 32.5 32.5 32.5 32.5 34.0 41.0 30.0 30.0 30.0 30.0 30.0 30.0 30.0 3	.092 .081 .133 .202 .270 .096 .087 .163 .209 .204 .205 .110 .168 .242 .216 .136 .171 .275 .275 .318 .298 .299 .291 .275 .275 .318 .292 .293 .293 .293 .293 .293 .293 .293	75.5 71.5 80 0 89 0 85.0 74 0 75.0 578.0 87 0 94 0 87 0 94 0 89.5 69.5 71.0 89.5 70.5 70.5 70.5 70.5 70.5 70.5 70.5 70	N.W. W. S.S.W. S.S.E. S.E. W.N.W. W.S.W. W. S.W. S.W. S.W. N.W. W.S.W. W.S.W. N.W. W.S.W. W.S.W. W.S.W. W.S.W. W.N.W. W.S.W. W.N.W. W.N.W. W.N.W. W.N.W. W.N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. W. N.W. N.W. W. N.W. N	214 93 1211 112 247 537 419 225 227 161 34 143 466 132 214 402 68 182 163 136 80 78 80 80 131 136 136 136 136 136 136 136 136 136	1.5 0.5 1.0 0.5 2.0 16.0 6.5 0.0 3.0 3.0 3.5 5.5 6.0 1.0 0.5 0.0 0.5 1.5 0.5 1.5 1.5 1.5 1.5 1.5 1.5 1.5 1	17 10 20 57 36 22 24 24 26 36 33 14 20 24 11 10 	12 M 3 A 2 P 4 P 1 P 10 A 9 A 3 P 11 D 10 P 5 A 2 A 3 P 9 A 3 P 9 A 3 P 9 A 3 P 9 A 3 P 9 A 3 P 9 A 1 A 1 D 1 D 1 D 1 D 1 D 1 D 1 D 1 D	11 A 3 A 0 A 5 P 0 A 6 P 0 A 9:30 A 8:30 P 11 P	12 P 5 P 12 P 10 P 2 A 12 P 6 P	.90 .03 .08 .80 .01 .25 .44	2 33

The weather during March was generally seasonable and presented few features of interest. The transition from Winter to Spring was nearly complete when the month closed. The large amount of snow on the ground at the close of February showed but little shrinkage during the first half of the month but by the last of the month the snow, except where drifted, had entirely disappeared without causing extremely high water in the smaller streams of this locality. When the snow had disappeared it was found that there was but little frost in the ground and the fields dried rapidly. The last third of the month had a number of unusually warm days for the time of year.

The mean barometer was slightly lower than the normal and the range of pressure was rather large. Large fluctuations in pressure were recorded and the total wind movement was about ten per cent more than usual. The wind was nearly all from the Western points of the compass.

The mean temperature was practically normal and the range unusually large. This last feature was due to a maximum temperature nearly eight degrees higher than usual and a mimimum, nearly six degrees lower than usual. On the 25th the range for the day was nearly as large as a monthly range in mid-summer. The mean dew point was practically normal and the relative humidity slightly higher than usual.

The total precipation was about three-fourths of the normal and was well distributed throughout the month. At the equinoctial period the only snowstorm of the month occurred. This was nearly six inches but it melted in a few days. The amount of clear sunshiny weather was more than usual.

J. E. OSTRANDER, Meteorologist.

G. S. SMITH, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	
Maximum reduced to freezing, 29.84, 1st, 8 A:	Wind.
26tli, S.A.	Total movement
Minimum reduced to freezing, 28.89, 5th, 5 P	Greatest daily movement 507m, 6th
Reduced maximum reading . 30.14, 1st, 8 A	Least daily movement 63m, 22d
26th, S A.	Mean daily movement 205m
Reduced minimum reading, 29.20, 5th, 5 P	Mean hourly velocity 8.5m
Mean semi-daily reduced 29.823	maximum pressure per square more, 6.3 tbs=
Monthly range	4111 per nour, oth, 11, 11.11.
	Maximum velocity for 5 minutes, 35m per
	hour, 6th, 1 P, W.N.W.
In Danier Bake	Prevailing direction, West Northwest.
*Air Temperature. In Degrees Fahr.	Summary.
Highest	West
Lowest 9th, 5 A; 10th, 6 A	land and the second sec
Mean hourly	South Southwest
Mean of means of max, and min 43 2 Mean sensible (wet bulb) 38.6	North
Monthly range 52.5	Northwest
Highest mean daily 53.6. 20th	land the second
Lowest mean daily 29.4, 8th	
Mean maximum 52.5	
Mean minimum	Weather.
Mean daily range 18.6	Mean cloudiness observed 51 per cent
Greatest daily range 42.0, 20th	
Least daily range 3.5, 2d	
	Number of clear days 13
	Number of fair days 5
Hnmidity.	Number of cloudy days 12
Mean dew point 33.2	
Mean force of vapor	
Mean relative humidity 72.5	Number hours recorded, 218 hrs, - 51 per cent.
	Rain, 4th. 5th, 6th, 7th, 8th, 12th, 13th, 15th,
Precipitation. In inches.	21st, 23d, 24th, 27th, 28th, 29th.
Total precipitation, in inches 4.71	Suew, 4th, 6th, 7th, 8th.
	Thunder and Lightning, 23d.
Number of days on which .or inch or more	Frost, after the 15th: 18th, 20th, 20th,
	Gales, 41m. 6th, W.N.W.: 37m, 13th, S.S.W.:
Days of sleighing, None.	37m, 24th, N. W.
*Temperature in ground shelter,	

	Barometer Reduced to Sea Level.			Temperature. Ground Shelter.								
Day. Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine		
1 30.14 2 30.08 3 29.99 4 30 01 5 29.79 6 29.81 7 29.79 8 29.84 9 29.90 10 30.02 11 30.01 12 30.01 13 29.67 14 29.86 15 29.90 16 29.80 17 30.02 18 30.10 19 30.08 20 30.07 21 29.95 22 29.90 23 29.93 24 29.88 25 30.03 26 30.14 27 30.03 28 29.87 29.99	29.92 29.53 29.62 29.55 20.54 29.80 29.87 29.54 29.71	30.109 29.803 29.933 29.899 29.656 29.725 29.875 29.875 29.963 29.724 29.834 29.924 30.088 29.924 30.088 29.990 29.999 29.999 29.684 29.862 29.701 30.035 29.701 30.035 29.701 29.999 29.999 29.999 29.981 29.992	60.5 37.5 59.0 44.0 40.5 38.0 38.0 53.5 51.5 55.5 58.0 68.0 74.5 58.0 51.0 58.0 51.0 58.0 51.0 58.0 51.0 58.0 58.0 58.0 58.0 58.0 58.0 58.0 58	5 P 11:30 A 5 P	34.0 34.0 31.5 33.0 27.0 24.5 22.0 26.0 26.5 35.0 43.5 31.0 34.5 31.0 32.5 44.5 44.5 40.5 31.5 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 38.0 39.0 30.0	4 A 2 A 6 A 1:30 P 12 P 7:30 A 6:30 A 6:30 A 6:30 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A	47·3 35·7 45·2 39·5 30·7 32·9 7 30·0 37·7 39·3 45·0 41·0 48·7 44·5 51·0 53·5 46·5 46·7 50·0	44 6 35.7 45.8 37.7 32.4 30.7 30.7 37.7 40.6 45.0 47.3 46.5 46.1 52.3 53.6 47.7 48.3 45.3 46.9 47.9 48.9 44.9 44.9	38.7 35.7 39.5 36.5 28.3 25.7 27.3 34.0 36.5 34.5 41.7 42.5 41.7 42.5 41.0 45.3 44.0 47.3 39.7 43.3	9.8 0.0 0.0 11.9 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0		

	ŀ	Iumidity	·		Precipitation.							
	ew	por.	ty.	ng n.	ţ.	m are Ft	<u>+</u>		ig.	·	Total in Inches.	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
1 2 3 3 4 5 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	32 0 35.5 29.5 35.0 24.5 25.5 31.5 33.5 25.5 36.5 33.5 42.0 45.5 31.5 33.5 42.0 45.5 31.5 33.5 42.0 45.5 31.5	.283 .208 .317 .219 .224 .167 .174 .156 .244 .263 .287 .250 .309 .309 .323 .414 .404 .300 .312 .350 .286 .348 .265 .248 .321	64 5 98.0 54.5 91.5 79.5 84.0 76.5 5 5 72.0 55.5 5 72.0 55.5 57.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 65.5 66.5 85.0 89.5 80.5 56.5	S S.E. N. W.N.W. W.N.W. W.N.W. W.N.W. W.N.W. N.N.E. S.S.W. W. N.W. E.S.E. N. N.N.W. W.S.W. N.N.E. S.S.W. W. E.S.E. N. N.N.W. W. E.S.E. N. N.N.W. W.S.W. N.W. S.S.W. N.W. S.S.W. N.W. S.S.W. N.W. S.S.W. N.W. N	133 143 150 127 140 507 217 197 139 121 111 346 246 313 244 119 168 303 117 140 63 131 360 131 362 142 142 143 144 144 145 146 146 146 146 146 146 146 146 146 146	1.5 1.5 5.0 1.5 8.5 4.0 1.5 1.0 2.5 7.0 2.5 3.0 3.5 5.5 1.0 0.0 2.5 7.0 2.5 7.0 2.5 7.0 2.5 7.0 2.5 7.0 2.0 7.0 2.0 7.0 2.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7	17 17 32 17 41 28 32 17 14 14 22 24 24 26 33 14 —————————————————————————————————	6 P 12 P 2 P 8 P 1 P 4 P 12 M 3:30 P 11 P 10 A 9 P 8 A 10 A 10 A 10 A 10 A 10 A 10 A 10 A	11 A O A 8 A 2 A 11 A 6 P O A 7 P 1 A 1 A O A 6 P O A 6 P	12 P 7 P 9 A 10 A 1 P 12 P 6 P 11 P 12 P 3 A	.42 .52 T .16 T .44 .86 .02	T T 1 1 3 T
					l	1			!			

The weather during April was considerably colder than the normal for this month, and the precipitation was greater than usual. A large wind movement was recorded, although only a few gales were registered. The seasonal progress was slow, and but little work was done toward spring planting. But few frosts were noted after the middle of the month.

A comparison of the records of the severel weather elements with their respective normals shows the following features of interest: The mean barometer was unusually low and the range rather small. The mean daily barometer was above 30 inches on only four days. Although the fluctuations in pressure were not large the total wind movement was nearly one-sixth more than usual. Most of the wind was from the northwest quadrant.

The mean hourly temperature was more than three degrees below the normal, although the minimum for the month was practically normal. The maximum temperature was about five degrees lower than usual. The range of temperature on the 20th was unusually large.

The mean dew point and relative humidity were both considerably more than the normal.

The total precipitation was more than fifty per cent above the normal and was well distributed throughout the month. One snow storm and one thunder storm were noted.

The percentage of sunshine was nearly the normal amount.

J. E. OSTRANDER, Meteorologist.

G. S. SMITH, Observer.

Correction to March Bulletin, No. 375.

Precipitation on the 6th should read 0 A to 1 P., .73 in rain column and 4 inches of snow in snow column, and the total precipitation should read 3.63 inches. Total snow $9\frac{3}{4}$ inches.

**Reduced to freezing and sea-level,

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	1
Maximum reduced to freezing, 30.15, 17th, 8 A	Wind.
Minimum reduced to freezing, 29.42, 1st, 5 A	Total movement
Reduced maximum reading . 30.45, 17th, 8 A	Least daily movement 207m, 10th Least daily movement 42m, 24th
Reduced minimum reading, 29.72, 1st, 5 A	Mean daily mayamont
Mean semi-daily reduced 30 056	Mean hourly velocity
Monthly range	Maximum pressure per square foot, 5.0 lbs=
	32m per hour, 10th, 12 P, N.N.W.
	Maximum velocity for 5 minutes, 30m per
*Air Temperature. In Degrees Fahr.	hour, 10th, 11 P.N N.W.
	Prevailing direction, West.
Highest 83 5, 28th, 3 P Lowest 30.5, 5th, 5,30 A	Summary.
Lowest 30.5, 5th, 5,30 A	West 16 per cent
Mean of means of max, and min 54.5	
Mean sensible (wet bulb) 49.2	
Monthly range 53.c	
Highest mean daily 67.6, 28th	Northwest
Lowest mean daily 41.0, 4th	West Southwest
Mean maximum	
Mean minimum 42 6 Mean daily range	Other directions
Greatest daily range	
Least daily range 5.5, 21st	Weather.
	Mean cloudiness observed 39 per cent
	Total cloudiness recorded by the Sun
Humidity.	Thermometer 172 hours = 38 per cent.
Mean dew point 44.3	Number of clear days
Mean force of vapor	Number of fair days
Mean relative humidity 71.1	Number of cloudy days 4
	Bright Sunshine.
	Number hours recorded, 281 hrs, $=$ 62 per cent.
Precipitation. In inches.	Rain, 1st, 2d, 3d, 4th, 5th, 7th, 8th, 6th, 10th,
Total precipitation, in inches 3.65	11th, 13th, 14th, 20th, 21st, 22d. Thunder and Lightning, 14th, 20th.
Number of days on which or inch or more	Hail, 2d, 4th.
*	Gales, none.
*Temperature in ground shelter.	·

1 29 82 29 72 29.768 55.5 3 P 41.0 12 P 48.3 48.3 39.7 5 29.990 29.77 29.821 53.0 13.0 P 34.5 6 A 43.7 49.0 42.0 9 3 3 30.00 29.90 29.976 54.0 3 P 39.0 7 A 46.5 43.0 8 4 30.21 29.93 30.043 59.0 43.0 P 35.0 12 P 47.0 41.0 37.3 6 5 30.35 30.21 30.296 63.0 5 P 30.5 530 A 46.7 47.3 43.0 13 6 30.34 30.17 30.258 69.0 43.0 P 33.0 6 A 51.0 51.5 45.0 13 7 30.22 30.08 30.143 66.0 03.0 P 37.5 6 A 51.7 52.2 44.3 8 8 30.13 29.89 29.999 51.5 6 P 44.0 6 A 47.7 48.7 48.7 48.3 0 9 29.89 29.77 29.822 65.0 93.0 A 30.5 6 A 52.3 54.7 48.0 6 11 30.0 29.98 29.983 51.5 3 P 42.0 7 A 54.7 54.0 48.5 11 30.0 29.92 29.983 51.5 3 P 39.0 5 A 45.3 44.7 43.0 0 6 A 51.0 29.92 29.983 51.5 3 P 39.0 5 A 45.3 44.7 43.0 0 12 30.00 29.92 29.963 66.5 4 P 34.0 53.0 50.3 51.9 46.0 12 30.00 29.92 29.963 66.5 4 P 34.0 53.0 50.3 51.9 46.0 12 30.00 39.93 20.97 60.92 50.95 60.0 33.0 P 44.0 7 A 53.0 52.0 46.3 11 30.10 20.94 30.034 54.5 13.30 P 44.0 7 A 53.0 52.0 46.5 11 6 30.43 30.34 30.396 71.0 6 P 35.0 6 A 53.0 52.0 46.5 11 6 30.43 30.34 30.396 71.0 6 P 35.0 6 A 59.3 59.0 50.5 13 10 30.21 9 61.5 530 P 41.0 5 A 51.3 50.2 46.5 11 6 30.43 30.34 30.396 71.0 6 P 35.0 6 A 59.3 59.0 50.0 13 10 30.21 9 61.5 530 P 41.0 5 A 51.3 50.2 46.5 11 16 30.43 30.34 30.396 71.0 6 P 35.0 6 A 59.3 59.0 50.0 13 10 30.21 9 61.5 530 P 41.0 5 A 51.3 50.2 46.5 11 16 30.43 30.34 30.396 71.0 6 P 35.0 6 A 59.3 59.0 50.5 13 10 30.21 9 29.98 29.98 37.4.5 2 P 53.5 530 A 60.7 62.0 55.3 12 20.29.99 29.98 37.4.5 2 P 53.5 530 A 60.7 62.0 55.3 12 20.29.99 29.98 37.4.5 2 P 53.5 530 A 60.7 62.0 55.3 12 20.29.99 29.98 37.4.5 2 P 53.5 530 A 64.0 62.7 59.0 8 21 29.98 20.93 30.066 55.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.066 55.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.066 55.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.060 30.060 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.060 30.060 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.060 30.060 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.060 30.060 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.02 30.060 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0			eter Re Sea Lev			Tem	perature	. Ground	l Shelter			s of shine
2 29.90 29.77 29.821 53.0 1:30 P 34.5 6 A 43.7 49.0 42.0 9 3 30.00 29.97 54.0 3 P 39.0 7 A 46.5 46.5 43.0 8 4 30.21 29.93 30.043 59.0 4:30 P 35.0 12 P 47.0 41.0 37.3 6 6 3 0.34 30.17 30.258 69.0 4:30 P 30.5 5:30 A 46.7 47.3 43.0 13 6 30.34 30.17 30.258 69.0 4:30 P 30.5 5:30 A 46.7 47.3 43.0 13 7 30.22 30.08 30.143 66.0 0:30 P 37.5 6 A 51.0 51 5 45.0 13 7 30.22 30.08 30.143 66.0 0:30 P 37.5 6 A 51.7 52.2 44.3 8 8 30.13 29.89 29.999 51.5 6 P 44.0 6 A 47.7 48.7 48.3 0 9 29.89 29.77 29.822 67.5 3 P 42.0 7 A 54.7 54.0 48.5 11 10 30.01 29.78 29.892 65.0 9:30 A 30.5 6 A 52.3 54.7 48.0 6 12 30.00 29.92 29.963 51.5 3 P 39.0 5 A 45.3 44.7 43.0 0 12 30.00 29.92 29.963 65.0 9:30 A 30.5 6 A 52.3 54.7 48.0 6 12 30.00 29.92 29.963 65.0 9:30 A 30.5 6 A 52.3 54.7 48.0 6 12 30.00 29.92 29.963 62.0 3:30 P 44.0 7 A 53.0 52.0 46.0 12 13 29.94 29.84 29.899 62.0 3:30 P 44.0 7 A 53.0 52.0 46.5 11 6 30.43 30.34 30.34 54.5 54.5 1:30 P 42.0 12 P 48.3 47.5 44.3 5 11 30.10 29.94 30.034 54.5 53.0 P 42.0 12 P 48.3 47.5 44.3 5 11 30.10 29.94 30.034 54.5 53.0 P 42.0 12 P 48.3 47.5 44.3 5 11 30.10 29.94 30.034 54.5 53.0 P 42.0 12 P 48.3 47.5 44.3 5 11 30.10 29.99 29.90 30.281 74.0 4 P 42.0 12 P 48.3 47.5 59.2 50.5 13 30.2 30.2 30.281 74.0 4 P 44.5 6 A 59.3 59.0 50.0 13 30.21 9 29.90 29.98 3 74.5 2 P 53.5 53.0 A 64.0 62.7 59.0 8 21 29.98 29.93 29.957 60.5 4 P 55.0 12 P 57.7 57.9 56.0 0 22 30.20 90.93 30.066 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.20 30.30 30.20 78.5 4 P 47.0 6 A 58.5 58.3 55.0 50.5 7 22 30.02 30.066 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.20 30.30 30.006 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.20 30.30 30.006 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 22 30.20 30.30 30.006 57.0 8 A 45.0 12 P 51.0 50.8 49.7 0 6 A 58.5 58.3 54.0 7 7 52.3 30.00 30.007 76.5 5 P 53.0 6 A 58.5 58.3 55.0 50.5 7 7 25 30.12 30.00 30.004 70.0 4 P 47.0 6 A 58.5 58.3 55.0 50.5 7 7 25 30.12 30.00 30.004 70.0 4 P 47.0 6 A 58.5 58.3 55.0 50.5 7 7 25 30.12 30.00 30.004 70.0 4 P 47.0 6 A 58.5 53.3 54.0 7 7 65.5 5 P 53.0 6 A 64.0 64.5 57.7 13 28 29.97 20.77 29.842	Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Maximum Time.		Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
29 30.03 29.83 29.936 77.0 5 P 48.0 5 A 62.5 63.4 55.7 13	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 22 23 24 25 26 27 28 29 29 20 20 20 20 20 20 20 20 20 20 20 20 20	29.90 30.20 30.21 30.35 30.34 30.22 30.13 29.89 30.00 29.94 30.13 30.43 30.43 30.47 30.27 420.99 29.98 30.20 30.30 30 30.30 30.30 30.30 30.30 30.30 30.30 30.30 30.30 30	29 77 29.90 29.93 30.21 30.17 30.08 29.89 29.78 20.92 29.94 30.25 30.34 30.25 30.93 29.93 30.29 30.21 30.04 30.00 29.89 29.78	29.821 29.976 30.043 30.258 30.143 29.999 29.822 29.983 29.963 29.899 30.210 30.349 30.281 30.020 29.983 29.957 30.066 30.163 30.094 30.051 29.970 29.842 29.970	53.0 54.0 59.0 63.0 66.0 51.5 67.5 66.5 71.0 74.5 74.5 50.5 50.5 70.0 76.5 82.0 76.5	1:30 P 3 P 4:30 P 6:30 P 6:30 P 6:30 P 9:30 A 4 P 3:30 P 4:30 P 4:30 P 4:30 P 4:4 P 4 P 5 P 5 P 3:30 P 4 P 5 P 5 P 5 P 5 P 5 P 5 P 5 P 5	34.5 39.0 35.0 37.5 44.0 42.0 39.5 39.0 34.0 44.0 41.0 35.0 44.5 44.5 42.0 42.0 47.0 53.0 48.0	6 A 7 A 12 P 5:30 A 6 A 6 A 5 A 5:30 A 7 A 12 P 5 A 6 A 6 A 5:30 A 6 A 6 A 5:30 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6	48.3 43.7 46.5 47.0 46.7 51.0 51.7 52.3 45.3 55.3 57.5 59.3 64.0 57.7 51.0 51.3 58.5 64.7 64.0 67.3 64.7	48.3 49.0 46.5 41.0 47.3 51.5 52.2 48.7 54.0 54.7 54.9 52.0 47.5 59.0 62.0 62.0 62.0 62.0 62.0 63.4 64.5 64.5 64.5 64.5	42.0 43.0 37.3 43.0 45.0 44.3 48.5 48.5 48.0 46.0 46.3 44.3 50.5 50.5 50.0 55.5 56.0 49.7 49.7 49.7 50.5 56.5 56.5 56.5 56.5 56.5	5.9 9.3 8.7 6.3 13.5 13.0 6.0 0.0 0.0 11.2 3.3 11.0 13.4 13.2 13.2 13.2 13.2 13.2 13.2 13.3 14.0 13.4 14.2 13.2 13.3 13.5 13.9 13.5 13.5 13.5 13.5 13.5 13.5 13.5 13.5

	I	lumidit	у.			Wind.	_		ŀ	recipit:	tion.	
	M C	por.	3	g :	Ħ.	m are Ft	b		ρί.			alin hes.
Day.	Mean Dew Point.	Mean Force vapor,	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 8 19 19 19 19 19 19 19 19 19 19 19 19 19	315 37.5 390 33.5 35.5 38.5 37.0 46.5 42.0 41.0 38.0 42.5 42.0 41.0 37.5 42.5	.309 .304 .312 .248 .350 .369 .372 .357 .400 .427 .299 .403 .367 .317 .364 .452 .502 .506 .515	59.0 75.0 75.5 80.0 64.5 60.5 85.0 62.0 85.7 57.2 84.5 71.0 49.5 66.0	N.W. N.W. W. N.N.W. W. S.W. W. N.W. W.S.W. W.S.W. W.S.W. W.S.W. S.W.	167 170 97 154 107 115 130 73 131 207 85 79 79 103 178 71 69	3.0 2.0 0.0 3.5 1.5 3.5 0.0 3.0 1.0 1.0 1.0 1.5 1.0	24 26 17 17 26 24 32 14 10 10 20 10 14 17	5 P 3 P 5:30 P 10 P 9:30 P 7 P 6 P 12 P 2 P 4 P 11 A 10 A 6 P 10 P 8 P	3:30 P 9 A 3 P 3 A 0 A 0 A 3 P 7 A 4 A 0 A	4:30 P 4 P 6 P 6 P 12 P 4 A 5 P 4 P	T .03 T .30 T .90 .08 T .07 .05 .79	
20 21 22 23 24 25 26 27 28 29 30 31	57.5 55.0 49.0 43.5 47.0 46.5 53.5 53.0 48.5 50.0 53.5 56.5	538 .430 .382 .340 .425 .490 .625 .611 .644 .578 .582	89.5 91.5 91.5 81.5 76.0 64.5 65.5 67.0 53.5 61.0 86.0 85.5	S.W. S.S.W. N.E. E. E.S.E. E. W. W. N. W.N.W. S.W.	105 79 182 161 42 98 143 49 129 142 104 202	1.5 0.5 2.5 0.0 0.0 1.0 2.0 3.0	17 10 22 - 14 10 20 - 14 20 24	4 P 6 P 6 P 6 P 10 A 10 P — 6 P 6 P 2 P	4 P	12 P 12 P 9 P	.16	

^{**}Rain or melted snow at base of tower. * Included in following day.

The backwardness of the season, which was so pronounced at the close of April, continued throughout this month. In most respects the season's advance was fully three week's behind the normal. Temperatures ruled low during the first half of the month, and considerable wet weather helped to retard the season's progress. The last third of the month was free from rain, and somewhat higher temperatures were recorded. On the whole the weather was very unfavorable for growing crops. The soil moisture was excessive on all but the lightest soil.

An examination of the records of the several weather elements shows the following features of interest: The mean barometer was considerably higher than the normal and the range of pressure was less than usual. The total wind movement was about 80 per cent of the normal, and no gales were noted. The wind direction was more variable than usual.

The mean temperature was three degrees below the normal and the range less than usual. The maximum temperature was more than three degrees below the normal and the minimum was practically normal. On only two days near the last of the month was a temperature above 80 degrees recorded. A few light frosts were noted early in the month.

The mean dew point was more than three degrees lower than usual, and the relative humidity slightly higher than the normal.

The total precipitation was nearly normal, and most of it occurred during two heavy storms; the first on the 8th—9th, and the second on the 20th—22d. This second storm proved to be the last one of the month and was followed by some fairly seasonable weather.

The amount of sunshine was considerably more than normal.

J. E. OSTRANDER, Meteorologist.

G. S. SMITH, Observer.

Meteorological Observations

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

MONTHLY	SUMMARY.
Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.04, 27th, 9 A Minimum reduced to freezing, 29.29, 16th, 2 P Reduced maximum reading 30.32, 27th, 9 A Reduced minimum reading, 29.54, 16th, 2 P Mean semi-daily reduced 20.952 Monthly range 0.78	Total movement
*Air Temperature. In Degrees Fahr.	Prevailing direction, North.
Highest	Summary.
Mean sensible (wet bulb) 59.4 Monthly range 43.0 Highest mean daily 73.6, 2d Lowest mean daily 50.3, 18th Mean maximum 75.3 Mean minimum 54.1 Mean daily range 21.2	North Northwest 10 " " South
Greatest daily range 35.5, 10th Least daily range 6.0, 18th	Weather.
Humidity. Mean dew point 56.9 Mean force of vapor .618 Mean relative humidity 77.5	
	Bright Sunshine.
Number of days on which or inch or more	Number hours recorded, 241 hrs, 53 = per cent. Rain, 3d, 5th, 6th, 13th, 15th, 16th, 17th, 18th, 21st, 22d, 28th, 29th, 36th. Thunder and Lightning, 15th, 29th, 30th. Hnil, 29th. Gales, none.
Temperature in ground shelter.Reduced to freezing and sea-level.	

		eter Re Sea Lev			Temp	perature	. Ground	d Shelter			ours of Sunshine
Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshir
1 2 3 4 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 1 22 22 23 24 25 26 27 28 29 30	30.09 30.02 30.06 30.18 30.12 29.88 29.96 30.01 30.07 29.96 30.00 29.82 20.65 29.79 30.18 30.18 30.18 30.18 30.18 30.17 30.17 30.17 30.17 30.17 30.29 99 99	29.97 29.82 29.83 30.06 29.87 29.84 29.95 29.90 29.82 29.76 29.76 29.54 29.55 29.79 29.99 30.10 29.86 30.10 30.20 29.94 29.94 29.74 29.74 29.74 29.74 29.74 29.74 29.76	30.037 29.930 30.134 29.979 29.847 29.911 29.980 30.032 29.990 29.970 29.973 29.975 30.082 30.144 29.822 29.810 30.034 30.136 30.136 30.136 30.264 30.288 30.264 30.298 30.298	85.0 87.5 78.0 68.0 63.0 64.0 83.0 88.0 88.0 84.0 82.5 75.0 71.0 75.5 61.0 79.0 82.0 83.5 88.5 88.5 88.5	2:30 P 2:30 P 1:30 P 0 A 1:30 P 0 A 4 P 5 P 2 P 1:30 P 0 A 3:30 P 1 P 3 P 0 A 12 M 4 P 4 P 12 P 12 M 2 P 4 P 12 P 12 M 4 P 4 P 5 P 12 P 12 M 4 P 14 P 15 P 16 P 16 P 16 P 16 P 16 P 16 P 16 P 16	54 0 60 5 63 0 54 0 48 0 48 0 47 5 55 5 60 3 61 5 60 0 51 0 46 5 45 0 57 0 49 0 57 0 64 5	5 A 5 A 12 P 6 A 12 P 0 A 5 A 5 A 5 A 5 A 6 A 12 P 12 P 12 P 12 P 12 P 3:30 A 6 A 5 A 6 A 5 A 6 A 7 A 6 A 7 A 6 A 7 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8 A 8	69.5 74.0 70.5 61.0 53.0 55.5 57.0 65.3 71.7 71.5 59.0 67.5 55.5 51.0 68.0 68.0 64.5 66.5 70.5 70.3 73.3	68.9 73.6 69.2 51.3 53.9 57.7 56.4 70.7 70.6 58.7 70.2 66.7 58.3 58.2 60.5 56.8 67.9 68.9 68.9 72.1 71.3 70.1	63.5 68.5 63.3 54.7 52.0 52.5 56.5 62.0 62.3 64.0 54.5 58.0 62.0 63.0 63.0 63.0 63.0 63.0 63.0 63.0 63	11.7 12.3 5.5 10.5 0.0 2.7 7.7 7.0 8.0 10.5 9.3 9.5 4.4 0.0 12.0 0.0 12.4 12.8 13.7 13.0 9.8 6.7 9.8

	I	Iumidity	<i>i</i> .			Wind.			Р	recipita	tion.	
	Dew	por.	ty	ng in.	t .	ım e are Ft	L G		n żż		Tot: Inc	al in hes.
Day.	Mean D Point.	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Kain.**	Snow.
ī	58 5	.720	730	s s.w.	122	1.5	17	5 P				
2	670	.805	82.0 87.0	S. W.N.W.	171	3.0	24	5 P		2 D		
3	69. 5 49. 5	.784 .551	62.5	N.N.E.	102	I O	I 4 I 4	2 A	1:30 P	3 P	.04	
4	49. 5 48. 5	.364	93.5	N.	135	0.5	10	8 A	1 А	12 P	.61	
5	50.0	-347	86.5	W.N.W.	113	0.5	10	I P	o A	2 P	.17	
7	47.5	.473	69.5	N.N.W.	201	2.5	22	11 P			,	
8	47.5	.493	67.0	N.N.E.	68	0.5	10	9 A				
9	52.0	569	69 0	N.E.	97	1.0	14	I P			l	
10	54 5	.675	69.5	S.W.	84	0.5	10	8 P	i			
11	58.5	.709	72.0 64.0	N.N.W. N.N.E.	I 17	0.5	10	5 P 1 P				
12	57.0 53.0	.750 .460	86.5	S.	105	0.0	14	1 F	2 A	IO A	.15	
13	57.5	.730	70.0	N.N.W.	70	1.0	1.4	5 P	~ ``		,	
15	60.0	.648	83.0	SW.	88	3.0	24	4 P	3 P	12 P	.32	
16	62.5	.643	88.o	N.N.E.	38	0.5	10	10 P	O A	5 P	.14	
17	51.0	.403	86 5	N.E.	90	0.5	10	10 P	0 A	12 P	2.46	
ι8	48.5	.362	90.5	N.N.E.	140	0.5	10	IO A	0 A	5 P	.36	
19	51.0	.485	77.0	N.N.E.	51	1.5	17	II A				
20	54.5	.546	76 0	S. N.	65	2.0	20	7 P	2.4	r p	2 5	
21	55 ° 61 5	.467 .633	93.0 87.5	S.	53 72	3.0	24	2 P	2 A 8 A	5 P	·35	
23	64.0	.670	76.0	S.S.W.	90	0.0			0 1	• •		
24	58 5	.657	74.5	S S.W.	30	0,0	_					
25	53.5	.729	58.5	N.N E.	124	2.5	22	3 P				
26	57.0	.732	64.5	E.N.E.	95	0.1	14	12 M				
27	59.0	.760	67.5	S.	47	0.5	10	4 P			Т	
28	65.5	.815	78.5	S.S.E.	87	05	10	12 M	1 1	2 P	-	
29	65.5	.754	82.5 88.5	S. S.	198 168	3.5 1.5	26 17	3 P 1 P	1:30 P 5 P	9 P 6 P	1.40	
30	69.5	.754	00.5	ು.	103	1.5	1/	1 1	2 1	0.1	0	

The weather during June was more nearly normal than for some months past, although having some unusual features. The temperature was a little lower than usual and high temperatures were not registered. Some unusually heavy rain-storms occurred and the percipitation was very large. The ground in many places is excessively wetand growing crops have not made good progress. The last week of the month was good summer weather.

The records of the several weather elements show the following features of interest: The mean barometer was practically normal and the range about the usual amount. The total wind movement was small and not a single gale was recorded. The wind direction was rather variable and an unusually large amount was from the South.

The mean temperature was slightly lower than the normal and the range was very small. This was due to a rather low maximum and a minimum more than five degrees higher than usual. Two periods of low temperature were noted; the first covering the time from the 4th to the 8th, and the second extending from the 16th to the 22d.

The mean dew point was practically normal and the relative humidity about 5 per cent higher than usual.

The total precipitation was nearly twice the normal for June and practically one-half of it fell during a rainy period about the middle of the month. On the 29th a very heavy thunder shower with some hail and shifting wind occurred and more than an inch of rain fell in about an hour.

The amount of sunshine was slightly less than the normal.

J. E. OSTRANDER, Meteorologist.

G. E. LINDSKOG, Acting Observer.

*Temperature in ground shelter.
**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	
	Wind.
Maximum reduced to freezing, 29.95, 11th, 8 A	Total movement
Minimum reduced to freezing, 29.23, 24th, 4 A	Greatest daily movement 239m, 4th
Reduced maximum reading . 30.24, 11th, 8 A	Least daily movement 33m, 27th
Reduced minimum reading, 29.52, 24th, 4 A	Mean daily movement 123m
Mean semi-daily reduced 29.961	Mean hourly velocity 5.1m
Monthly range 0.72	Maximum pressure per square foot, 7.5 lbs=
	39m per hour, 4th, 4 P, W.N.W.
	Maximum velocity for 5 minutes, 27m per
	hour, 4th, 2P, W.N.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, Southwest.
Highest 87.5, 13th, 3:30 P	
Lowest 45.0, 26th, 5 A	
Mean hourly	S
Mean of means of max, and min 68.7	Summary.
Mean sensible (wet bulb) 63.7	inden Southwest
Monthly range 42.5	1.00ttu + + + + + + + + + + + + + 1.52
Highest mean daily	Other directions
Lowest mean daily 59.7, 26th	
Mean maximum 80.0 Mean minimum	
Mean daily range 22.5	
Greatest daily range	Weather.
Least daily range	Mean cloudiness observed 50 per cent
Dea vidiniy ringer v	Total cloudiness recorded by the Sun
	Thermometer 140 hours $=$ 30 per cent.
Humidity.	Number of clear days 15
Mean dew point 60.9	Number of fair days 13
Mean force of vapor	Number of cloudy days 3
Mean relative humidity 77.6	
steam relative minimity	
	Bright Sunshine.
	Number hours recorded, 322 brs, 70 = per cent.
	Rain. 2d, 3d, 7th. 9th, 12th, 15th, 18th,
Precipitation. In inches.	19th, 23d, 24th, 30th, 31st.
	Thunder and Lightning, 9th, 15th, 20th,
Number of days on which .or inch or more	22d, 23d, 24th, 30th, 31st.
rain fell 10	Gales, 39m, 4th, W.N.W.

		eter Re Sea Lev			Tem	perature	. Ground	d Shelter			of
Day.	Maximum	Minimum.	Mean. Senn-daily	Maximum	Maximum Time.		Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 5 6 6 7 8 9 10 11 15 16 17 18 19 20 1 22 22 23 24 25 6 27 28 29 30	29 91 29.92 29.79 29.77 29 98 30.05 30.18 30.15 30.15 30.11 29.88 30.03 30.16 30.16 30.15 30.16 30.16 30.16 30.16 30.16 30.16 30.17 30.17 30.17 30.17 30.17 30.17 30.17 30.17 30.17 30.05	29.75 29.78 29.60 29.60 29.76 29.98 29.85 29.97 30.06 30.15 30.05 30.10 29.88 29.85 29.90 30.03 29.80 29.91 30.03 20.95 29.70 20.52 29.76 20.76 20.76 20.88	29 844 29 855 29.635 29.680 29.856 30.016 29.910 29.918 30.68 30.138 30.200 30.036 29.978 29.978 29.93 30.055 30.116 29.838 30.002 29.802 29.802 29.802 29.803 30.002 30.002 30.002 30.002 30.002 30.002 30.002 30.002 30.002 30.002 30.002 29.803 30.155 30.155 30.155	80.0 79.5 66.0 71.0 81.5 81.5 83.5 80.5 83.5 80.5 74.0 82.0 81.5 82.0 81.5 82.0 82.0 82.0 82.0 82.0 83.5 85.5 85.5 85.5 85.5 85.5 85.5 85.5	4 P 3:30 P 5:30 P 12 M 4 P 2:30 P 11 A 2 P 4 P 3:30 P 2:30 P 4:30 P 2:30 P 2:30 P 1:30 P 2:30 P 1:30 P 2:30 P 1:30 P 2:30 P 1:30 P 2:30 P 1:30 P 2:30 P 1:30	58.0 54.5 57.0 56.0 50.0 62.0 60.0 63.0 64.0 54.5 62.5 61.0 66.0	5 A 5 A 12 P 3 A 12 P 5:30 A 6 A 5:30 A 12 P 5:30 A 12 P 6 A 5 A 12 P 6 A 5 A 12 P 6 A 5 A 5 A 5 A 5 A 5 A 5 A 5 A 6 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 5 A 6 A 6 A 5 A 6 A 6 A 5 A 6 A 6 A 5 A 6 A 6 A 5 A 6 A 5 A 6 A 6 A 5 A 6 A 6 A 6 A 6 A 6 A 6 A 6 A 6	69 0 67.0 61.5 63.5 63.5 65.7 71.7 70.0 67.7 71.3 71.7 75.3 75.5 71.3 64.5 62.7 72.3 71.0 67.7 72.0 73.7 74.0 63.5 63.5 63.5 62.7 75.0 70.7 70.0	69.1 68.0 62.7 61.5 60.8 70.2 72.1 67.4 69.8 70.8 71.9 64.0 62.2 62.4 71.7 68.8 69.8 71.9 64.3 72.9 71.8 69.8	63.5 62.5 61.5 57.0 66.0 66.0 67.5 66.0 67.7 56.5 69.5 69.5 60.7 70.5 66.7 57.7 63.3 65.3 65.3 66.7	13.7 10.3 3.2 10.0 7.0 11.5 13.0 7.0 12.0 4 3 13.0 8.8 3.7 13.0 12.7 9.4 6.6 13.4 13.0 13.0 12.0
31	29.95	29.75	29.819	84.0	3:30 P	64.0	12 P	74.0	71.3	65.7	8.6

	ŀ	lumidit	у.			Wind.			F	recipita	tion.	
Day.	Mean Dew Point,	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square Ft	Miles per Hour.	Time.	Beginning.	Ending.		wous.
1 2 3 4 4 5 5 6 6 7 8 8 9 10 11 12 2 13 14 15 16 17 18 19 20 22 23 24 25 26 27 28 29 30	61.0 58.5 60.5 57.0 56.5 63.5 64.0 60.5 62.0 64.5 65.0 64.5 65.0 64.5 65.0 64.5 65.0 64.5 65.0 64.5 65.0 65.5 65.0 66.0 66.5 66.0 66.5 66.0 66.5 66.0 66.5 66.0 66.5 66.0 66.5 66.0 66.5 66.0	.679 .700 .576 .596 .685 .721 .748 .644 .682 .746 .706 .858 .818 .563 .587 .782 .682 .784 .563 .587 .782 .587 .750 .589 .750	81.0 67.0 89.5 72.5 79.0 64.5 80.0 80.0 79.5 76.0 78.0 66.5 77.0 64.5 83.0 78.0 66.5 77.0 88.5 77.0 88.5 77.0 88.5 77.5 88.5 77.5 88.5 77.5 88.5 77.5 88.5	N. S. N.N.E. W. N.W. S.S.W. S. S.S.W. S. W. N.W. S. S. S.S.W. S. S.S.W. S. S.S.W. N.W. S. S. S. W. N.W. S. S. S. W. N.W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. W. S. S. S. S. S. S. S. S. S. S. S. S. S.	90 1088 1133 2399 1833 633 2155 1111 677 376 1122 1100 2199 1688 1055 1600 1833 355 174 232	0.5 2.0 0.5 1.5 1.0 0.5 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.5 1.0 0.0 0.5 1.5 1.0 0.0 0.5 1.5 1.0 0.0 0.5 1.5 1.0 0.0 0.5 1.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.5 1.0 0.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.5 1.0 0.0 0.0 0.5 1.0 0.0 0.0 0.5 1.0 0.0 0.0 0.5 1.0 0.0 0.0 0.5 1.0 0.0 0.0 0.5 1.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	10 20 10 17 14 22 17 10 10 17 14 10 10 10 10 10 10 10 10 10 10 10 10 10	1 P 3 P 4 P 11 A 4 P 3 P 2 P 10 P 11 A 1 P 11 A 2 P 11 A 2 P 11 A 12 M 4 P 12 M 4 P 15 A 4 P 11 A	5 P 6 A 2 P 1 P 2 P 9 A 3:30P 1 A 0 A	7 P 3 P 8 P 8 P 9 A 12 P 3 A	T .36 T .01 .24 .03 .00 .31 .20	18
31	65.5	.619	90.0	S.S.W.	145	2.0	20	2 P	3 A	12 P	-43	

The most noticeable feature of the weather during the month was the general absence of high temperatures. The maximum temperature was well below 90 degrees, and on more than one-third of the days the maximum did not reach 80 degrees,—a very unusual record for July. There were several cool periods of about three days' duration, notably the 3d-5th, the 16th-18th and the 25th-27th. During this last period the minimum of the month was reached. Another feature was the rather small precipitation, aithough there was a large number of thunder storms.

The records of the several weather elements, when compared with their respective normals, show the following features of interest: The mean barometer was practically normal and the range about the usual value. The maximum and minimum pressures were both slightly higher than their normals. The total wind movement was a little more than usual, and only one gale, was recorded. During more than one-half the time the wind was from the South or South Southwest,—a rather unusual record here.

The mean temperature was more than two degrees lower than usual, and the maximum temperature was more than six degrees below the normal record for this feature. The minimum temperature was practically normal.

The mean dew point was practically normal and the relative humidity several points higher than usual, owing to the generally low temperature record.

The total precipitation was less than one-half the normal and was well distributed throughout the month.

The amount of sunshine recorded was greatly in excess of the normal.

J. E. OSTRANDER, Meteorologist.

G. E. LINDSKOG, Acting Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

1110111111111	JONAMIA I.
Pressure. In inches.	Wind.
	Total movement
	, , , , , , , , , , , , , , , , , , , ,
Highest	South 23 " North Northeast 13 " North 10 " Other directions
Humidity. Mean dew point 63.5 Mean force of vapor .707 Mean relative humidity 84 3	Total cloudiness recorded by the Sun Thermometer
Precipitation. In inches. Total precipitation, in inches 362 Number of days on which .01 inch or more rain fell	Bright Sunshine. Number hours recorded, 262 hrs, 61 = per cent. Rain. 1st, 2d, 7th. 1oth, 11th, 43th, 14th, 15th, 16th, 18th, 19th, 21st, 29th, 3oth, 31st. Thurder and Lightning, 1oth, 11th, 13th, 3oth, 31st. Gales. 35m, 31st, W.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level,

		ter Red ea Leve			Temp	erature.	Ground	l Sh elt er			of hine
Day.	Махітит	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
ı	29 90	29.78	29 844	77.0	2 P	62.0	7:30 A	69.5	66.7	60 7	7.
2	30 04	29 90	29 948	77.0	2:30 P	58.0	6 A	67.5	66.6	60.3	10
3	30.22	30.04	30.174	80 5	4 P	52.5	6 A	66.5	65.4	59 3	13
4	30.28	30 18	30.234	80.0	3 P	520	6 A	66.0	66.5	62.5	11
5	30 22	30.16	30 195	85.5	3 P	550	6 A	70.3	69.5	65.7	11
6	30.21	30.08	30 148	83.0	4:30 P	60.0	6 A	71.5	69.9	66.3	10
7	30 12	29.98	30.024	80.5	4:30 P	65.0	6 а	72.7	71.5	69 5	6
8	30.07	30 02	30.068	92.0	2:30 P	640	6 A	78.0	75.5	68 7	10
9	30 13	30.02	30.078	89.5	1:30 P	64 5	5 A	77.0	76.4	70.7	10
10	30.04	29.89	29 944	85.5	4 P	70.0	5 A	77 7	74 7	72.5	6
l J	29.99	29.87	29.906	85 5	5:30 P	67.0	12 P	76.3	735	70.5	6
12	29.99	29 92	29.937	86.0	3 P	65.0	5 A	75.5	73 4	71.3	8
13	30.02	29.93	29 972	82 5	4 P	71.0	5 A	76.7	74.0	72.3	5
14	30.03	29 98	30 003	82.5	1 P	710	7 A	76.7	74.0	71.5	4
15	30.08	29.98	30.020	78.5	11:30 A	67.5	12 M	73.0	72.9	71.3	2
16	30.04	29.98	30 000	82 5	12:30 P	69.0	12 P	75.7	72.9	70.5	4
17	30 13	30 02	30 070	90.0	3:30 P	69.5	6 A	79.7	75.8	71.7	8
ı8	30.32	30 13	30 257	76.5	3 P	04.0	12 P	70.3	69.5	64.7	2
19	30.40	30.31	30.374	78 5	2:30 P	61,0	2 A	69.7	67.0	61.3	7
20	30 36	30.20	30 280	77.5	2 P	51.0	6 A	64.3	63.3	57.5	10
2 (30.22	29 97	30.068	82.0	3:30 P	46.5	6 A	64.3	64.7	59.7	11
22	29.97	29.86	29 882	87 5	3:30 P	65.0	12 P	76.3	75.6	72.0	10
23	30 08	29.98	30.046	77.0	5:30 P	59.0	12 P	68.0	66.4	58.5	10
24	30.12	30.05	30.090	82 5	4 P	54.0	6 A	68.3	66 2	59-5	12
2 2	30.16	30.08	30.150	81.0	2:30 P	530	6 A	67.0	66.7	62.0	9
26	30.28	30.16	30.268	84.5	3:30 P	55.0	6 A	69.7	68 6	630	10
27	30 27	30.15	30.220	85.5	3:30 P	56 5	6:30 A	71.0	696	61.3	10
28	30.16	30.00	30.104	85.0	3:30 P	56.5	6 A	70.7	69.1	61.5	9
29	30.08	29 97	30.016		1:30 P	62.5	6 A	71-5	68.9	64.0	6
30	29.98	29.74	29 898	83 5	5:30 P	64.0	6 A	73-7	71.7	68.5	8
3 I	29.79	29.62	29 699	82.5	12 M	61.5	6:30 A	72.0	68.5	62.5	1 3

	F	lumidity	<i>i</i> .			Wind.			F	recipita	tion.	
	ew	por.	ty.	ng n.	Į į .	ımı are Ft	1.		ř		Tota Incl	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6 7 8 9 10 11 12 13	58.0 57.0 55.0 60.5 64.0 68.5 66.5 71.0 70.5 72.0 70.5 72.5	.612 .635 .583 .650 .614 .702 .783 .800 .834 .855 .763 .810	79.5 79.5 77.0 80.5 83.0 93.0 88.0 88.5 96.5 92.5 94.5 92.0	W.S.W. N.N.E. N. E. S.W. S. S.S.W. S. S.S.W. S. S.S.W. S. S.S.W.	58 66 86 69 64 62 69 96 125 198 93 45 64	0 5 0.0 0.0 0.0 0.0 0.0 0.5 2.0 1.5 0.0 0.5	10 — — — — 10 20 17 17 — 10	2 A 3 P 3 P 12 M 11 P 9 P 7 P	O A O A O A O A	2 A 5 A 12 M 12 P 11:30 P 5 P 12 M	.04	
15 16 17 18 19	70 0 70.5 63.0 59.5 55.0	.772 .836 .682 .584 .526	94.0 92.0 85.0 88.5 84.0 82.0	S.S.W. N. E.N E. N.N.E. S.S.W.	65 62 80 63 75	0.0 0.5 0.0 0.0	10	8 A 	1 P 0 A 2 A	12 P 4 A 4 A	.65	
21 22 23 24 25 26 27 28 29 30 31	57 5 70 0 55.0 56.0 59 0 61.0 58.5 58 5 62.0 67.5	.595 .889 .587 .614 .638 .663 .646 .640 .661	82.0 83.5 74.0 67.5 81.0 80.5 77.0 78.0 85.0 88.0	S.S. W. N.N.E. N. N.N.E. W. S.S.W. S.S.W. S.S.W. S.S.W.	75 139 243 91 51 40 41 90 76 140	1.5 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 5 0 0	14 17 20 — — — — 10 35	11 P 10 A — — — — 6 P — 3 P	0 A 9:30 P 12:30 P	бр 10 Р 2 Р	.01	

The weather during the month was marked by high humidity, numerous small showers and a rather high temperature. While the wind movement was small it came from near the South point of the compass for an unusually large part of the time. The days seemed to be less cloudy than the nights.

A comparison of the records of the several weather elements with their respective normals shows the following interesting features: The mean barometer was considerably higher than the normal and the range slightly more than usual. Changes in barometric pressure were as a rule rather slow and unimportant. The total wind movement was about ten per cent less than normal, and only one gale was recorded.

The mean temperature was about two degrees higher than the normal and the mean of the maximum and minimum temperatures considerably higher than the mean hourly. This was due to the fact that the period of high temperature during the day was usually rather short. The maximum and minimum temperatures were both higher than their respective normals.

The highest temperature of the year so far was recorded on the 8th. The range of temperature for the month was smaller than usual.

The mean dew point was more than three degrees higher than usual and the relative humidity was more than seven points above the normal.

The total precipitation was about one-half inch less than the normal. The only heavy rainstorm was that of the 10th—11th.

The amount of sunshine was large and only a few days were classed as cloudy.

J. E. OSTRANDER, Meteorologist.

G. E. LINDSKOG, Acting Observer.

BULLETIN No. 381.

**Reduced to freezing and sea-level.

SEPTEMBER, 1920

Meteorological Observations

AT THE

LIBRARYOF

MASSACHUSETTS

Massess misse

AGRICULTURAL EXPERIMENT 7 - 1920

STATION.

Agres

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.07, 22d, 9 A Minimum reduced to freezing, 29.05, 30th, 12 P Reduced maximum reading 30.37, 22d, 9 A Reduced minimum reading, 29.35, 30th, 12 P Mean semi-daily reduced 29.990 Monthly range 10.02	Mean hourly velocity 4.8m
*Air Temperature. In Degrees Fahr.	Prevailing direction, West Southwest.
Highest 90.0, 26th, 4:30 P Lowest 37.0, 20th, 6 A Mean hourly 62.8 Mean of means of max, and min. 64.1 Mean sensible (wet bulb) 57.4	Summary. South Southwest 10 per cent
Monthly range	South
Lowest mean daily 51.5, 20th Mean maximum 75.7 Mean minimum 52.4 Mean daily range 23.3 Greatest daily range 36.0, 4th	North
Least daily range 6.0. roth	Weather.
Humidity. Mean dew point	Mean cloudiness observed 52 per cent Total cloudiness recorded by the Sun Thermometer 130 hours = 35 per cent. Number of clear days 8 Number of fair days
	Bright Sunshine.
Precipitation. In inches. Total precipitation, in inches 6.74 Number of days on which or inch or more rain tell	Number hours recorded, 243 hrs, 65 = per cent. Rain. 18t, 2d, oth. 7th, 1oth, 12th, 13th, 16th, 18th, 27th, 28th, 3oth. Thunder and Lightning, 12th, 13th, 3oth. Gales, 35m, 3oth, S.
*Temperature in ground shelter,	

		eter Re Sea Lev	duced to	Temperature. Ground Shelter.							
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
ı	29 94	29.68	29.787	72.0	3 P	52.0	12 P	62.0	62.7	57.5	10.5
2	30 12	29 94	30.049	71.5	3 P	45.0	6:30 A	58.3	57.8	53.7	12.0
3	30.15	30.08	30.123	77.5	4 P	43.0	6 A	60.3	59.2	51.5	11.8
4	30.18	30.09	30.130	79.5	4:30 P	43.5	6:30 A	61.5	6ó.5	52.7	10.4
5	30.17	30.13	30.156	79.5	4:30 P	44 5	6 A	62.0	62.2	56 3	11.5
6	30.17	29.94	30.043	76.0	3 P	51.5	6 A	63.7	64 3	61.0	7.5
7	29 94	29.86	29.913	79.5	3 P	0.10	12 P	70.3	67.2	62.0	6.2
8	30.03	29.88	29.935	77.0	3 P	57.5	6 A	67.3	66.5	60.3	10.9
9	30.09		30.021	80.0	3 P	48.5	6 A	64.3	65.0	58 o	10.8
10	29.96	29.78	29 812	650	o A	50.0	12 P	62.0	61.2	58.3	0.0
[1	29.92	29.85	29.886	77.5	3:30 P	57-5	6 A	67.5	64.9	59.7	83
12	29.89	29.59	29.642	820	4 P	62.0	6 A	720	68.5	64.5	6.1
13	29.80	29.60	29.672	75.0	1.15	00.0	12 P	67.5	64.8	57.7	6.0
14	30.03	29.80	29.902	70 5	2:30 P	530	6 A	61.7	61.5	57.0	9.4
15	30.12	30 03	30.077	68.0	4 P	58 o	0 A	63.0	62.5	5 9.3	5 7
16	30.04	29.77	29 848	68.5	5:30 P	60.0	12 P	64.3	63.8	59.5	2.0
17	29.97	29.82	29.902	07.0	3 P	48.0	6 A	57.5	58.3	49.3	11.5
18	3001	29 69	29812	76.0	2:30 P	49.5	6 A	627	63.5	56.5	8.1
19	30.14	29 89	30.084	62.0	3 P	42.0	6:30 A	52.0	51.7	460	11.5
20	30.24	30.13	30.218	64.0	2:30 P	37 0	6 A	50.5	51.5	48.3	8.5
2 [30.35	30.24	30 325	71.0	0.0	46.0	6 A	5 8-5	56.2	50.5	8.5
22	30 37	30 28	30.324	735	3:30 P	49.0	4:30 A	61.3	5 9.2	54.0	8.6
23	30.30	30.18	30.245	81.0	3:30 P	48 0	6:30 A	64 5	63 2	60.3	8.5
24	30.17	30 02	30.121	86.5	3 P	56.0	6 A	71.3	66.4	62.3	8.3
25	30.15	30.04	30.110	89.0	3 P	58.0	6 A	73.5	68 6	62.0	9.0
26	30.14	30.05	30.105	90.0	4:30 P	56 o	7 A	73.0	70.2	63.0	10.8
27	30.15	30.00	30 097	85 5	1:30 P	55.5	7 A	70.5	67.3	60.5	7.8
28	30.00	29.85	29.897	75.0	12 M	63.0	6 A	69.0	67.4	67.0	3.7
29	29.76	29.86	29.903	80 o	4 P	51.0	7 A	65.5	63.8	58 o	9.1
30	29.88	29.35	29.571	73 0	7 P	58.5	5 A	65.7	64.7	65.3	0.0

	ŀ	lumidity	1.		Wind.						tion.	
	3	por.	, i	1g. 1n.	nt .	m are Ft	ь		iż		Tot Inc	
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Spor
ı	54-5	.574	76.5	N.N.W.	170	2 5	22	IO A	4 A	5 A	.02	
2	47.5	.458	71.5	N.	149	3.0	24	11 A	8:30 P	9 P	.02	
3	47.5	.458	71.0	N.N.E. S.W.	64 18	0.0		_			İ	
4	50.0 53 0	.464 .524	80 5 78.5	S S.W.	37	0.0	_	-				
5 6	500	606	83.5	N.E.	90	0.0			9:30 P	12 P	.03	
	59.5	.644	80.0	N.	104	0.5	10	6 Р	9.30 A	5 P	.00	
7 8	57.5	.619	77 O	N N.W.	141	1.5	17	9 A		,	,	
9	56.0	.548	82.5	S.	58	0.0	_	_				
0	57.0	.510	915	N.E.	99	0.0	_		O A	4 P	1.18	
1	<u>5</u> 7. 5	.580	82.0	S.S.E.	66	0.5	10	9 P				
2	63.0	.654	89.0	S.	137	2.0	20	5 A	0 A	12 1	.54	
3	55.0	-541	81 5 75.0	N. N N.E.	280	3.0	22	3 P	0 A	9 A	.04	
4	53.5 50.5	.548 .560	80 5	N.N.E.	108	0.0	-4	12 M				
6	580	.558	86 5	S S.E	145	2.0	20	4 P	4 A	9 P	.15	
7	440	.432	67.0	N.W.	292	3.5	26	12. M	4	9.		
8	52.0	.589	78.5	S.W.	190	1.5	17	5 P	10 P	HP	.07	
9	42.5	.345	77 0	W.S W.	229	1.5	17	2 l'			<i>'</i>	
0	46.0	-373	85.5	W.	64	00	-					
1	48.5	.406	84.5	W.	68	0.0	_					
2	52.0	.451	86.0	S.	97	0.5	10	2 P				
3	60 o 62.0	-557	96.0 96.0	S.S.E. S.S.E.	5.5	00	_	_				
5	61.0	.586 .601	80.0	S.S.W.	27 16	0.0		_				
6	62.0	.611	92.5	N.W.	35	0.0	_					
7	60.0	557	050	S.S.E.	67	1.0	14	6 P	пР	12 P	.0.1	
8	66.5	.684	95.0	S.	196	2.5	22	() A	3 P	II P	1.16	
29	57.0	.513	92.5	S. S.S.W.	83	0.0		_				
30	65.0	.658	96.5	S.	166	6.0	35	7 P	1 A	12 P	3.40	

^{**}Rain or melted snow at base of tower. * Included in following day.

The weather during September was in general seasonable, although presenting several marked characteristics. One of the most prominent features was the absence of frost up to the end of the month. On the 20th light frost was noted in some places in the vicinity, but no damage was done. At the station not even a trace was observed. Following the 20th there was much foggy weather and a very high humidity. The highest temperatures of the month were registered near the end of the month. On the 30th one of the heaviest rainstorms ever noted at this station occurred, accompanied by a rapid fall of the barometer. The month closed with high wind and rain.

The mean barometer was rather low and the range considerably more than usual. The maximum and minimum pressures were both below their respective normals. The total wind movement was practically normal and more variability than usual was noted on the wind direction chart. The only gale recorded was during the storm of the 30th.

The mean temperature was one and one-half degrees higher than the normal, and both the maximum and minimum temperatures were several degrees higher than usual. The mean of maximum and minimum temperatures was considerably higher than the mean hourly temperature, due to the fact that the period of high temperature each day was only a few hours at the most.

The mean dew point and relative humidity were both considerably higher than the normal.

The total precipitation was nearly twice the normal amount and about one-half of it fell on the last day of the month. The amount of sunshine was large.

J. E. OSTRANDER, Meteorologist.

H. W. POOLE, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS

AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23′ 48.5″ N. Longitude 72° 31′ 10″ W. Height of harometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.10, 18th, 9 A Minimum reduced to freezing, 28.97, 1st, 3 A Reduced maximum reading, 30.39, 18th, 9 A Reduced minimum reading, 29.26, 1st, 3 A Mean semi-daily reduced	Total movement
Highest 81.5, 9th, 3:30 P Lowest 29.5, 7th, 6 A Mean hourly 55.4 Mean of means of max, and min. 56.4 Mean sensible (wet bulb) 51.3 Monthly range 52.0 Highest mean daily 66.8, 22d Lowest mean daily 41.8, 30th Mean maximum 68.4 Mean minimum 44.4 Mean daily range 24.0 Greatest daily range 44.0, 7th Least daily range 95.5 5th	Summary. South Southwest 23 per cent Southwest 13 " " North Northwest 10 " " West Southwest 10 " " West 10 " "
Humidity. Mean dew point 49.3 Mean force of vapor 417 Mean relative humidity 86.7	Mean cloudiness observed
Precipitation. In inches. Total precipitation, in inches 1.54 Number of days on which or inch or more rain fell	Bright Sunshine. Number hours recorded, 196 hrs, = 57 per cent. Rain, 1st,5th, 16th, 26th, 27th, 28th, 29th. Thunder and Lightning, 29th. Frost, 7th, 24th. Gales, 49m, 1st, S.S.W.

^{*}Temperature in ground shelter, **Reduced to freezing and sea-level.

		eter Re Sea Lev			Tem	perature	. Ground	d Shel t er			s of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 4 4 5 6 7 8 8 9 0 0 11 12 13 14 15 16 17 18 9 20 21 22 23 24 25 26 27 28	29.84 30.16 30.23 30.11 30.12 30.21 30.14 30.15 30.06 30.17 30.18 30.15 30.31 30.25 30.25 30.25 30.25 30.25 30.25 30.25 30.25 30.25	29.26 29.84 30.11 29.92 29.93 30.10 30.07 30.04 30.02 29.92 30.06 30.13 30.07 30.16 30.29 92.85 30.08 30.08 29.93 30.08 29.93 30.08 29.73 29.73	29,610 30,067 30,174 30,004 30,010 30,110 30,119 30,119 30,119 30,12 29,902 30,142 30,154 30,154 30,134 30,20 30,350 30,350 30,20 30,188 30,20 30,188 30,20 30,188 30,008 30,009 20,988 30,009 20,987 20,987	73.0 62.0 71.5 56.0 62.5 73.5 80.0 71.0 55.0 74.0 63.5 74.0 63.5 74.0 63.5 74.0 63.5 74.0 63.5 74.0 63.5 74.0 74.0 74.0 74.0 74.0 74.0 74.0 74.0	1 A 3 P 2 P 3 P 3 P 3 P 3 (30 P 3 (30 P 3 (30 P 1 (30 P 4 (30 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2	48 0 41.5 40.0 49.5 41.0 29.5 39.0 41.0 38.5 40.0 38.5 40.0 52.0 51.0 51.0 61.0 41.0 51.0 52.0	12 P 7 A 6 A 7 A 6 A 7 A 7 A 12 P 7 A 5 A 7 A 12 P 7 A 5 A 7 A 12 P 7 A 6 A 12 A 7 A 12 A 12 A 12 A 12 A 12 A 13 A 14 A 15 A 16 A	60.5 51.7 55.7 62.3 51.3 51.5 59.5 61.5 59.5 54.7 47.5 52.5 58.0 64.5 57.7 70.5 51.7 70.5 51.7 70.5 51.7 70.5 51.7	59.5 51.4 55.4 60.7 50.9 50.2 49.8 55.8 56.8 54.6 49.1 47.9 57.2 56.3 56.7 60.5 58.0 57.8 66.3 66.3 66.8 59.4 65.8	55.5 49.0 52.3 56.3 49.0 46.5 43.5 51.0 51.3 55.7 50.5 46.7 44.3 53.3 56.0 43.7 51.3 64.3 51.3	5.0 10.0 10.0 9.0 10.0 10.0 10.0 10.0 10.
29 30	30 00	29.70 30.00	29.825 30.076	55.0 46.0	12 M 3 P	37.0 34.0	12 P 2:30 A	46.0 40.0	46.3 41.8	43.0	2.3 3.5
31	30.06	29.98	30.021	59.0	3 P	39.0	6 A	49.0	51.3	47.3	4.3

	ŀ	lumidit	y.			Wind.			P	recipita	tion.	
j	еw	por.		g	t .	m are Ft	H		3.			al m hes.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square	Miles per Hour,	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3	53 ° 47.° 50.°	·499 ·377 ·439	85.5 86.5 84.0 81.5	S.W. S.W. S.S.W. S.S.W.	349 205 116	12.0 2.5 1.0	49 22 14	3 A 2 P 1 P	0 A	4 A	.55	
4 5 6 7 8	54.0 47.5 45.5 42.0	.513 .377 .330 .312	87.0 92.5 90.0 90.5	S.S.W. N. N.N.E. S.W. S.W.	58 3 0 8	0.0			8 A	11 A	.oS	
9 10 11	50.0 50.5* 48.5 49.5	.401 .401 .413 .386	9 ² ·5 83·5 9 ⁰ ·5	S.S.W. N.W. N.W.	9 14 88 58	0.0 0.0 2.0 1.0	20 14	12 M				
12 13 14	46.0 43.0 50.5 52.5	.327 .308 .413	94.5 93.5 89.5 95.5	N.N.E. W. N.N.W. S.S.E.	35 13 18	0.5	10 — —	3 P				
16 17 18	52 0 55.5 56.0	.406 -475 -489	87.5 91.5 93.0	S.S.W. W.S.W. S.S.W.	36 29 35	0.0		_ _ _	0 A	S A	Т	
19 20 21 22	55.0 52.0 59.0 49.0	.469 .422 .577 .598	94.0 93.5 86.0 61.0	S.S.W N.N.W. W.S.W. W.N W.	87 36 121 283	0.0 0.0 0.5 4.0	10 28	2 P				
23 24 25	34·5 43·5 53.0	·374 .318 .431	53.0 92.0 93.0	W. S. S.	170 156 137	0.5 1.0 0.5	10 14 10	10 A 1 P 10 A				
26 27 28 29	50 0 63.0 55.0 41.0	·397 .657 ·476 .296	92.5 87.5 92.5 88.5	N. S.S W. N.W. N.N.W.	64 320 107 126	5.0 5.0 0 0 2.0	3 ² 3 ² 20	5 P 	1 A 4 P 0 A 12 M	5 A 12 P 1 P 3 P	.04	
30	37.0 43.0	.273	81.0 75.5	W. W.S.W.	251 152	2.5	22	11 A 2 P		3.		

^{**}Rain or melted snow at base of tower. * Included in following day.

The weather during the month was generally pleasant and very mild. Our records show that it was the warmest October since the station was established. No frost occurred until the 7th, and only one other frost, on the 24th, was recorded. Neither of these could hardly be called a killing frost. The precipitation was rather small and after the tail end of the storm that ushered in the month there was practically no more rain until the last week of the month. The last week was generally cloudy.

The records of the several weather elements show the following features of more or less interest: The mean barometer was practically normal and the range of pressure about the usual amount. The minimum pressure was very low for this time of year and occurred at 3 A. M. on the 1st, at the end of the heavy rainstorm which was in progress when the preceding month closed. The maximum barometer was also rather low and came near the middle of the month. The total wind movement was about three-fourths of the normal, and many of the daily records were very small. The wind was rather variable in direction.

The mean hourly temperature was more than five degrees higher than usual, making it the warmest October on our records as referred to above. The maximum temperature was rather high and the temperature reached 80 degrees or more on three days. The minimum temperature was more than six degrees higher than the normal for this record. Owing to the high minimum the range was less than usual.

The total precipitation was about 40 per cent of the normal and was mostly in small storms. The mean dew point and relative humidity were both high.

The amount of sunshine was above the normal and about onethird of the number of days were clear, one-third fair and onethird cloudy.

J. E. OSTRANDER, Meteorologist.

H. W. POOLE, Observer.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Minimum reduced to freezing, 29.04, 17th, 3 P Reduced maximum reading . 30.62, 29th, 9 A Reduced minimum reading, 29 35, 17th, 3 P	Least daily movement
*Air Temperature. In Degrees Fahr.	hour, 17th, 9P, W.N.W. Prevailing direction, Northwest.
Highest 62.0, 2d, 11 P Lowest 16.0, 13th, 7 A	Summary.
Mean hourly 36.9 Mean of means of max, and min. 36.9 Mean sensible (wet bulb) 32.1 Monthly range 46.0 Highest mean daily 49.9 Ist 1st Lowest mean daily 26.9 21st 26.9 Mean maximum 44.5 Mean minimum 29.3	South Southwest
Mean daily range 15.2	Weather.
Greatest daily range 31.5, 2d Least daily range 5.0, 25th, 28th	Mean cloudiness observed 65 per cent Total cloudiness recorded by the Sun Thermometer 207 hours = 70 per cent.
Hamidity.	Number of clear days 2
	Number of fair days 8 Number of cloudy days 20
	Bright Sunshine.
Precipitation. In inches. Total precipitation, in inches	Number hours recorded, 86 hrs, = 30 per cent. Rain, 1st, 2d, 7th. 9th, 16th, 17th, 21st. 23d, 24th, 25th. 27th. Snow, 12th, 16th, 21st, 24th, 25th. 27th. Hail, 16th. Frost, before the 16th: 4th, 9th, 11th, 12th 13th, 14th. Gales, 36m. 17th, W.N.W.: 35m, 23d, N. E.

^{*}Temperature in ground shelter.

^{**}Reduced to freezing and sea-level

	eter Ke Sea Lev			Temperature. Ground Shelter.								
Бау.	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine		
1 30.23 2 30.23 3 29 86 4 30.00 5 30.29 6 30.49 7 30 50 8 30.22 9 30.16 10 30.28 11 30.34 12 30.17 13 30 39 14 30.41 15 30.42 16 30.45 17 30.13 18 30.15 20 30.20 21 30.29 22 30.17 23 29.99 24 29.92 25 30.02 26 30.24 27 30.28 28 30.50 29 30.62 30 30.49	29 92 29.53 29.53 29.86 29.86 29.87 30.22 30.74 29.73 30.10 29.97 30.32 30.35 30.13 29.35 29.35 30.03 30.00 30.15 29.90 30.02 30.24 30.24 30.24 30.24 30.24	30.062 29.951 29.795 30.114 30.432 30.384 30.156 30.156 30.052 30.362 30.389 30.362 20.542 30.72 30.102 30.235 29.087 30.152 29.927 30.123 30.235 29.927 30.123 30.389	57.0 62.0 54.0 57.0 54.0 45.0 52.0 56.5 57.5 46.0 38.5 44.5 35.5 35.5 35.5 39.0 44.0 31.0 37.0 35.0 35.0 35.0 40.0 40.0	11 A 11 P 2:30 P 1 P 2 P 2 P 3 A 4 P 11:30 A 3 P 4 P 2 P 4:30 P 1 P 0 A 12 P 8:30 A 3 P 4 P 1 P 0 A 1 2 P 8:30 A	33 0 30.5 40.0 32.0 33.0 33.0 23.0 21.0 22.0 21.0 23.5 32.5 31.0 23.5 32.5 32.5 32.0 23.5 32.5 32.0 23.5 32.5 32.0 23.5 23.5 32.0 23.5 23.5 23.5 23.5 23.5 23.5 23.5 23.5	12 P 3 A 12 P 7:30 A 2 A 2 A 4 A 12 P 7 A 12 P 7 A 12 P 7 A 6 A 7 A 2 A 7 A 12 P 7:30 A 0 A 12 P 8 P 6 A 7:30 A 12 P 7:30 A 2 A	45.0 46.3 47.9 44.5 48.0 46.5 39.0 44.5 31.7 28.3 31.7 35.7 30.5 36.3 37.5 27.3 37.7 36.0 32.5 30.5 30.5 30.5 30.5 30.5	49.9 40.1 49.2 45.9 48.6 44.6 39.2 42.0 45.8 32.4 32.4 32.4 32.4 33.3 38.3 38.3 36.9 32.5 31.6 32.9 31.6 32.9 30.3	42.7 37.7 40.2 37.3 40.5 37.0 34.3 37.5 30.3 22.7 24.0 24.0 26.5 24.7 30.0 35.7 32.3 32.5 25.0 31.7 26.0 35.7 31.7 26.0	2 3 0.0 6.3 8.3 5.5 7.2 3.1 3.4 0.5 5.8 7.6 1.5 8.1 7.8 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0		

	I	Iumidit	у.			Wind.			Р	recipita	ition.	
	» «	por.	ty	ng n.	nt .	ım e are Ft	16		pi.		To In	tal in ches.
Day.	Mean Dew Point,	Mean Force vapor,	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square I	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
1 2 3 4 5 6	38.0 35.0 35.5 30.5 35.0 27.5	.324 .248 .292 .274 .297 .276	73.0 84.0 72.0 63.5 68.0 55.0	W.S.W. N.N.W. W.N W. S.S.W. W. N.W.	185 42 328 95 260 151	2.0 5.5 5.0 1.5 3.0	20 33 32 17 24	2 P 12 P 0 A 8 P 1 P 2 P	12 M 12 M	2 P 12 P	T .95	
7 8 9	29.5 33.5 40.5 30.0	.222 .251 .326 .258 .182	75.5 76.5 85.0 67.0	N.W. S.S.W. S.S.W. W.N.W. S.	27 73 173 300 45	0.0 0.5 2.5 3.0	10 22 24	4 P 4 P 1 P	7 P 8 A	9 P 10 P	.03 T	
12 13 14	17.5 16.0 19.0 16.5	.147 .149 .166 .155	68.5 62.5 63.0 63.0	W.N.W. W.N.W. W.S.W. S.S.E.	236 229 123 33	5 0 2.5 1.0 0.0	32 22 14	2 P 10 A 12 M	8 A	9 A		Т
16 17 18 19 20	25.5 33.0 24.5 25.5 28.5	.178 .221 .222 .217 .201	79.0 85 0 60.5 66.5	N.N.E. N.N.E. N.W. W.S W. N.N.E.	63 130 306 149 101	0.0 6.5 4 0 1.0	36 28 14	9 P 0 A 3 P 8 P	1 P	12 P 2 P	·75	2
21	23.0 27.0 36.0	.142	88 o 80.0 91.5	N.N.E. N.N.E. N.E.	145 52 280	o.5 o.0 6.0	10	6 A 6 A	5 A	12 P	.25	1/2
23 24	29.5	.188	87.5	N.E. N.N.E.	200	1.5	35	1 A	1 A 8 P	12 P	.06	T
25	30 5	.183	92.5	N.N.E.	84	0.5	10	7 P 6 P	o A	10 A	.19	2
26 27 28 29 30	24.5 28 0 27 0 7.0 21.0	.149 .170 .182 .140 .158	88.5 92.5 82.0 45.0 72.5	N. S S.W E.N E. N. S.	57 107 139 86	0.5 0.0 0.5 0.0	10	5 P - 5 P	5 P	12 P	.10	1

^{**}Rain or melted snow at base of tower. * Included in following day.

The weather records for November show that, contrary to the general opinion, the month was slightly colder than usual. The precipitation was large and more than the usual amount of snow was recorded. The most noticeable feature, however, was the large number of dark gloomy days and the great deficiency in sunshine. Another unusual feature was the persistency in wind from the northeast quadrant for about a week during the last part of the month. Two decided low barometric readings were noted on the 17th and 23d respectively.

The records of the several weather elements show the following interesting features: The mean barometer was unusually high and the range was practically normal. Only eight days showed a mean barometer lower than 30 inches. The total wind movement was slightly less than the normal, and only a few days showed a large wind movement. The direction of the wind was more varied than usual. The only gales recorded were during the two low barometer periods referred to above.

The mean hourly temperature was more than one and a half degrees below the normal, and the maximum was slightly lower than usual. The minimum temperature was not as low as usual and was registered before the middle of the month.

The mean dew point and relative humidity were both comparatively low.

The total precipitation was nearly fifty per cent above the normal, and nearly one-half the total fell on one day. The snow which fell was soon melted, so that the ground was bare when the month closed.

Two-thirds of the days were either cloudy or overcast, and the amount of sunshine was very small.

J. E. OSTRANDER, Meteorologist.

H. W. POOLE, Observer.

**Reduced to freezing and sea-level.

Meteorological Observations

AT THE

MASSACHUSETTS AGRICULTURAL EXPERIMENT STATION.

Latitude, 42° 23' 48.5" N. Longitude 72° 31' 10" W. Height of barometer above ground, 51 ft. Above sea level, 273.5 ft. Height of Wind Instruments 72 ft. Time used, 75th Mer.

Pressure. In inches.	Wind.
Maximum reduced to freezing, 30.27, 26th, 9 A	
Minimum reduced to freezing, 29.04, 2d, 4 A	
Reduced maximum reading . 30.60, 261h, 9 A	Least daily movement 22m 13th
Reduced minimum reading, 29.35, 2d, 4 A	Mean daily movement
Mean semi-daily reduced 29.962	Mean hourly velocity 6 7 m
Montbly range 1.25	Maximum pressure per square foot, 10.0,lbs=
	45m per hour, 2d, 1P, W.N.W.
	Maximum velocity for 5 minutes, 32m per
*A * 70	hour, 2d, 2 P, W.N.W.
*Air Temperature. In Degrees Fahr.	Prevailing direction, Northwest.
Ilighest 58.0, 14th, 6 P	
Lowest 4.0, 26th, 9 A	
Mean of means of max, and min 31.0	North Northwest
Mean sensible (wet bulb) 26.8	
Monthly range 54.0	Northwest
Highest mean daily 45.4, 14th	
Lowest mean daily 11.0, 26th	
Mean maximum 37.9	
Mean minimum 24.1	
Mean daily range	
Greatest daily range 25.0, 14th Least daily range 5.0, 22d	Weather.
15east daily range 5.0, 22d	Mean cloudiness observed 57 per cent
	Total cloudiness recorded by the Sun
Humidity.	Thermometer 140 hours = 49 per cent.
	Number of clear days 5
	Number of fair days
Mean relative numidity	Number of cloudy days
	Bright Sunskine.
Precipitation. In inches.	Number hours recorded, 143 hrs, $=$ 51 per cent.
	Rain, 1st, 3d, 4th. 5th, 10th, 13th, 14th,
Total snow, in inches	22d, 23d, 27th.
Number of days on which or inch or more rain fell ,	Suew, 5th, 9th, 10th, 16th. 22d, 27th. Sleet, 27th.
	Gales, 45m. 2d, W.N.W.: 40m, 6th, N.W.
*Temperature in ground shelter.	Service and the service and th

		eter Re Sea Lev			Tem	perature	. Ground	d Shelter			of shine
Day.	Maximum	Minimum.	Mean. Semi-daily	Maximum	Time.	Minimum.	Time.	Mean of Max. and Min.	Mean Hourly Draper.	Mean Sensible Wet Bulb.	No. Hours of Bright Sunshine
1 2 3 3 4 4 5 6 6 7 8 8 9 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28	30 33 30.11 30.29 30.09 29 95 29 87 30.10 30.37 30.36 30.20 30.30 30.13 30.13 30.48 30.47 29.92 30.04 30.45 30.04 30.39 20.09	29.41 29.35 30.08 29.95 29.37 29.54 29.30 29.50 29.50 29.45 29.45 29.45 29.50 29.46 29.45 29.53 29.40 29.78 30.30 29.78 30.39 29.78	29 875 29 693 30.210 30.210 30.951 29 493 29 701 29.976 30.319 30.280 30.261 29.532 29.497 29.732 30.288 30.288 30.288 30.288 30.288 30.288 30.288 30.288 30.288 30.288 30.288 30.288 30.288	36.0 45.0 36.0 49.0 42.0 30.0 37.0 37.0 46.0 35.0 35.0 35.0 35.0 37.0 45.5 37.0 37.0 37.0 37.0 37.0 37.0 37.0 37.0		28 5 32.0 26.0 33.0 33.0 23.0 23.0 23.0 23.0 24.0 16.5 31.0 27.0 11.0 4.0 13.0	O A 12 P 7 P 6 A 3 A 12 P 12 P 7 A 3 A 12 P 7 A 5 A 6 A 12 P 7 A 8 A 2 A 7 A 7 A 7 A 0 A 12 P 12 P	32.3 38.5 31.0 39.5 41.7 36.3 33.0 20.5 28.0 33.7 32.5 34.5 29.5 34.5 29.5 30.5 30.5 20.5 20.5 20.0 10.3 18.3 25.7	31.9 38.0 31.9 37.2 40.4 31.9 27.7 28.8 33.0 32.9 31.0 29.4 45.4 39.2 32.8 31.0 30.3 29.4 25.6 26.3 28.7 37.5 22.1 11.0 18.1 11.0 18.1 18.2	30.0 31.5 28.0 33.5 27.5 27.5 22.3 27.0 30.5 30.3 23.7 28.3 26.5 27.0 22.0 23.7 35.0 23.7 30.0 23.7 20.0 21.7 35.0 27.0 27.0	0.0 2.5 6.3 7.4 8.4 2.0 0.0 4.7 5.7 6.5 6.0 8.0 0.3 3.0 0.0 8.3 5.0 0.0
29 30 31	30.04	29.92 29.90 29.87	29.990 29.981 30 052	33.5 40.0 40.0	3:30 P 2:30 P	10.0 25.5 19.0	9 A 2 A 12 I'	21.7 32.7 20.5	21 2 31.9 30.2	15.3 29 ° 25.3	7.2 7.5 2.0

	I	- Iumidit	у.			Wind.			Р	recipita	ition.	
	ew	apor.	tty	ng on.	ent .	nn e are Ft	er		ng.		Inc	al in ches.
Day.	Mean Dew Point.	Mean Force vapor.	Mean Relative Humidity	Prevailing Direction.	Total Movement in Miles.	Maximum Pressure Per Square F	Miles per Hour.	Time.	Beginning.	Ending.	Rain.**	Snow.
	28.0	.176	89.5	N.	90	0.0	_		1 A	10 P	.93	<u> </u>
2	240	.210	63.5	N.W.	393	10.0	45	1 P	1 11	101	.93	
3	23.5	.167	78.0	W.S.W.	110	0.0	_	_	8 P	11 1	.10	
4	29.5	.213	73.5	S.W.	63	0.0	-	-	0 A	12 M	1.71	
5	33 5	.242	80.0	N.W.	165	4.0	28	3 P	9 A	10 A	T	Т
6	24.5	.204	64.0	N.W.	419	8.0	40	3 P	Ì			
7 8	21.5	.170	68.5	N.N.W.	260	3.5	26	6 Р	1			
	15.5	.133	67.0	N.N.E. N.N.E.	207	2.5	22	2 A	_ ,,		$_{\rm T}$	Т
9	22.0	.162 .180	73·5 84·5	N.N.E.	307 188	3.0	24 14	7 P 11 A	7 P 9 A	10 P		1
11	27.5 27.0	.180	82.0	N.W.	225	30	24	8 A	9 A	12 1	.13	1
[2]	16.0	.148	62.0	W.N.W.	42	00						
13	24.0	.170	78.0	W.N.W.	2.2	0.0		_	8 P	12 P	.10	
14	42.5	.297	92.5	S.S.W.	229	5.5	33	3 P	O A	12 1	1.56	
15	20.0	.205	77.5	S.W.	212	3.5	26	7 P	i	1	-	
16	23.5	.170	76.5	S.S.W.	172	0.5	10	2 P	8 P	H P	T	T
17	225	.157	78 o	W.	76	0.0						
18	22.5	.102	78.0	W.N.W.	169	2.0	20	3 P	-		1	
19	10.0	-146	630	W.S.W.	128	0.0	-	_	1			
20	13.5	.125	68.0	NW.	75	0.0	_					
21	16.0 26.0	.131	70.0 02.0	N.W. N.	93	0.0	10	2 P	- 7	12 P	20	Т
23	32.0	.158	830	N.W.	44 140	2.5	22	10 P	5 P 0 A	11 A	.20	1
24	28.0	.175	890	W.N.W	356	40	28	IO A	O A	11.7		
25	9.5	.103	67.0	N.N.W.	295	40	28	11 A	ŀ		1	
26	-7.0	.070	40.5	N.N.E.	107	1.0	14	10 A				
27	12.5	.106	75.5	N.	157	0.5	10	3 P	I A	6 Р	1.05	6
28	14.0	.145	64.5	W.N.W.	200	3.0	2.4	6 A	1		-	
29	3.0	.107	51.0	S.S.W	93	10	14	6 P			-	
30	245	.176	75.0	W.N.W.	111	0.5	10	10 P	į	- 1		
31	21.5	.135	79.5	N.	114	2.0	20	4 P				
						ļ		!				

^{**}Rain or melted snow at base of tower.
* Included in following day.

Annual Summary for 1920.

Pressure. In inches.

Minimum reduced to freezing,	
*Air Temperature. In degrees Fahr.	Precipitation. In inches.
Highest,	Total precipitation, rain or melted snow, 50.09 Snow total in inches, 78.00 Number of days on which of or more rain or melted snow fell,
Highest mean daily, 76.4, Aug 9	Weather.
Lowest mean daily, —4.7, Jan. 3 Mean maximum, 57.1 Mean minimum, 36.6 Mean daily range, 20.5 Greatest daily range, 44.0, Oct. 7 Least daily range, 3.5, Feb. 26, Apr. 2d Humidity.	Mean cloudiness observed, 51 per cent. Total cloudiness recorded by Sun Thermometer 1795 hrs.=40 per cent. Number of clear days,
Mean dew point,	
Mean force of vapor,	Bright Sunshine-
Wind.	Number of hours recorded,2662 hrs.=60 per cent.
Total movement. 51.470 m Greatest daily movement. 537 m., Mar. 6 Least daily movement. 0 m., Oct. 6 Mean daily movement, 141 m Mean hourly velocity, 5.9 m Maximum pressure per square foot. 16.0 lbs. 57 m. per hour, Mar. 6, 1030 A., N.W. Maximum velocity for 5 minutes, 40 m. per hour, Oct. 1, 2 A. S.S.W.	Daes of Frosts. Last
Prevailing direction, West,	Dates of Snow.
Summary. South Southwest	Last,
North	Gales of 50 or More Miles Per Hour, Mar. 6th, 57m., N.W.

Temperature in ground shelter.

H. W. POOLE, Observer.

J. E. OSTRANDER,

Meteorologist.











